

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**

Permit No: 65-23466

Exam Date: 10/29/2018

## 1. Current Owner:

JOHN DANHAKL PO BOX 1363 MCCALL ID 83638 (310) 954-0435

DANHAKL DESCENDANTS TRUST 17717 CALLE DE PALERMO PACIFIC PALISADES CA 90272 (310) 954-0435

## 2. Accompanied by: MATTHEW GANZ

Phone No: (208) 315-1519

Address: 3751 EASTSIDE DR, MCCALL, ID 83638

Relationship to Permit Holder: CARETAKER

3. **SOURCE:**

PAYETTE LAKE

**TRIBUTARY:**

NORTH FORK PAYETTE RIVER

**B. OVERLAP REVIEW**

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point-of-diversion: NONE

**C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:

PAYETTE LAKE L1 (NE¼NW¼) Sec. 23, Twp 19N, Rge 03E, B.M. VALLEY County

Method of Determination: Field exam, aerial imagery, and ArcMap tools.

2.

PLACE OF USE: FIRE PROTECTION and DOMESTIC

| Twp | Rge | Sec | NE |    |    |    | NW       |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----------|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE       | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 19N | 03E | 23  |    |    |    |    | X<br>L 1 |    |    |    |    |    |    |    |    |    |    |    |        |

Method of Determination: Field exam, aerial imagery, and ArcMap tools.

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.

X Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

XX Aerial Photo Attached (required for irrigation of 10+ acres).X Photo of Diversion and System Attached

4.

| Diversion ID No. | Motor Make | Hp | Motor Serial No. | Pump Make | Discharge Size |
|------------------|------------|----|------------------|-----------|----------------|
| 924606           | Danfoss    | 15 | 2305150 B        | Danfoss   | 4"             |
| 924606           | Grundfos   | 3  | 25530-15         | Grundfos  | 2"             |

**D. FLOW MEASUREMENTS**

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
| N/A                   | N/A  | N/A  | N/A       | N/A        | N/A  | N/A         |

SCANNED

NOV 15 2018

2. Measurements: Pump curves were used to estimate flow capacities.

#### E. FLOW CALCULATIONS

Measured Method: 15 Hp pump rated at 230 gpm = 0.51 cfs; 3 Hp pump rated at 25 gpm = 0.06 cfs

#### F. VOLUME CALCULATIONS

1. Volume Calculations for Fire Protection and Domestic:

Volume calculations are not required for fire protection and domestic per IDAPA 37.03.02.035.01jii and jiv.

#### G. NARRATIVE/REMARKS/COMMENTS

##### System Description:

Two pumps, 3 Hp for domestic and 15 Hp for fire protection, are set off the shoreline in Payette Lake about 30' deep. A 4" line takes fire protection water to a fire hydrant located north of the house on the east side of the drive way. A fire hose is located in an adjacent storage box. The domestic water is directed to the mechanical room below the house via a 2" line. Water runs through a filtering system (2 – 264 gallons tanks), a heat system (2 – 119 gallon tanks), and/or pressurized via pressure tanks (86 gallon tank). There are several sprinklers throughout the planters around the house that irrigate various vegetation. The irrigation does not do not exceed 1/2 acres.

##### Place of Use:

The northern edge of the house is situated on the border of L4SESW of Section 14 and L1NENW of Section 23. The general land office (GLO) records can become distorted in ArcMap when overlaid with aerial imagery. Because the projected overlap is minimal, no amendment will be necessary as L4SESW of Section 14 will not be included in the POU boundary description.

##### Conditions:

Conditions 004, 01P, 185, X01, R05, 077, and 187 were forwarded to licensing. Condition 121 was updated to 103 and forwarded to licensing.

Have conditions of permit approval been met? ☒ Yes ☐ No

#### H. RECOMMENDATIONS

##### 1. Recommended Amounts

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|-----------------------|----------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS              |                      |
| FIRE PROTECTION       | 01/01 to 12/31       | 0.51 CFS              |                      |
|                       | <u>Totals:</u>       | 0.550 CFS             |                      |


##### 2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None


#### I. AUTHENTICATION

Field Examiner's Name  Date 11/2/2018

Reviewer  Date 11/13/18

SCANNED  
NOV 15 2018

State of Idaho  
Department of Water Resources  
**3751 Eastside Drive, McCall, ID 83638**  
Place of Use and Point of Diversion



**Legend**

- Point of Diversion
- Domestic and Fire Protection



State of Idaho  
Department of Water Resources  
**3751 Eastside Drive, McCall, ID 83638**  
Rough System Diagram



**Legend**

- Point of Diversion
- Pipe Access Box
- Fire Hydrant
- 4" Main Line (Fire Protection)
- 2" Main Line (Domestic)

0 0.0075 0.015 0.03 Miles

SCANNED  
NOV 15 2018

### Overlap Analysis for Permit No. 65-23466 POD

| Process     | BasinSequence | Draft | Owner                                      | Source       | Use | NENE | NWNE | SWNE | SENE | NENW | NWNW | SWNW | SENW | NESW | NWSW | SESW | NESE | NWSE | SWSE | SESE | TotalAcres |
|-------------|---------------|-------|--------------------------------------------|--------------|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------|
| Water Right | 65-23466      | Y     | DANHAKL DESCENDANTS TRUST; DANHAKL, JOHN   | PAYETTE LAKE |     |      |      |      |      | X    |      |      |      |      |      |      |      |      |      |      |            |
| Water Right | 65-8850       | N     | SHELLWORTH, EUGENE W; SHELLWORTH, MARTHA B | PING CREEK   |     |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |            |
| Water Right | 65-8839       | N     | EPISCOPAL CHURCH IN IDAHO INC              | PAYETTE LAKE |     |      | X    |      |      |      |      |      |      |      |      |      | X    |      |      |      |            |
| Water Right | 65-8840       | N     | EPISCOPAL CHURCH IN IDAHO INC              | SPRING       |     |      |      |      |      |      |      |      |      |      |      |      |      | X    |      |      |            |

### Overlap Analysis for Permit No. 65-23466 POU

| Process     | BasinSequence | Draft | Owner                                      | Source          | Use             | NENE | NWNE | SWNE | SENE | NENW | NWNW | SWNW | SENW | NESW | NWSW | SESW | NESE | NWSE | SWSE | SESE | TotalAcres |
|-------------|---------------|-------|--------------------------------------------|-----------------|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------|
| Water Right | 65-23376      | N     | STATE OF IDAHO                             | WAGON BAY CREEK | COMMERCIAL      | X    |      |      | X    | X    |      |      |      | X    |      |      | X    |      | X    |      |            |
| Water Right | 65-23466      | Y     | DANHAKL DESCENDANTS TRUST; DANHAKL, JOHN   | PAYETTE LAKE    | DOMESTIC        |      |      |      |      | X    |      |      |      |      |      |      |      |      |      |      |            |
| Water Right | 65-23466      | Y     | DANHAKL DESCENDANTS TRUST; DANHAKL, JOHN   | PAYETTE LAKE    | FIRE PROTECTION |      |      |      |      | X    |      |      |      |      |      |      |      |      |      |      |            |
| Water Right | 65-8850       | N     | SHELLWORTH, EUGENE W; SHELLWORTH, MARTHA B | PING CREEK      | DOMESTIC        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |            |
| Water Right | 65-8839       | N     | EPISCOPAL CHURCH IN IDAHO INC              | PAYETTE LAKE    | DOMESTIC        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |            |
| Water Right | 65-8840       | N     | EPISCOPAL CHURCH IN IDAHO INC              | SPRING          | DOMESTIC        |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |            |

No overlap; WR specific to Eastside Rd maintenance, different source and use.

SCANNED  
NOV 15 2018

## Skinner, Aaron

---

**From:** Danhaki, John <danhaki@leonardgreen.com>  
**Sent:** Thursday, November 01, 2018 2:51 PM  
**To:** Skinner, Aaron  
**Subject:** Re: 3751 Eastside Drive, McCall, ID - Water Right Permit

Hi Aaron. That sounds fine by me. Did everything check out?

Sent from my iPhone

On Nov 1, 2018, at 3:37 PM, Skinner, Aaron  
<Aaron.Skinner@idwr.idaho.gov<mailto:Aaron.Skinner@idwr.idaho.gov>> wrote:

Mr. Danhaki,

I performed a field exam for your water right permit no. 65-23466 last week. I was able to verify flow rates via known pump capacities for the house and fire protection system. During my visit, it was suggested to add a local PO Box for mailings from our department. As the permit holder, I wanted to get your feedback. Below is a suggested option for adding the PO Box address. Communication would be sent to both addresses and should be minimal once the license is issued.

JOHN DANHAKL  
PO BOX 1363  
MCCALL, ID 83638

DANHAKL DECENDANTS TRUST  
17717 CALLE DE PALERMO  
PACIFIC PALISADES, CA 90272

Please let me know your thoughts at your earliest convenience.

Regards,

Aaron Skinner  
Idaho Department of Water Resources  
Water Resource Agent, Sr.  
(208) 334-2190  
aaron.skinner@idwr.idaho.gov<mailto:aaron.skinner@idwr.idaho.gov>

### Disclaimer

This email (including any attachments) is intended solely for the person or entity to whom it is addressed and may contain confidential, proprietary or privileged material. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this email in error, please notify the sender immediately then permanently delete the email and all copies (including any attachments). This email (including any attachments) is not intended as an offer to buy or sell, or a recommendation to buy or sell, any security. All email sent to or from the Leonard Green & Partners, L.P. ("LGP") email system is subject to archiving, monitoring, and/or review by LGP personnel.



State of Idaho

## DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C.L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

October 12, 2018

COPY

JOHN DANHAKL  
17717 CALLE DE PALERMO  
PACIFIC PALISADES, CA 90272

**RE: Scheduling Field Exam for Water Right Permit No. 65-23466**

Dear Permit Holder:

We are planning to conduct water right examinations in the vicinity of the above-referenced permit **this season**. An examination is needed to verify the water use in order to issue a water right license.

The above-referenced permit authorizes **0.60 cfs** from the **PAYETTE LAKE** for **DOMESTIC** and **FIRE PROTECTION** uses. **If you have developed a beneficial use and still own the place of use property, please contact me at your earliest convenience to schedule an examination.**

If you did not develop a beneficial use of water under the permit during the beneficial use period, a license cannot be issued and the permit should be relinquished. If that use was developed, but have ceased using the water and you currently carry no interest in it, please relinquish the permit by submitting the enclosed Relinquishment of Permit form (no fee required).

**Please contact me within the next thirty (30) days at (208) 334-2190 to either schedule an examination or submit a relinquishment form. If the Department does not received a response by November 15, 2018, your permit will become void. Thank you for your attention to this matter.**

Sincerely,

Aaron Skinner  
Water Resource Agent, Sr.  
Idaho Department of Water Resources  
Phone: (208) 334-2190  
Email: [aaron.skinner@idwr.idaho.gov](mailto:aaron.skinner@idwr.idaho.gov)

Enclosures: Relinquishment of Permit form  
Water Permit Report and Map

SCANNED  
NOV 15 2018