

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**TRANSFER OF WATER RIGHT
TRANSFER NO. 90071**

This is to certify that: **VEOLIA WATER IDAHO INC**
8248 W VICTORY RD
BOISE, ID 83709-4165

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Changes

<u>Water Right</u>	<u>Origin/Basis</u>	<u>Priority Date</u>	<u>Diversion Rate</u>	<u>Diversion Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>Source</u>
63-2915	WR/DECREED	11/17/1952	2.000 cfs	1031.4 af	N/A	N/A	GROUND WATER
63-31856	WR/DECREED	6/2/1890	2.120 cfs	N/A	N/A	N/A	GROUND WATER
63-31857	WR/DECREED	7/21/1928	2.480 cfs	N/A	N/A	N/A	GROUND WATER
63-3239	WR/DECREED	6/22/1961	2.800 cfs	1197.0 af	N/A	N/A	GROUND WATER
63-7066	WR/DECREED	2/28/1968	5.800 cfs	N/A	N/A	N/A	GROUND WATER

Purpose of Transfer (Changes Proposed)

<u>Current Number</u>	<u>Split</u>	<u>POD</u>	<u>POU</u>	<u>Add POD</u>	<u>Period of Use</u>	<u>Nature of Use</u>
63-2915	NO	NO	NO	YES	NO	NO
63-31856	NO	NO	NO	YES	NO	NO
63-31857	NO	NO	NO	YES	NO	NO
63-3239	NO	NO	NO	YES	NO	NO
63-7066	NO	NO	NO	YES	NO	NO

Summary Of Water Rights After the Approved Change

<u>Existing Right</u>	<u>New No. (Changed Portion)</u>	<u>Transfer Rate</u>	<u>Transfer Volume</u>	<u>Acre Limit</u>	<u>Total Acres</u>	<u>New No. (remaining portion)</u>	<u>Remaining Rate</u>	<u>Remaining Volume</u>	<u>Remaining Acre Limit</u>	<u>Remaining Total Acres</u>
63-2915	63-2915	2.000 cfs	1031.4 af	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-31856	63-31856	2.120 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-31857	63-31857	2.480 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-3239	63-3239	2.800 cfs	1197.0 af	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-7066	63-7066	5.800 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
COMBINED TOTALS		15.200 cfs	N/A	N/A	N/A		N/A	N/A	N/A	N/A

SUPPORT DATA

IN FILE # 63-2915

Transfer No. 90071

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT
TRANSFER NO. 90071

This water right(s) is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Detailed Water Right Description(s) attached.

Dated this 10th day of July, 2026.


SCOTT STORMS, Water Resources Supervisor



WATER RIGHT NO. 63-31856

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-31856 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 6/2/1890

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	01/01	to 12/31	2.120 cfs
			2.120 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E	ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E	ADA County

Transfer No. 90071

WATER RIGHT NO. 63-31856
As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County

CONDITIONS OF APPROVAL

1. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.
2. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, this right retains its original priority for well locations authorized under this right as identified in the decree dated 9/18/2009.
3. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.
4. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
5. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
7. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.
10. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

WATER RIGHT NO. 63-31857

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-31857 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 7/21/1928

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	01/01	to 12/31	2.480 cfs
			2.480 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E	ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E	ADA County

Transfer No. 90071

WATER RIGHT NO. 63-31857
As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County

CONDITIONS OF APPROVAL

1. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.
2. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, this right retains its original priority for well locations authorized under this right as identified in the decree dated 9/18/2009.
3. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.
4. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
5. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
7. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.
10. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

WATER RIGHT NO. 63-2915**As Modified by Transfer No. 90071**

In accordance with the approval of Transfer No. 90071, Water Right No. 63-2915 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 11/17/1952

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Diversion Volume</u>
MUNICIPAL	01/01	to 12/31	2.000 cfs	1031.4 af
			2.000 cfs	1031.4 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E	ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E	ADA County

Transfer No. 90071

WATER RIGHT NO. 63-2915

As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County

CONDITIONS OF APPROVAL

1. Right Nos. 63-2915 and 63-3239 are limited to a total combined annual diversion volume of 1332.0 AF.
2. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.
3. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, this right retains its original priority for well locations authorized under this right as identified in the decree dated 5-10-2010.
4. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.
5. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
6. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
7. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
8. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
10. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.
11. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

Transfer No. 90071

WATER RIGHT NO. 63-3239**As Modified by Transfer No. 90071**

In accordance with the approval of Transfer No. 90071, Water Right No. 63-3239 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 6/22/1961

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Diversion Volume</u>
MUNICIPAL	01/01	to 12/31	2.800 cfs	1197.0 af
			2.800 cfs	1197.0 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E	ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E	ADA County

Transfer No. 90071

WATER RIGHT NO. 63-3239

As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County

CONDITIONS OF APPROVAL

1. Right Nos. 63-2915 and 63-3239 are limited to a total combined annual diversion volume of 1332.0 AF.
2. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.
3. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
4. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
5. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, this right retains its original priority for well locations authorized under this right as identified in the decree dated 5/5/2010.
6. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.
7. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
8. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
10. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.
11. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

Transfer No. 90071

WATER RIGHT NO. 63-7066**As Modified by Transfer No. 90071**

In accordance with the approval of Transfer No. 90071, Water Right No. 63-7066 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 2/28/1968

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>
MUNICIPAL	01/01	to 12/31	5.800 cfs
			5.800 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E	ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 14 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 9 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 15 Twp 04N Rge 01E	ADA County
GROUND WATER	L3 (NESW)	Sec 15 Twp 04N Rge 01E	ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E	ADA County

Transfer No. 90071

WATER RIGHT NO. 63-7066

As Modified by Transfer No. 90071

GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSW	Sec 8 Twp 04N Rge 01E	ADA County
GROUND WATER	NESENE	Sec 9 Twp 04N Rge 01E	ADA County
GROUND WATER	NESWNW	Sec 9 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSWNW	Sec 9 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E	ADA County
GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County


CONDITIONS OF APPROVAL

1. Place of use is within the service area of Veolia Water Idaho Inc. as provided for under Idaho law.
2. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, this right retains its original priority for well locations authorized under this right as identified in Transfer 85720 dated 1/9/2023.
3. Transfer 85720 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: Wells #1 is located in T04N R01E S9 SWNW. Well #2 is located in T04N R01E S9 SWNW. Well #3 is located in T04N R01E S9 SENE. Well #4 is located in T04N R01E S15 NWNW. Well #6 is located in T04N R01E S8 SWSW. Well #7 is located in T04N R01E S15 NESW L3. Well #8 is located in T04N R01E S15 NESW.
4. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
6. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
7. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
8. To prevent injury to prior water rights appropriating water from the Boise River and/or the underlying shallow aquifer tributary to the Boise River, any replacement of the well used as a point of diversion for this water right located within the NESW, S15, T4N, R1E shall be constructed and maintained with unperforated casing and sealed into the first significant confining layer located 200 feet or more below ground surface.

WATER RIGHT NO. 63-7066
As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

9. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.
10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
12. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.




State of Idaho
Department of Water Resources


Attachment to Transfer No. 90071

Water Rights: 63-2915, 63-3239, 63-7066, 63-31856, and 63-31857

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 2 4 8 Miles





July 13, 2026

VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE ID 83709-4165

Re: Transfer No: 90071
Water Right No(s): 63-2915, 63-3239, 63-7066, 63-31856, 63-31857

Transfer Approval Notice

Dear Water Right Holder:

The Department of Water Resources has issued the enclosed approved Transfer of Water Right(s). Please be sure to thoroughly review the conditions of approval and remarks listed on the approval document.

The Transfer of Water Right(s) is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless the APPLICANT petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

ANY PERSON aggrieved by any decision, determination, order or action of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Department and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

If the transfer approval includes a condition requiring measuring and recording devices, such devices shall comply with specifications established by the Department. Detailed specifications are available on the Department's home page on the Internet, or you can request a copy by contacting any office of the Department. Please be sure to thoroughly review the specifications to avoid unnecessary costs for reinstallation or modification due to non-conforming or improperly installed devices.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of

the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at (208) 334-2190.

Sincerely,

A handwritten signature in blue ink that reads "Marina Bozdog". The signature is written in a cursive, flowing style.

Marina Bozdog
Technical Records Specialist 1

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on July 14, 2026, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Transfer) to the person(s) listed below:

Re: Transfer No.: 90071

Water Right No(s): 63-2915, 63-3239, 63-7066, 63-31856, 63-31857

VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE ID 83709-4165

ATTN: MICHAEL P LAWRENCE
GIVENS PURSLEY LLP
601 W BANNOCK ST
BOISE ID 83702-5919

EDWARDS FAMILY LLC
4106 SAND CREEK
BOISE ID 83703-4028

ATTN: DYLAN B LAWRENCE
VARIN THOMAS LLC
242 N 8TH ST STE 220
BOISE ID 83702-5892

ATTN: JOHN MARSHALL
GIVENS PURSLEY LLP
575 W BANNOCK ST
BOISE ID 83702-5917



Marina Bozdog
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

The accompanying document is a “**Preliminary Order**” issued by the Idaho Department of Water Resources (“Department”) pursuant to Idaho Code § 67-5243. **This preliminary order can and will become a final order without further action of the Department, unless a party petitions for reconsideration, petitions for review, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

(See Idaho Code § 67-5243(3))

Any party may file a petition for reconsideration of this preliminary order with the Department within fourteen (14) days of the service date of this order as shown on the certificate of service. **Note: the petition must be received by the Department within this fourteen (14) day period.** The presiding officer will issue a written order disposing of the petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law.

PETITION FOR REVIEW (EXCEPTIONS)

(See Idaho Code § 67-5245)

Within fourteen (14) days after: (a) the service date of this preliminary order, (b) the service date of a denial of a petition for reconsideration of this preliminary order, or (c) the failure of the presiding officer to dispose of a petition for reconsideration of this preliminary order within twenty-one (21) days, any party may petition the Director in writing to review any part of this preliminary order by filing exceptions, and any supporting brief, with the Department.¹ Any parties opposing the exceptions shall have fourteen (14) days from the service date of the exceptions to file a brief. If the Director determines that oral argument is necessary, the Director will provide reasonable notice to the parties of the place, date, and hour for the argument.

The Director will issue a final order on exceptions within fifty-six (56) days of receipt of the final written brief or oral argument, whichever is later, unless extended for good cause. The Director may remand the matter for or hold an evidentiary hearing if further factual development of the record is necessary before issuing a final order.

REQUEST FOR HEARING

(See Idaho Code § 42-1701A(3))

Unless the right to a hearing before the Director or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order,

¹ The Director may decide to review this preliminary order upon his own motion. Should the Director decide to do so, the Director will provide written notice to the parties within the period the parties are allowed to petition the Director for review of the preliminary order.

or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter shall be entitled to a hearing before the Director to contest the action. The person shall file with the Director, within fifteen (15) days after receipt of written notice of the action issued by the Director, or receipt of actual notice, a written petition stating the grounds for contesting the action by the Director and requesting a hearing. **Note: The request must be received by the Department within this fifteen (15) day period.**

CERTIFICATE OF SERVICE

(See IDAPA 37.01.01.053, 37.01.01.202)

All documents filed with the Department in connection with a petition for reconsideration, petition for review, or a request for hearing of this preliminary order shall be served on all other parties to the proceeding in accordance with Rules 53 and 202 of the Department's Rules of Procedure.

MEMORANDUM

TO: Transfer No. 90071 and Water Right Files
FROM: Allen Bradbury
RE: Evaluation of Application for Transfer 90071
DATE: May 20, 2026

For Transfer Application No. 90071, the applicant, Veolia Water Idaho Inc. (“Veolia”), seeks to add two new wells—the Federal Tank Well and the Orchard Well—to the common-system diversion under existing Water Right Nos. 63-2915, 63-3239, 63-7066, 63-31856, and 63-31857. The total authorized diversion rate for the combined rights will remain 15.2 cfs, and the diverted water will continue to serve the established municipal place of use.

The application was advertised with a protest deadline date of January 5, 2026. The application received a single protest by the Edwards Family LLC, which was later withdrawn with stipulations.

Summary of Information Submitted

Authority to File: The application was filed in the name of Veolia Water Idaho Inc. (Veolia). and signed by the authorized agent, David Johns, Regional President of the company in Idaho. According to the State of Idaho Secretary of State Business Services website, Bryant Gonzalez is listed as the Secretary of Veolia with signing authority. Mr. Gonzalez provided a statement with the application asserting that David Johns is authorized to execute contracts, make commitments, and prepare and submit filings on behalf of the company.

The proposed Orchard Well will be constructed in Township 03N Range 02E Section 17 SENW (parcel R6650000135), which Ada County tax parcel data lists as currently owned by Veolia Water Idaho Inc.

The proposed Federal Tank Well will be constructed in Township 03N Range 02E Section 22 NWSE (parcel R5510500173), which Ada County tax parcel data lists as currently owned by United Water Idaho Inc.

The applicant has the authority to request the changes proposed by the application.

Water Right Validity/Historical Beneficial Use: The water rights involved in the transfer authorize the use of ground water for municipal purposes within Veolia’s service area. It is unlikely Veolia has diverted less water than its customers have demand for. Therefore, the rights are presumed valid.

Injury to Other Water Rights: Legal notice was required for this transfer, and a single protest was received by the Department from the Edwards Family LLC. This protest was withdrawn with stipulations and joint motion to approve the transfer. On approval of the transfer, each water right will have conditions identifying both the originally authorized points of diversion and points of diversion added through subsequent processes. These conditions are necessary to prevent injury to existing water rights through either local well interference or the dilution of priority of other water rights in the event of limited regional curtailment.

Enlargement of Use: The transfer does not propose any change to the diversion rate or volume nor any unsubordinated change to the season of use. The municipal service area remains the same. There is little evidence to indicate an enlargement due to adding points of diversion. For these reasons, an enlargement of use is not anticipated as a result of this transfer.

Local Public Interest: There are no anticipated negative impacts to recreation, fish, or wildlife because of this transfer. There is no indication that any applicable water or hazardous substance standards designed to protect water resources would be violated. This transfer is compatible with the objectives and policies of the State Water Plan. The application was advertised and the single protest was resolved. There is no information to suggest the changes proposed in the application conflict with the local public interest.

Beneficial Use/Conservation of Water Resources: The applicant intends to continue to use the rights involved in the transfer to provide water to customers for municipal purposes. The application proposes beneficial use consistent with conservation of water resources in Idaho. No issues were identified.

The application is consistent with criteria of I. C. § 42-222 and should be processed.

Additional Information/Analysis

Overlap Analysis: The proposed Orchard Well will be constructed in Township 03N Range 02E Section 17 NWSE. There is a single domestic water right, 63-15504, located in the NWSE of Section 17.

The proposed Federal Tank Well will be constructed in Township 03N Range 02E Section 22 SENW. There are five other wells located within the QQ. There are two domestic water rights 63-22493 and 63-4401 located in the NWSE of Section 22

Discussion

Conditions: If approved the following changes should be made to the conditions of water rights.

- Modified condition 125 from United Water Idaho to Veolia Water Idaho, Inc.
- Modified condition 208 to reflect alternate points of diversion (APOD)
- Added 058 and 073 as per stipulation.
- Added T07 & T08 as per Department standards.
- On decreed rights, updated C18 to T19 as per Department standards.

Summary


Assuming no other information contradicts the above analysis, the application can be approved as reflected by the draft approval.

State of Idaho
Department of Water Resources

Attachment to Transfer No. 90071

Water Rights: 63-2915, 63-3239, 63-7066, 63-31856, and 63-31857

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 2 4 8 Miles

- Points of Diversion
- Place of Use
- Township/Range
- Sections

