

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 94-9620

RECEIVED
MAY 29 2025
IDWR / NORTH

Priority: July 24, 2018

Maximum Diversion Volume: 2,090.0 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 94-9620

STATE OF IDAHO DEPT OF FISH & GAME
2885 W KATHLEEN AVE COEUR D ALENE ID 83815-8523

requests the permit be changed as follows:

Source : BLACKROCK GULCH
Source : BULL RUN CREEK

Tributary: COEUR D ALENE RIVER
Tributary: COEUR D ALENE RIVER

Beneficial Use
WILDLIFE STORAGE

Period of Use Annual Volume
01/01 to 12/31 2,090.0 AF

Location of Point(s) of Diversion

BLACKROCK GULCH SW¼ NE¼, Sec. 7, Twp 48N, Rge 01W, B.M. KOOTENAI County
BLACKROCK GULCH NE¼ NE¼, Sec. 7, Twp 48N, Rge 01W, B.M. KOOTENAI County
BULL RUN CREEK NE¼ NE¼, Sec. 7, Twp 48N, Rge 01W, B.M. KOOTENAI County

Place of Use: WILDLIFE STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	01W	7	X	X	X	X				X L5					X	X		X	
48N	01W	8		X			X	X											
48N	01W	5									X		X	X	X L9	X L10	X	X	
48N	01W	6																X L10	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 28 day of May, 2025.


(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 94-9620

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by MB # N045430 Date 5/29/25

ACTION OF THE DEPARTMENT OF WATER RESOURCES


The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 94-9620 with the following:

Conditions of Approval

1. This right is subordinate to the capture and retention of water in existing on-stream storage reservoirs operated for storage and flood control purposes during and following flood control operations until the date of allocation.
2. Right 94-9620 authorizes a total annual storage volume of 2,090.0 acre-feet, 1,630.0 acre-feet to be used for the initial filling of the reservoir and 460.0 acre-feet for the replacement of losses caused by evaporation.
3. Water shall not be diverted under this right when flows in the Coeur d'Alene River are below minimum flow amounts as defined by Right 94-7341. The right holder shall be responsible for monitoring the daily flow of the Coeur d'Alene River using real-time data and shall cease diverting water when flows in the Coeur d'Alene River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Cataldo gauging station, No. 12413500, may be used for purposes of determining the daily flow amounts.
4. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.


Signed this 10th day of July, 2026.


~~CHACE BELL~~ Spencer Humphrey
Water Resource Supervisor

State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit 94-9620

This map depicts the WILDLIFE STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Point of Diversion
- State Outline
- Townships
- PLS Sections
- Quarter Quarters



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763

Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

May 14, 2025

STATE OF IDAHO
DEPT OF FISH & GAME
2885 W KATHLEEN AVE
COEUR D ALENE ID 83815-8523

RE: Water Right Permit No. 94-9620

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

 X Point(s) of Diversion – the Permit approval authorized development of two (2) POD(s) within the legal description: Twp 48N, Rge 01W, Sec 7, NE¼NE¼. These 2 PODs are associated with the two 42-inch concrete collared culverts with concrete flow structures housing stoplogs.

A third POD was developed in the following legal description: Twp 48N, Rge 01W, Sec 7, SW¼NE¼. This 3rd POD is associated with the 24-inch culvert and AGRIDRAIN flow control structure. The amendment is required to add the 3rd POD to the Permit at time of Licensing approval.

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you concur with the information presented, **please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.**

If you have any questions, please call me at (208) 762-2817.

Sincerely,

A handwritten signature in blue ink, appearing to read "L. Bates", with a stylized flourish at the end.

Luke Bates
Sr Water Resource Agent

Enclosure(s): Application for Amendment w/Map
Copy of Permit approval w/Map (for reference only)

E-cc: David Van de Riet at David.Vanderiet@idfg.idaho.gov