
Re: Application for Transfer

From McKenna Webster <mckenna.webster@idwr.idaho.gov>

Date Thu 7/9/2026 8:26 AM

To Zach Beutler <zhughbeutler@gmail.com>

Great, thank you.

Best Regards

McKenna Webster | Water Resource Agent

900 N Skyline Dr. Ste. A Idaho Falls, ID 83402

(208) 525-7161 (office) | www.idwr.idaho.gov



From: Zach Beutler <zhughbeutler@gmail.com>

Sent: Thursday, July 9, 2026 8:11 AM

To: McKenna Webster <mckenna.webster@idwr.idaho.gov>

Subject: Re: Application for Transfer

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

See attached for consent document.

On Wed, Jul 8, 2026 at 9:34 AM McKenna Webster <mckenna.webster@idwr.idaho.gov> wrote:
Zach,

We are in need of a consent document from Charlene Rose just saying that she agrees to the transfer of 39 acres. This will be used to support the Bill of Sale.

Are you wanting to update ownership? If so, that should be mentioned in the consent document as well.

Best Regards

Re: Application for Transfer

From McKenna Webster <mckenna.webster@idwr.idaho.gov>

Date Wed 7/1/2026 1:35 PM

To Zach Beutler <zhughbeutler@gmail.com>

Great, thank you for the information.

Best Regards

McKenna Webster | Water Resource Agent

900 N Skyline Dr. Ste. A Idaho Falls, ID 83402

(208) 525-7161 (office) | www.idwr.idaho.gov



From: Zach Beutler <zhughbeutler@gmail.com>

Sent: Wednesday, July 1, 2026 1:23 PM

To: McKenna Webster <mckenna.webster@idwr.idaho.gov>

Subject: Re: Application for Transfer

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

McKenna,

The Roses use the water as needed to grow crops on their farm. How often depends on the crop they are growing and the water needs of the crop. The water is delivered from a well to buried mainline that services wheel line and hand line to irrigate their crops.

I have attached the IDWR beneficial use field report that was performed on 04/28/2015. It outlines where they utilize the water including flows, pictures and other pertinent information that answers these questions with detail.

Let me know if you have any other questions.

Thanks,

Zach

Sent from my iPhone

On Jul 1, 2026, at 12:07 PM, McKenna Webster <mckenna.webster@idwr.idaho.gov> wrote:

Zach,

Could you tell me, or get me information on, how often Charlene Rose irrigates the western portion of her water right that you purchased? Information about the irrigation setup would be helpful as well.

Thank you

McKenna Webster | Water Resource Agent

900 N Skyline Dr. Ste. A Idaho Falls, ID 83402

(208) 525-7161 (office) | www.idwr.idaho.gov
<Outlook-mvh2cq2.png>

From: Zach Beutler <zhughbeutler@gmail.com>
Sent: Wednesday, July 1, 2026 9:59 AM
To: McKenna Webster <mckenna.webster@idwr.idaho.gov>
Subject: Re: Application for Transfer

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Thank you

Zach

Sent from my iPhone

On Jul 1, 2026, at 8:55 AM, McKenna Webster <mckenna.webster@idwr.idaho.gov> wrote:

Zach,

Your application didn't receive any protests and was given back to me for my final review. It is possible that this application could be approved within a couple weeks. However, it does depend on how busy the manager is and when he can look over all of the information.

Best Regards

McKenna Webster | Water Resource Agent

900 N Skyline Dr. Ste. A Idaho Falls, ID 83402

(208) 525-7161 (office) | www.idwr.idaho.gov
<Outlook-kfqwp2bm.png>

From: Zach Beutler <zhughbeutler@gmail.com>
Sent: Monday, June 29, 2026 10:42 AM
To: McKenna Webster <mckenna.webster@idwr.idaho.gov>
Subject: Re: Application for Transfer

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

McKenna,

I have not received any protests on this. Have you seen anything come across?

I would like to get infrastructure installed within the next 60 days if possible, but I don't want to proceed until I know the transfer has been approved. What should I anticipate on that for a time frame?

Thanks

Zach

Sent from my iPhone

On May 28, 2026, at 2:17 PM, McKenna Webster
<mckenna.webster@idwr.idaho.gov> wrote:

Zach,

It looks like your application went into advertising yesterday. That will run for a period of 2 weeks and 10 days. During this time, you will receive a copy of any protests. Let me know if you have any questions.

Best Regards

McKenna Webster | Water Resource Agent

900 N Skyline Dr. Ste. A Idaho Falls, ID 83402

(208) 525-7161 (office) | www.idwr.idaho.gov
<Outlook-me2nchqm.png>

From: Zach Beutler <zughbeutler@gmail.com>
Sent: Thursday, May 28, 2026 1:52 PM
To: McKenna Webster <mckenna.webster@idwr.idaho.gov>
Subject: Re: Application for Transfer

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

McKenna,

I wanted to touch base on the progress here. Has the advertisement period started?

Thanks

Zach

Sent from my iPhone

On May 20, 2026, at 9:39 AM, McKenna Webster <mckenna.webster@idwr.idaho.gov> wrote:

Good morning,

We received your application for transfer, and as I was reviewing it, I noticed a few things. On page 5, the 16 acres were entered into the wrong ¼ (SWNE instead of NWNE); on page 6, questions B1 and B2 were unanswered; On Page 7, questions C1 and C2 were left

unans. red. Lastly, I updated the map to inclu. the
section of water right that will be transferred in this
application. I went ahead and fixed the errors. I've
attached a copy of the changes to this email. Let me
know if those changes look ok and I will add them to
your application.

Best Regards

McKenna Webster | Water Resource Agent

900 N Skyline Dr. Ste. A Idaho Falls, ID 83402

(208) 525-7161 (office) | www.idwr.idaho.gov

<Outlook-rarvki00.png>

<Beutler Transfer NEW Map.pdf>

<Beutler.ZUpdated Application.pdf>