

RECEIVED

JUL 27 2026

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee \$	<u>50.00</u>
Receipt No.	<u>C127440</u>
Received By	<u>KW</u>
Date Received	<u>7-27-2026</u>

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been **completed** and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, contact any Department office or visit the Department's website at idwr.idaho.gov for an *Assignment of Permit* form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

1. Permit No. 02-10641 Telephone No. 208-249-0228
2. Name of Permit Holder(s) Suzanne & Berry Prescott
3. Mailing Address 8240 Birmingham Rd City Melba
State ID Zip 83641 Email Sprescott@idahoasphalt.com
4. Source of Water Snake River If **GROUND WATER** (well), Date Drilled mo. ____ / yr. ____
Well Driller _____ Drilling Permit Number _____
5. Extent of use(s) completed **as authorized by the water right permit:**
Domestic (No. of households) _____ Stockwater (No. and type of stock) _____
Irrigation (No. of acres) 4.5 Other _____
6. Total rate of diversion or storage volume for which proof is submitted 0.12 cfs **OR** _____ acre-feet.

7. Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit:
Refer to the approval conditions on your permit and respond accordingly.

The Department will not issue a license if permit conditions are not met.

Measuring Device	Is a measuring device required?	Yes ☐	No ☒
	If yes, has the measuring device been installed?	Yes ☐	No ☐
Lockable Controlling Device	Is a lockable device required to control the diversion?	Yes ☐	No ☒
	If yes, has the lockable device been installed?	Yes ☐	No ☐
Fish Screen	Is a fish screen required?	Yes ☐	No ☒
	If yes, has the fish screen been installed?	Yes ☐	No ☐

Other Conditions of Permit

Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

_____ Completed? Yes ☐ No ☐

8. Fee Enclosed \$ 50 or not applicable ☐. See fee schedule on page 2 of the instructions.
Proof statements filed without an appropriate fee, will be considered incomplete.
9. Person to contact to accompany the Department representative during field examination of the water system.

Name Suzanne Prescott Telephone Number 208-249-0228
Mailing Address 8240 Birmingham Rd City Melba
State ID Zip 83641 Email Sprescott@idahoasphalt.com

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of Permit Holder Suzanne Prescott Date 7/23/2024
(Include your title, if on behalf of company or organization)

Mail to: Idaho Department of Water Resources, PO Box 83720, Boise, ID 83720-0098

State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 57-12021

Priority: August 14, 2020

Maximum Diversion Rate: 0.12 CFS

This is to certify that

SUZANNE PRESCOTT 8240 BIRMINGHAM RD MELBA ID 83641-4210 AND/OR
BERRY PRESCOTT 8420 BIRMINGHAM RD MELBA ID 83641

has applied for a permit to appropriate water from:

Source : SNAKE RIVER

Tributary: COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

Beneficial Use

IRRIGATION

Period of Use

03/01 to 11/15

Rate of Diversion

0.12 CFS

Location of Point(s) of Diversion

SNAKE RIVER L1 (SE¼ SE¼), Sec. 6, Twp 01N, Rge 03W, B.M. OWYHEE County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	03W	6															4.3	1.0 L1	5.3
01N	03W	7		0.7															0.7


Total Acres: 6.0

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2025**.
2. Subject to all prior water rights.
3. Prior to diversion of water under this right, the right holder shall install and maintain a measuring device and lockable controlling works of a type acceptable to the Department as part of the diverting works.
4. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 28 day of September, 2020.



PATRICK KELLY
Water Rights Supervisor

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

57-12021

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- ⊙ Point of Diversion
- Place Of Use Boundary

-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.035 0.07 0.14 Miles

