BEFORE THE DEPARTMENT OF WATER RESOURCES OF THE STATE OF IDAHO

IN THE MATTER OF TRANSFER NO. 90071 IN THE NAME OF VEOLIA WATER IDAHO INC	)	**ORDER GRANTING PETITION FOR RECONSIDERATION**

This matter having come before the Department of Water Resources ("Department") as a petition to reconsider the issuance of a preliminary order approving a transfer to change a point of diversion, the Department finds, concludes and orders as follows:

PROCEDURAL HISTORY

Application for Transfer 90071 ("Transfer") in the name of Veolia Water Idaho Inc. was approved by the Department on July 10, 2026 and issued with a Certificate of Service dated July 14, 2026.

On July 27, 2026, the Department received a petition for reconsideration of the preliminary order approving the Transfer from Dylan B. Lawrance on behalf of the Edwards Family LLC. The Petition asserts that conditions on the rights describing the alternate points of diversion (APODs) were inconsistent with what was agreed upon in the Stipulated and Joint Motion to Approve Transfer from May 1, 2026 ("Stipulated Agreement").

FINDINGS OF FACT

1. The Transfer approval was issued as a preliminary order of the Department pursuant to Idaho Code § 67-5243 and Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730).
2. Rule 730.02.a of the Department's Rules of Procedure (IDAPA 37.01.01.730.02.b.) provides in pertinent part as follows:

   > A party may file a petition for reconsideration of this preliminary order with the agency within fourteen (14) days of the service date of this order. The agency will dispose of the petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67- 5243(3), Idaho Code.

3. The Stipulated Agreement included the following statement on Pg. 2:

   > In addition, any approval of the Application must include the Department's "APOD" (i.e., alternate points of diversion) condition on each water right. An example of the APOD condition is condition no. 11 in Attachment A. The APOD condition describes the dates at which various points of diversion were added to the water right, such as in the original license and in a partial decree or subsequent transfer. Attachment B to this Stipulation contains lists of points of diversion and their locations to include in the APOD condition for each water right subject to the Application.

4. The Department issued Transfer 90071 with APOD conditions on each right that were inconsistent with those described in Attachments A and B of the Stipulated Agreement.

CONCLUSIONS OF LAW

1. Edwards Family LLC filed a timely petition to reconsider the preliminary order and provided credible information for IDWR to reinvestigate the conditions included on the rights.

2. The Department finds no reason the APOD conditions described in the Stipulated Agreement should not be included on the rights.

3. The Petition should be granted.

ORDER

IT IS HEREBY ORDERED that the petition is **GRANTED** and Transfer No. 90071 is **AMENDED** as shown in the accompanying approval document.

Dated this 11th day of August, 2026

Scott King
Western Region Manager

AMENDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT
TRANSFER NO. 90071

This is to certify that: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

has requested a change to the water right(s) listed below. This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code. A summary of the changes is also listed below. The authorized change for each affected water right, including conditions of approval, is shown on the following pages of this document.

Summary of Water Rights Before the Proposed Changes

Water Right	Origin/Basis	Priority Date	Diversion Rate	Diversion Volume	Acre Limit	Total Acres	Source
63-2915	WR/DECREED	11/17/1952	2.000 cfs	1031.4 af	N/A	N/A	GROUND WATER
63-31856	WR/DECREED	6/2/1890	2.120 cfs	N/A	N/A	N/A	GROUND WATER
63-31857	WR/DECREED	7/21/1928	2.480 cfs	N/A	N/A	N/A	GROUND WATER
63-3239	WR/DECREED	6/22/1961	2.800 cfs	1197.0 af	N/A	N/A	GROUND WATER
63-7066	WR/DECREED	2/28/1968	5.800 cfs	N/A	N/A	N/A	GROUND WATER

Purpose of Transfer (Changes Proposed)

Current Number	Split	POD	POU	Add POD	Period of Use	Nature of Use
63-2915	NO	NO	NO	YES	NO	NO
63-31856	NO	NO	NO	YES	NO	NO
63-31857	NO	NO	NO	YES	NO	NO
63-3239	NO	NO	NO	YES	NO	NO
63-7066	NO	NO	NO	YES	NO	NO

SUPPORT DATA
IN FILE # 63-2915

Summary Of Water Rights After the Approved Change

Existing Right	New No. (Changed Portion)	Transfer Rate	Transfer Volume	Acre Limit	Total Acres	New No. (remaining portion)	Remaining Rate	Remaining Volume	Remaining Acre Limit	Remaining Total Acres
63-2915	63-2915	2.000 cfs	1031.4 af	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-31856	63-31856	2.120 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-31857	63-31857	2.480 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-3239	63-3239	2.800 cfs	1197.0 af	N/A	N/A	N/A	N/A	N/A	N/A	N/A
63-7066	63-7066	5.800 cfs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
COMBINED TOTALS		**15.200 cfs**	**N/A**	**N/A**	**N/A**		**N/A**	**N/A**	**N/A**	**N/A**

AMENDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT
TRANSFER NO. 90071

This water right(s) is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Detailed Water Right Description(s) attached.

Dated this 11th day of August, 2026.

SCOTT STORMS, Water Resources Supervisor

WATER RIGHT NO. 63-31856

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-31856 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 6/2/1890

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate
MUNICIPAL	01/01	to 12/31	2.120 cfs
			2.120 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14	Twp 03N	Rge 01E	ADA County
GROUND WATER	NESE	Sec 24	Twp 03N	Rge 01E	ADA County
GROUND WATER	SENE	Sec 3	Twp 03N	Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36	Twp 03N	Rge 01E	ADA County
GROUND WATER	NESE	Sec 36	Twp 03N	Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENW	Sec 14	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENW	Sec 17	Twp 03N	Rge 02E	ADA County
GROUND WATER	NESW	Sec 17	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18	Twp 03N	Rge 02E	ADA County
GROUND WATER	NESW	Sec 18	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 19	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENW	Sec 19	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENW	Sec 2	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENE	Sec 20	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 21	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	SESE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 28	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENW	Sec 33	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 8	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENW	Sec 9	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27	Twp 04N	Rge 01E	ADA County
GROUND WATER	NESW	Sec 34	Twp 04N	Rge 01E	ADA County
GROUND WATER	NENW	Sec 35	Twp 04N	Rge 01E	ADA County
GROUND WATER	NENW	Sec 36	Twp 04N	Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30	Twp 04N	Rge 02E	ADA County

WATER RIGHT NO. 63-31856

As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E ADA County

CONDITIONS OF APPROVAL

1. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.

WATER RIGHT NO. 63-31856

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

2. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, ground water was first diverted under this right from
   - The Hulls Gulch well field located in T04N R02E Sec 34 NESE

   The partial decree dated November 18, 2009 authorized the following additional wells as points of diversion under this right
   - The Amity well located in T03N R01E Sec 36 NWNE
   - The Arctic 1 well located in T03N R02E Sec 8 NENE
   - The Bali Hai well located in T03N R01E Sec 3 SENE
   - The Beacon well located in T03N R02E Sec 14 SENW
   - The Bethel well located in T03N R02E Sec 7 SWSW
   - The BIF well located in T03N R02E Sec 27 NWSE
   - The Broadway well located in T03N R02E Sec 22 SESE
   - The Byrd well located in T03N R02E Sec 33 NENW
   - The Centennial well located in T03N R02E Sec 25 NWSE
   - The Central Park well located in T03N R02E Sec 2 NENW
   - The Chamberlin 1 well located in T03N R02E Sec 22 NWNE
   - The Chamberlin 2 well located in T03N R02E Sec 22 NWNE
   - The Cliffside well located in T03N R02E Sec 15 NWNW
   - The Cole well located in T03N R01E Sec 24 NESE
   - The Country Club well located in T03N R02E Sec 28 NWNW
   - The Franklin Park well located in T03N R02E Sec 18 NWNE
   - The Frontier well located in T04N R01E Sec 34 NESW
   - The Hillcrest well located in T03N R02E Sec 20 SENE
   - The Hummel well located in T03N R02E Sec 18 NESW
   - The Idaho well located in T03N R02E Sec 4 SWSW
   - The Joplin well located in T04N R01E Sec 27 NWSW
   - The Kirkwood well located in T03N R02E Sec 19 NENE
   - The Logger well located in T03N R02E Sec 24 SWNW
   - The Longmeadow well located in T03N R02E Sec 13 SWNW
   - The Overland 6 well located in T03N R02E Sec 19 NENW
   - The Roosevelt 3 well located in T03N R02E Sec 16 NWNW
   - The Roosevelt 1 well located in T03N R02E Sec 16 NWNW
   - The Sunset W 1 well located in T03N R01E Sec 36 NESE
   - The Swift 1 well located in T04N R02E Sec 30 SWSE
   - The Terteling well located in T03N R02E Sec 36 SWNE
   - The Vista well located in T03N R02E Sec 28 NENE
   - The Willow Lane 2 well located in T04N R02E Sec 32 SWNW
   - The Willow Lane 1 well located in T04N R02E Sec 32 NWNW
   - The Goddard well located in T04N R01E Sec 36 NENW
   - The Hilton well located in T03N R02E Sec 17 NESW
   - The Maple Hills 1 well located in T03N R01E Sec 14 NENE
   - The Settlers well located in T04N R01E Sec 35 NENW
   - The Sixteenth St well located in T03N R02E Sec 9 SENW
   - The Taggart 1 well located in T03N R02E Sec 21 NENE
   - The Thirteenth St well located in T03N R02E Sec 10 NWNW
   - The Westmoreland well located in T04N R02E Sec 31 NWSW
   - The Willow Lane 3 well located in T04N R02E Sec 32 SWNW

WATER RIGHT NO. 63-31856

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

3. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.

4. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

5. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.

6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

7. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

9. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

10. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

WATER RIGHT NO. 63-31857

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-31857 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 7/21/1928

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate
MUNICIPAL	01/01	to 12/31	2.480 cfs
			2.480 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14	Twp 03N	Rge 01E	ADA County
GROUND WATER	NESE	Sec 24	Twp 03N	Rge 01E	ADA County
GROUND WATER	SENE	Sec 3	Twp 03N	Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36	Twp 03N	Rge 01E	ADA County
GROUND WATER	NESE	Sec 36	Twp 03N	Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENW	Sec 14	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENW	Sec 17	Twp 03N	Rge 02E	ADA County
GROUND WATER	NESW	Sec 17	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18	Twp 03N	Rge 02E	ADA County
GROUND WATER	NESW	Sec 18	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 19	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENW	Sec 19	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENW	Sec 2	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENE	Sec 20	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 21	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	SESE	Sec 22	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 28	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENW	Sec 33	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4	Twp 03N	Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7	Twp 03N	Rge 02E	ADA County
GROUND WATER	NENE	Sec 8	Twp 03N	Rge 02E	ADA County
GROUND WATER	SENW	Sec 9	Twp 03N	Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27	Twp 04N	Rge 01E	ADA County
GROUND WATER	NESW	Sec 34	Twp 04N	Rge 01E	ADA County
GROUND WATER	NENW	Sec 35	Twp 04N	Rge 01E	ADA County
GROUND WATER	NENW	Sec 36	Twp 04N	Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30	Twp 04N	Rge 02E	ADA County

WATER RIGHT NO. 63-31857

As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E	ADA County

CONDITIONS OF APPROVAL

1. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.

WATER RIGHT NO. 63-31857

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

2. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, ground water was first diverted under this right from
   - The Hulls Gulch well field located in T04N R02E Sec 34 NESE

   The partial decree dated November 18, 2009 authorized the following additional wells as points of diversion under this right
   - The Amity well located in T03N R01E Sec 36 NWNE
   - The Arctic 1 well located in T03N R02E Sec 8 NENE
   - The Beacon well located in T03N R02E Sec 14 SENW
   - The Bethel well located in T03N R02E Sec 7 SWSW
   - The BIF well located in T03N R02E Sec 27 NWSE
   - The Broadway well located in T03N R02E Sec 22 SESE
   - The Byrd well located in T03N R02E Sec 33 NENW
   - The Centennial well located in T03N R02E Sec 25 NWSE
   - The Central Park well located in T03N R02E Sec 2 NENW
   - The Chamberlin 1 well located in T03N R02E Sec 22 NWNE
   - The Chamberlin 2 well located in T03N R02E Sec 22 NWNE
   - The Cliffside well located in T03N R02E Sec 15 NWNW
   - The Cole well located in T03N R01E Sec 24 NESE
   - The Country Club well located in T03N R02E Sec 28 NWNW
   - The Franklin Park well located in T03N R02E Sec 18 NWNE
   - The Frontier well located in T04N R01E Sec 34 NESW
   - The Goddard well located in T04N R01E Sec 36 NENW
   - The Hillcrest well located in T03N R02E Sec 20 SENE
   - The Hilton well located in T03N R02E Sec 17 NESW
   - The Hummel well located in T03N R02E Sec 18 NESW
   - The Idaho well located in T03N R02E Sec 4 SWSW
   - The Joplin well located in T04N R01E Sec 27 NWSW
   - The Kirkwood well located in T03N R02E Sec 19 NENE
   - The Logger well located in T03N R02E Sec 24 SWNW
   - The Longmeadow well located in T03N R02E Sec 13 SWNW
   - The Maple Hills 1 well located in T03N R01E Sec 14 NENE
   - The Overland 6 well located in T03N R02E Sec 19 NENW
   - The Roosevelt 1 well located in T03N R02E Sec 16 NWNW
   - The Roosevelt 3 well located in T03N R02E Sec 16 NWNW
   - The Settlers well located in T04N R01E Sec 35 NENW
   - The Sixteenth St well located in T03N R02E Sec 9 SENW
   - The Sunset W 1 well located in T03N R01E Sec 36 NESE
   - The Swift 1 well located in T04N R02E Sec 30 SWSE
   - The Taggart 1 well located in T03N R02E Sec 21 NENE
   - The Terteling well located in T03N R02E Sec 36 SWNE
   - The Thirteenth St well located in T03N R02E Sec 10 NWNW
   - The Vista well located in T03N R02E Sec 28 NENE
   - The Willow Lane 1 well located in T04N R02E Sec 32 NWNW
   - The Willow Lane 2 well located in T04N R02E Sec 32 SWNW
   - The Willow Lane 3 well located in T04N R02E Sec 32 SWNW
   - The Westmoreland well located in T04N R02E Sec 31 NWSW

WATER RIGHT NO. 63-31857

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

3. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.

4. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

5. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.

6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

7. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

9. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

10. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

WATER RIGHT NO. 63-2915

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-2915 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 11/17/1952

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate	Diversion Volume
MUNICIPAL	01/01	to 12/31	2.000 cfs	1031.4 af
			2.000 cfs	1031.4 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E ADA County
GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E ADA County

WATER RIGHT NO. 63-2915

As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E ADA County

CONDITIONS OF APPROVAL

1. Right Nos. 63-2915 and 63-3239 are limited to a total combined annual diversion volume of 1332.0 AF.

2. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.

WATER RIGHT NO. 63-2915

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

3. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, ground water was first diverted under this right from

- The Sunset W 1 well located in T03N R01E Sec 36 NESE

The partial decree dated May 05, 2010 authorized the following additional wells as points of diversion under this right

- The Amity well located in T03N R01E Sec 36 NWNE
- The Arctic 1 well located in T03N R02E Sec 8 NENE
- The Bali Hai well located in T03N R01E Sec 3 SENE
- The Beacon well located in T03N R02E Sec 14 SENW
- The Bethel well located in T03N R02E Sec 7 SWSW
- The BIF well located in T03N R02E Sec 27 NWSE
- The Broadway well located in T03N R02E Sec 22 SESE
- The Byrd well located in T03N R02E Sec 33 NENW
- The Centennial well located in T03N R02E Sec 25 NWSE
- The Central Park well located in T03N R02E Sec 2 NENW
- The Chamberlin 2 well located in T03N R02E Sec 22 NWNE
- The Chamberlin 1 well located in T03N R02E Sec 22 NWNE
- The Cliffside well located in T03N R02E Sec 15 NWNW
- The Cole well located in T03N R01E Sec 24 NESE
- The Country Club well located in T03N R02E Sec 28 NWNW
- The Franklin Park well located in T03N R02E Sec 18 NWNE
- The Frontier well located in T04N R01E Sec 34 NESW
- The Goddard well located in T04N R01E Sec 36 NENW
- The Hillcrest well located in T03N R02E Sec 20 SENE
- The Hilton well located in T03N R02E Sec 17 NESW
- The Hummel well located in T03N R02E Sec 18 NESW
- The Idaho well located in T03N R02E Sec 4 SWSW
- The Joplin well located in T04N R01E Sec 27 NWSW
- The Kirkwood well located in T03N R02E Sec 19 NENE
- The Logger well located in T03N R02E Sec 24 SWNW
- The Maple Hills 1 well located in T03N R01E Sec 14 NENE
- The Overland 6 well located in T03N R02E Sec 19 NENW
- The Roosevelt 1 well located in T03N R02E Sec 16 NWNW
- The Roosevelt 3 well located in T03N R02E Sec 16 NWNW
- The Settlers well located in T04N R01E Sec 35 NENW
- The Sixteenth St well located in T03N R02E Sec 9 SENW
- The Swift 1 well located in T04N R02E Sec 30 SWSE
- The Taggart 1 well located in T03N R02E Sec 21 NENE
- The Terteling well located in T03N R02E Sec 36 SWNE
- The Thirteenth St well located in T03N R02E Sec 10 NWNW
- The Vista well located in T03N R02E Sec 28 NENE
- The Westmoreland well located in T04N R02E Sec 31 NWSW
- The Willow Lane 1 well located in T04N R02E Sec 32 NWNW
- The Willow Lane 2 well located in T04N R02E Sec 32 SWNW
- The Willow Lane 3 well located in T04N R02E Sec 32 SWNW
- The Longmeadow well located in T03N R02E Sec 13 SWNW

WATER RIGHT NO. 63-2915

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

4. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.

5. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

6. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.

7. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

8. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

10. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

11. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

WATER RIGHT NO. 63-3239

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-3239 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 6/22/1961

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate	Diversion Volume
MUNICIPAL	01/01	to 12/31	2.800 cfs	1197.0 af
			2.800 cfs	1197.0 af

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E	ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E	ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E	ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E	ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E	ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E	ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E	ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E	ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E	ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E	ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 35 Twp 04N Rge 01E	ADA County
GROUND WATER	NENW	Sec 36 Twp 04N Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30 Twp 04N Rge 02E	ADA County

WATER RIGHT NO. 63-3239

As Modified by Transfer No. 90071

GROUND WATER	NWSW	Sec 31 Twp 04N Rge 02E ADA County
GROUND WATER	NWNW	Sec 32 Twp 04N Rge 02E ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E ADA County
GROUND WATER	SWNW	Sec 32 Twp 04N Rge 02E ADA County

CONDITIONS OF APPROVAL

1. Right Nos. 63-2915 and 63-3239 are limited to a total combined annual diversion volume of 1332.0 AF.

2. Place of use is within the service area of Veolia Water Idaho, Inc. as provided for under Idaho law. The place of use is generally described as within the city limits of Boise and the surrounding service area.

3. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

4. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.

WATER RIGHT NO. 63-3239

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

5. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, ground water was first diverted under this right from
   - The Sunset W 1 well located in T03N R01E Sec 36 NESE

   The partial decree dated May 05, 2010 authorized the following additional wells as points of diversion under this right
   - The Amity well located in T03N R01E Sec 36 NWNE
   - The Arctic 1 well located in T03N R02E Sec 8 NENE
   - The Bali Hai well located in T03N R01E Sec 3 SENE
   - The Beacon well located in T03N R02E Sec 14 SENW
   - The Bethel well located in T03N R02E Sec 7 SWSW
   - The BIF well located in T03N R02E Sec 27 NWSE
   - The Broadway well located in T03N R02E Sec 22 SESE
   - The Byrd well located in T03N R02E Sec 33 NENW
   - The Centennial well located in T03N R02E Sec 25 NWSE
   - The Central Park well located in T03N R02E Sec 2 NENW
   - The Chamberlin 2 well located in T03N R02E Sec 22 NWNE
   - The Chamberlin 1 well located in T03N R02E Sec 22 NWNE
   - The Cliffside well located in T03N R02E Sec 15 NWNW
   - The Cole well located in T03N R01E Sec 24 NESE
   - The Country Club well located in T03N R02E Sec 28 NWNW
   - The Federal Tank well located in T03N R02E Sec 22 NWSE
   - The Franklin Park well located in T03N R02E Sec 18 NWNE
   - The Frontier well located in T04N R0l E Sec 34 NESW
   - The Goddard well located in T04N R01E Sec 36 NENW
   - The Hillcrest well located in T03N R02E Sec 20 SENE
   - The Hilton well located in T03N R02E Sec 17 NESW
   - The Hummel well located in T03N R02E Sec 18 NESW
   - The Idaho well located in T03N R02E Sec 4 SWSW
   - The Joplin well located in T04N R01E Sec 27 NWSW
   - The Kirkwood well located in T03N R02E Sec 19 NENE
   - The Logger well located in T03N R02E Sec 24 SWNW
   - The Longmeadow well located in T03N R02E Sec 13 SWNW
   - The Maple Hills 1 well located in T03N R01E Sec 14 NENE
   - The Orchard well located in T03N R02E Sec 17 SENW
   - The Overland 6 well located in T03N R02E Sec 19 NENW
   - The Roosevelt 3 well located in T03N R02E Sec 16 NWNW
   - The Roosevelt 1 well located in T03N R02E Sec 16 NWNW
   - The Settlers well located in T04N R01E Sec 35 NENW
   - The Sixteenth St well located in T03N R02E Sec 9 SENW
   - The Swift 1 well located in T04N R02E Sec 30 SWSE
   - The Taggart 1 well located in T03N R02E Sec 21 NENE
   - The Terteling well located in T03N R02E Sec 36 SWNE
   - The Thirteenth St well located in T03N R02E Sec 10 NWNW
   - The Vista well located in T03N R02E Sec 28 NENE
   - The Westmoreland well located in T04N R02E Sec 31 NWSW
   - The Willow Lane 2 well located in T04N R02E Sec 32 SWNW
   - The Willow Lane 3 well located in T04N R02E Sec 32 SWNW
   - The Willow Lane 1 well located in T04N R02E Sec 32 NWNW

WATER RIGHT NO. 63-3239

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

6. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.

7. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

8. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

9. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

10. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

11. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

WATER RIGHT NO. 63-7066

As Modified by Transfer No. 90071

In accordance with the approval of Transfer No. 90071, Water Right No. 63-7066 is now described as follows:

Right Holder: VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE, ID 83709-4165

Priority Date: 2/28/1968

Source: GROUND WATER

BENEFICIAL USE	From	To	Diversion Rate
MUNICIPAL	01/01	to 12/31	5.800 cfs
			5.800 cfs

LOCATION OF POINT(S) OF DIVERSION

GROUND WATER	NENE	Sec 14 Twp 03N Rge 01E ADA County
GROUND WATER	NESE	Sec 24 Twp 03N Rge 01E ADA County
GROUND WATER	SENE	Sec 3 Twp 03N Rge 01E ADA County
GROUND WATER	NWNE	Sec 36 Twp 03N Rge 01E ADA County
GROUND WATER	NESE	Sec 36 Twp 03N Rge 01E ADA County
GROUND WATER	NWNW	Sec 10 Twp 03N Rge 02E ADA County
GROUND WATER	SWNW	Sec 13 Twp 03N Rge 02E ADA County
GROUND WATER	SENW	Sec 14 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 15 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 16 Twp 03N Rge 02E ADA County
GROUND WATER	SENW	Sec 17 Twp 03N Rge 02E ADA County
GROUND WATER	NESW	Sec 17 Twp 03N Rge 02E ADA County
GROUND WATER	NWNE	Sec 18 Twp 03N Rge 02E ADA County
GROUND WATER	NESW	Sec 18 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 19 Twp 03N Rge 02E ADA County
GROUND WATER	NENW	Sec 19 Twp 03N Rge 02E ADA County
GROUND WATER	NENW	Sec 2 Twp 03N Rge 02E ADA County
GROUND WATER	SENE	Sec 20 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 21 Twp 03N Rge 02E ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	NWNE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	NWSE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	SESE	Sec 22 Twp 03N Rge 02E ADA County
GROUND WATER	SWNW	Sec 24 Twp 03N Rge 02E ADA County
GROUND WATER	NWSE	Sec 25 Twp 03N Rge 02E ADA County
GROUND WATER	NWSE	Sec 27 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 28 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 28 Twp 03N Rge 02E ADA County
GROUND WATER	NENW	Sec 33 Twp 03N Rge 02E ADA County
GROUND WATER	SWNE	Sec 36 Twp 03N Rge 02E ADA County
GROUND WATER	SWSW	Sec 4 Twp 03N Rge 02E ADA County
GROUND WATER	SWSW	Sec 7 Twp 03N Rge 02E ADA County
GROUND WATER	NENE	Sec 8 Twp 03N Rge 02E ADA County
GROUND WATER	SENW	Sec 9 Twp 03N Rge 02E ADA County
GROUND WATER	NWNW	Sec 15 Twp 04N Rge 01E ADA County
GROUND WATER	NESW	Sec 15 Twp 04N Rge 01E ADA County
GROUND WATER	L3 (NESW)	Sec 15 Twp 04N Rge 01E ADA County
GROUND WATER	NWSW	Sec 27 Twp 04N Rge 01E ADA County
GROUND WATER	NESW	Sec 34 Twp 04N Rge 01E ADA County

WATER RIGHT NO. 63-7066

As Modified by Transfer No. 90071

GROUND WATER	NENW	Sec 35	Twp 04N	Rge 01E	ADA County
GROUND WATER	NENW	Sec 36	Twp 04N	Rge 01E	ADA County
GROUND WATER	SWSW	Sec 8	Twp 04N	Rge 01E	ADA County
GROUND WATER	NESENE	Sec 9	Twp 04N	Rge 01E	ADA County
GROUND WATER	NESWNW	Sec 9	Twp 04N	Rge 01E	ADA County
GROUND WATER	SWSWNW	Sec 9	Twp 04N	Rge 01E	ADA County
GROUND WATER	SWSE	Sec 30	Twp 04N	Rge 02E	ADA County
GROUND WATER	NWSW	Sec 31	Twp 04N	Rge 02E	ADA County
GROUND WATER	NWNW	Sec 32	Twp 04N	Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32	Twp 04N	Rge 02E	ADA County
GROUND WATER	SWNW	Sec 32	Twp 04N	Rge 02E	ADA County

CONDITIONS OF APPROVAL

1. Place of use is within the service area of Veolia Water Idaho Inc. as provided for under Idaho law.

WATER RIGHT NO. 63-7066

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

2. To the extent necessary for administration between points of diversion for ground water, and between points of diversion for ground water and hydraulically connected surface sources, ground water was first diverted under this right from
   - The Goddard well located in T04N R01E Sec 36 NENW

   The partial decree dated November 18, 2009 authorized the following additional wells as points of diversion under this right
   - The Amity well located in T03N R0l E Sec 36 NWNE
   - The Arctic 1 well located in T03N R02E Sec 8 NENE
   - The Bali Hai well located in T03N R01E Sec 3 SENE
   - The Beacon well located in T03N R02E Sec 14 SENW
   - The Bethel well located in T03N R02E Sec 7 SWSW
   - The BIF well located in T03N R02E Sec 27 NWSE
   - The Broadway well located in T03N R02E Sec 22 SESE
   - The Byrd well located in T03N R02E Sec 33 NENW
   - The Centennial well located in T03N R02E Sec 25 NWSE
   - The Central Park well located in T03N R02E Sec 2 NENW
   - The Chamberlin 1 well located in T03N R02E Sec 22 NWNE
   - The Chamberlin 2 well located in T03N R02E Sec 22 NWNE
   - The Cliffside well located in T03N R02E Sec 15 NWNW
   - The Cole well located in T03N R01E Sec 24 NESE
   - The Country Club well located in T03N R02E Sec 28 NWNW
   - The Franklin Park well located in T03N R02E Sec 18 NWNE
   - The Frontier well located in T04N R01E Sec 34 NESW
   - The Hillcrest well located in T03N R02E Sec 20 SENE
   - The Hilton well located in T03N R02E Sec 17 NESW
   - The Hummel well located in T03N R02E Sec 18 NESW
   - The Idaho well located in T03N R02E Sec 4 SWSW
   - The Joplin well located in T04N R01E Sec 27 NWSW
   - The Kirkwood well located in T03N R02E Sec 19 NENE
   - The Logger well located in T03N R02E Sec 24 SWNW
   - The Longmeadow well located in T03N R02E Sec 13 SWNW
   - The Maple Hills 1 well located in T03N R01E Sec 14 NENE
   - The Overland 6 well located in T03N R02E Sec 19 NENW
   - The Roosevelt 1 well located in T03N R02E Sec 16 NWNW
   - The Roosevelt 3 well located in T03N R02E Sec 16 NWNW
   - The Settlers well located in T04N R01E Sec 35 NENW
   - The Sixteenth St well located in T03N R02E Sec 9 SENW
   - The Swift 1 well located in T04N R02E Sec 30 SWSE
   - The Taggart 1 well located in T03N R02E Sec 21 NENE
   - The Terteling well located in T03N R02E Sec 36 SWNE
   - The Vista well located in T03N R02E Sec 28 NENE
   - The Willow Lane 2 well located in T04N R02E Sec 32 SWNW
   - The Willow Lane 3 well located in T04N R02E Sec 32 SWNW
   - The Willow Lane 1 well located in T04N R02E Sec 32 NWNW
   - The Sunset W 1 well located in T03N R0JE Sec 36 NESE
   - The Thirteenth St well located in T03N R02E Sec 10 NWNW
   - The Westmoreland well located in T04N R02E Sec 31 NWSW

WATER RIGHT NO. 63-7066

As Modified by Transfer No. 90071

CONDITIONS OF APPROVAL

3. Transfer 85720 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: Wells #1 is located in T04N R01E S9 SWNW. Well #2 is located in T04N R01E S9 SWNW. Well #3 is located in T04N R01E S9 SENE. Well #4 is located in T04N R01E S15 NWNW. Well #6 is located in T04N R01E S8 SWSW. Well #7 is located in T04N R01E S15 NESW L3. Well #8 is located in T04N R01E S15 NESW.

4. Transfer 90071 authorizes the following additional well(s) as point(s) of diversion under this right as of the date of the approval: The Federal Tank Well is located in T03N R02E S22 NWSE. The Orchard Well is located in T03N R02E S17 SENW.

5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

6. Some points of diversion identified in this right are located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.

7. Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.

8. To prevent injury to prior water rights appropriating water from the Boise River and/or the underlying shallow aquifer tributary to the Boise River, any replacement of the well used as a point of diversion for this water right located within the NESW, S15, T4N, R1E shall be constructed and maintained with unperforated casing and sealed into the first significant confining layer located 200 feet or more below ground surface.

9. A map generally depicting the service area for this water right at the time of this approval is attached to this document for illustrative purposes.

10. The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.

11. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

12. Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082
Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little **Director Mathew Weaver**

August 12, 2026

VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE ID 83709-4165

RE: Order Granting Petition for Reconsideration for Transfer No. 90071

Dear Applicant(s):

Please see the enclosed *Order Granting Petition for Reconsideration* for Transfer No. 90071 in the name of Veolia Water Idaho Inc.

If you have any questions regarding this matter, please contact our office at (208) 334-2190.

Sincerely,

Marina Bozdog

Marina Bozdog
Technical Records Specialist I

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 13, 2026, I served a true and correct copy of the foregoing document by U.S. Mail, postage prepaid, to the following:

VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE ID 83709-4165

ATTN: MICHAEL P LAWRENCE
GIVENS PURSLEY LLP
601 W BANNOCK ST
BOISE ID 83702-5919

EDWARDS FAMILY LLC
4106 SAND CREEK
BOISE ID 83703-4028

ATTN: DYLAN B LAWRENCE
VARIN THOMAS LLC
242 N 8TH ST STE 220
BOISE ID 83702-5892

ATTN: JOHN MARSHALL
GIVENS PURSLEY LLP
575 W BANNOCK ST
BOISE ID 83702-5917

Marina Bozdog
Marina Bozdog
Technical Records Specialist I

IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082
Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little Director Mathew Weaver

August 13, 2026

VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE ID 83709-4165

Re: Transfer No: 90071
Water Right No(s).: 63-2915, 63-3239, 63-7066, 63-31856, 63-31857

Amended Transfer Approval Notice

Dear Water Right Holder:

The Department of Water Resources has issued the enclosed approved Amended Transfer of Water Right(s). Please be sure to thoroughly review the conditions of approval and remarks listed on the approval document.

The Amended Transfer of Water Right(s) is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless the APPLICANT petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

ANY PERSON aggrieved by any decision, determination, order or action of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Department and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

If the transfer approval includes a condition requiring measuring and recording devices, such devices shall comply with specifications established by the Department. Detailed specifications are available on the Department's home page on the Internet, or you can request a copy by contacting any office of the Department. Please be sure to thoroughly review the specifications to avoid unnecessary costs for reinstallation or modification due to non-conforming or improperly installed devices.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a $100 late filing fee. Contact any office of

the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at (208) 334-2190.

Sincerely,

Marina Bozdog

Marina Bozdog
Technical Records Specialist 1

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on August 13, 2026, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Amended Approved Transfer) to the person(s) listed below:

Re: Transfer No.: 90071
Water Right No(s).: 63-2915, 63-3239, 63-7066, 63-31856, 63-31857

VEOLIA WATER IDAHO INC
8248 W VICTORY RD
BOISE ID 83709-4165

ATTN: MICHAEL P LAWRENCE
GIVENS PURSLEY LLP
601 W BANNOCK ST
BOISE ID 83702-5919

EDWARDS FAMILY LLC
4106 SAND CREEK
BOISE ID 83703-4028

ATTN: DYLAN B LAWRENCE
VARIN THOMAS LLC
242 N 8TH ST STE 220
BOISE ID 83702-5892

ATTN: JOHN MARSHALL
GIVENS PURSLEY LLP
575 W BANNOCK ST
BOISE ID 83702-5917

Marina Bozdog
Marina Bozdog
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

The accompanying document is a "**Preliminary Order**" issued by the Idaho Department of Water Resources ("Department") pursuant to Idaho Code § 67-5243. **This preliminary order can and will become a final order without further action of the Department, unless a party petitions for reconsideration, petitions for review, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

(*See* Idaho Code § 67-5243(3))

Any party may file a petition for reconsideration of this preliminary order with the Department within fourteen (14) days of the service date of this order as shown on the certificate of service. **Note: the petition must be received by the Department within this fourteen (14) day period.** The presiding officer will issue a written order disposing of the petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law.

PETITION FOR REVIEW (EXCEPTIONS)

(*See* Idaho Code § 67-5245)

Within fourteen (14) days after: (a) the service date of this preliminary order, (b) the service date of a denial of a petition for reconsideration of this preliminary order, or (c) the failure of the presiding officer to dispose of a petition for reconsideration of this preliminary order within twenty-one (21) days, any party may petition the Director in writing to review any part of this preliminary order by filing exceptions, and any supporting brief, with the Department.[1] Any parties opposing the exceptions shall have fourteen (14) days from the service date of the exceptions to file a brief. If the Director determines that oral argument is necessary, the Director will provide reasonable notice to the parties of the place, date, and hour for the argument.

The Director will issue a final order on exceptions within fifty-six (56) days of receipt of the final written brief or oral argument, whichever is later, unless extended for good cause. The Director may remand the matter for or hold an evidentiary hearing if further factual development of the record is necessary before issuing a final order.

REQUEST FOR HEARING

(*See* Idaho Code § 42-1701A(3))

Unless the right to a hearing before the Director or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order,

[1] The Director may decide to review this preliminary order upon his own motion. Should the Director decide to do so, the Director will provide written notice to the parties within the period the parties are allowed to petition the Director for review of the preliminary order.

or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter shall be entitled to a hearing before the Director to contest the action. The person shall file with the Director, within fifteen (15) days after receipt of written notice of the action issued by the Director, or receipt of actual notice, a written petition stating the grounds for contesting the action by the Director and requesting a hearing. **Note: The request must be received by the Department within this fifteen (15) day period.**

CERTIFICATE OF SERVICE

(*See* IDAPA 37.01.01.053, 37.01.01.202)

All documents filed with the Department in connection with a petition for reconsideration, petition for review, or a request for hearing of this preliminary order shall be served on all other parties to the proceeding in accordance with Rules 53 and 202 of the Department's Rules of Procedure.