

RECEIVED

JUN 23 2026

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 22 2026

DEPT. OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT

GENERAL INFORMATION AND INSTRUCTIONS

Pursuant to Section 42-222(1), *Idaho Code*, a transfer application may be filed to change the point of diversion, place of use, period of use, or nature of use of all or part of an established water right. Any person proposing to make such a change is required to file a transfer application with the Department. "Such application shall be upon forms furnished by the department and shall describe the [water right] to be changed and the changes which are proposed and shall be accompanied by the statutory filing fee." *Idaho Code* § 42-222(1).

The Department has developed this application form to assist applicants in satisfying the requirements of Section 42-222(1). This application form requests information about the applicant's authority to file (Part 1), information about the current elements of the water right(s) to be changed (Part 2), information about the proposed changes (Part 3), information about the validity of the water right(s) and the effects of the proposed changes (Part 4), and confirmation that the information provided is truthful (Part 5).

The applicant or their representative must provide a response for all applicable questions, any additional information required, and the proper filing fee before this application will be considered complete. If an application is incomplete or more information is required, the Department will notify the applicant or representative and allow time for the application to be completed. An application that remains incomplete will be returned to the applicant and the filing fee will be refunded.

An application for transfer is limited to the changes proposed for a single water distribution system. A proposal to change two or more separate water distribution systems, that will remain separate after the transfer, must be filed as separate applications. Applicants may provide additional pages to supplement their responses to the questions posed on this application form. Supplemental forms for listing additional water rights, points of diversion, or places of use can be found on the Department's website (idwr.idaho.gov). If you need assistance understanding the questions on this form, generating current water right reports, determining legal descriptions, or accessing water measurement records feel free to contact the nearest regional office of the Department.

PART 1 – CONTACT INFORMATION, OWNERSHIP RECORDS, AUTHORITY TO FILE

Name(s) of Applicant(s) Micron Technology IncMailing Address PO Box 6, Boise, ID 83707Email* brittanysand@micron.comPhone 208-363-2152Name of Representative (if any) HDRMailing Address 412 E Parkcenter Blvd, Ste 100, Boise, ID 83706Email* lori.graves@hdrinc.comPhone 208-387-7000

*If an email address is provided, Department staff will use email as the primary method for corresponding with the applicant and representative about the application.

A. Representative. If the representative is authorized to sign or amend the application on behalf of the applicant, attach documents confirming that authority. Label documents as Attachment 1A.

F 90564

B. Current Owner. If the applicant is not the current owner of record for all water rights included in this application, attach documents showing that the applicant has the authority to make the proposed changes. Label documents as Attachment 1B.

C. Updating Ownership Records. Applicants needing to update the ownership records for any of the water rights included in this application must attach documents supporting the ownership change. Such documents must trace ownership of the subject water rights or the current place of use for the subject water rights from the current owner of record for the water rights to the applicant. Label documents as Attachment 1C.

D. Business Entities. If the applicant is a business entity (corporation, LLC, partnership, trust, etc.), is the entity currently registered with the Idaho Secretary of State?

☒ Yes. If this application is signed by someone other than a person listed on the most recent annual report filed with the Idaho Secretary of State, attach documents confirming the authority of the signer to sign on behalf of the business entity. Label documents as Attachment 1D.

☐ No. Attach documents confirming the authority of the signer to sign on behalf of the business entity. Label documents as Attachment 1D.

E. Approval of Irrigation Delivery Entity. Section 42-108, *Idaho Code*, states that a transfer application proposing to change water rights held by an irrigation company or district requires the consent of the irrigation entity. If this application proposes to change water rights held by an irrigation entity, attach a letter of consent from the entity (labeled as Attachment 1E) or have an authorized representative of the entity co-sign the application.

F. Encumbered Properties. If the current place of use for the water rights included in this application is subject to a lien, deed of trust, mortgage, or contract and the application proposes to change the nature of use of the water rights or to move water rights off the current place of use, attach a statement of consent for the change signed by the lien holder, trustee, mortgagor or contract holder. Label documents as Attachment 1F.

G. Legal Access. If the applicant is not the current owner of the proposed point(s) of diversion, conveyance system, or place(s) of use, provide evidence of legal access to the land or infrastructure not owned by the applicant. Label documents as Attachment 1G. For example, an applicant may provide a letter of consent from the owner of the land or conveyance system or may have the owner co-sign the application. For applications proposing to divert water on or convey water across federal land, an applicant is not required to demonstrate legal access to the federal land prior to approval. Instead, if the transfer application is approved, the applicant must obtain access authorization from the relevant federal agency prior to diverting water under the subject water rights.

PART 2 – WATER RIGHTS BEFORE PROPOSED CHANGES

A. Current Water Rights. For each water right proposed to be changed, attach a current water right report obtained from any Department office or from the Department's website (idwr.idaho.gov). Label water right reports as Attachment 2A.

B. Map of Current System. Attach a map of the current point(s) of diversion and place(s) of use for the water rights to be changed. The map should clearly depict the elements of the water rights to be changed. For example, if the application proposes to change the point of diversion for a water right, the map should display the current location of the point of diversion. For irrigation water rights, the map should also identify the location of the irrigated acres to be changed. Label map as Attachment 2B.

90564

C. Summary of Proposed Changes.

1. Water Rights. Use the following table to list all water rights, or portions thereof, that are proposed to be changed as they would appear after the proposed changes. In the Amount column, list the volume in acre-feet (af) for storage uses or the rate in cubic feet per second (cfs) for all other uses.

All or Part	Right Number	Amount (cfs/af)	Nature of Use	Period of Use	Source
☒ ☐	63-8992	1.5/450	Irrigation	3/1 to 11/15	Ground Water
☐ ☐		2.09/1267.9	Industrial	1/1 to 12/31	
☒ ☐	63-9029	4.0/806.3	Industrial	1/1 to 12/31	Ground Water
☒ ☐	63-9357	0.5/362	Industrial	1/1 to 12/31	Ground Water
☐ ☐		0.6	Fire Protection	1/1 to 12/31	
☒ ☐	63-10208	0.61/441.6	Industrial	1/1 to 12/31	Ground Water
☐ ☐		0.04/28.9	Domestic	1/1 to 12/31	
☒ ☐	63-11293	2.25/1628.9	Industrial	1/1 to 12/31	Ground Water
☒ ☐	63-12420	3.34/162	GW Recharge	1/1 to 12/31	Boise River
☐ ☐		5.0/240	Industrial	1/1 to 12/31	

2. Total Amounts. Calculate the total quantity, in cfs or af, of water rights that are proposed to be changed through this application. For an application proposing to only change the place of use for irrigation rights, the total quantity of water is calculated by comparing the current place of use to the proposed place of use, summing the number of acres increased in each legal subdivision, and quantifying the proportional amount of diversion rate for the increased acres. For an application proposing to change or add points of diversion for irrigation or any other beneficial use, the total amount is the total diversion rate for the changed portion of the right.

Total Amount of Water Rights Proposed to be Changed: *14.55 cfs and/or _____ af.
 *Sum of 9.55 cfs combined ground water limit & 5.0 cfs from the Boise River

3. Point(s) of Diversion. Use the following table to list all the proposed points of diversion for the water rights to be changed, including any current points of diversion that will continue to be used as part of the proposed water distribution system.

The legal description for the proposed point(s) of diversion must be to the nearest 40-acre subdivision (QQ) or U.S. Government Lot of the Public Land Survey System (PLSS). PLSS information is typically available from USGS topo maps, property deeds, tax bills or various mapping tools on the Department's website.

For points of diversion within platted subdivisions, list the lot and block number in the "Diversion Name/Number" column. An application proposing an injection into a stream and a re-diversion from that stream must list the source for the original diversion as the source for the injection and re-diversion points. If this application proposes construction of a new diversion structure (for example, a new ground water well or a new pump station on a creek), please indicate the status in the appropriate column.



***Insert this page into Part 1B of the Application for Transfer of a Water Right.**

New?	Twp	Rge	Sec	Lot	1/4	1/4	1/4	County	Source	Diversion Name/Number
N	2N	3E	6			SE	SW	Ada	Ground Water	Well 6
N	2N	3E	7			NE	NE	Ada	Ground Water	Well 11
N	2N	3E	7			SW	NE	Ada	Ground Water	Well 5
N	2N	3E	7			SW	NE	Ada	Ground Water	Well 10
N	2N	3E	7	2		SW	NW	Ada	Ground Water	Well 7
N	2N	3E	7			NE	SW	Ada	Ground Water	Well 4

☐ N/A. This application does not propose to change the place of use.

[illegible]

5. Map of Proposed System. Attach a map showing the location of the points of diversion, reservoirs, dams, canals, ditches, pipelines and other works proposed to divert and convey water. Also show the location of the place of use, including any lands to be irrigated. The map should delineate the legal subdivisions including townships, ranges, sections, quarter-quarters and government lots. Label map as Attachment 3C.

Section 42-222(1), *Idaho Code*, establishes the criteria used to evaluate transfer applications. An applicant bears the burden of demonstrating that the water right to be changed is a valid right, that the proposed use is a beneficial use, and that the proposed changes will not injure other water rights, will not enlarge the use of the original rights, are in the local public interest, and are consistent with the conservation of water resources within the state of Idaho. To satisfy this burden, an applicant must provide sufficient data and information for the

*Irrigation is limited to 100 acres under ground water rights 63-8992, & 63-31183 and associated waste water right 63-10221. A 1270-acre portion of the place of use is within Nampa & Meridian Irrigation District and can receive Boise River water (natural flow only) for irrigation, recharge and industrial uses.

Transfer No. 90564 Page 5

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. _____

Point of Diversion/Place of Use Supplement

Attachment to: ☐ Application for Permit to Appropriate Water
☐ Application for Amendment of Permit

☒ Application for Transfer**
☐ Beneficial Use Field Report

☐ Adjudication Claim
☐ Statutory Claim

Location of points of diversion (POD):

New POD?	Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or well/diversion tag #
☐ Yes	2N	3E	7			SW	SE	Ada	Ground Water	Well 8
☐ Yes	2N	3E	8			SW	NW	Ada	Ground Water	Well 9
☐ Yes	2N	3E	8			NW	SE	Ada	Ground Water	Well 12
☒ Yes	2N	3E	8			SE	NE	Ada	Ground Water	Well 14
☒ Yes	2N	3E	9			SE	NE	Ada	Ground Water	Well 15
☒ Yes	2N	3E	9			NE	SW	Ada	Ground Water	Well 16
☒ Yes	2N	3E	8			SW	SW	Ada	Ground Water	Well 17
☐ Yes						SE	NE	Ada	Ground Water	Well 20
☐ Yes										

Description of place of use (POU):

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	3E	6										L6	L7						
											40	33	21	40	40	40	40	40	294
2N	3E	7									X	X	X	X	X	X	X	X	
							L1	L2											
			40	40	40	40	40	27	1.8	35	22			10	40	40	40	40	455.8
			X	X	X	X	X	X	X	X	X			X	X	X	X	X	
2N	3E	8			40	40			40	40	40	40	40	40	40	40	40		440
					X	X			X	X	X	X	X	X	X	X	X		
2N	3E	9									40	40	40	40					160
											X	X	X	X					
2N	3E	16		40			40												80
				X			X												

90564

Point of Diversion/Place of Use Supplement

Attachment to: ☐ Application for Permit to Appropriate Water
☐ Application for Amendment of Permit

Location of points of use:

☒ Application for Transfer**
☐ Beneficial Use Field Report

☐ Adjudication Claim
☐ Statutory Claim

Location of points of diversion (POD):

[illegible]

Description of place of use (POU):

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D) use below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.

TWP	RGE	SEC	NE	

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
2N	3E	17	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
				40	40	40	40	40	40	40	40	40			40	40	40	40	520
		18		X	X	X	X	X	X	X	X	X			X	X	X	X	
				36			0.2												36.2
				X			X												

this supplemental sheet is for an Application for Transfer, insert this page into Part 1B of the application.
 Page [REDACTED]

on is limited to 100 acres under this application, ground water rights 63-8992 & 63-31183 and associated waste water right

221. A 1270-acre portion of the place of use is within Nampa & Meridian Irrigation District and can receive Boise River water

REV. 11/24
Department to evaluate the effects of the proposed change. The Department may deny an application if the applicant fails to provide sufficient data and information to determine whether the criteria from Section 42-222(1) are satisfied. In addition to the information requested in Parts 1-3 of this application, the following information must be provided for an application to be considered complete. Department staff may request additional information or clarification as the application is processed.

A. Validity of Water Rights

1. If one or more of the water rights proposed to be changed is a statutory claim, established pursuant to Section 42-248, *Idaho Code*, attach evidence supporting the priority date claimed. Label documents as Attachment 4A-1. For statutory claims, the Department may conduct a field inspection as part of the application review process to evaluate the water right elements listed on the statutory claim.
2. Has any portion of the water right(s) proposed to be changed undergone a period of five or more consecutive years of non-use?
☐ Yes. Attach a statement describing the portion of the right(s) that were not used and the length of time of the non-use. In addition, identify any exception or defense to forfeiture and provide a detailed description as to why the water rights have not been lost and forfeited for non-use. Label documents as Attachment 4A-2. Statutory exceptions or defenses to forfeiture are set forth in Section 42-223, *Idaho Code*.
☒ No.

B. Injury to Other Water Rights

1. Identify any other water right(s) diverted at the current point(s) of diversion.
Micron's assessed NMID surface water from the Boise River diversion
2. Identify any other water right(s) diverted at the proposed point(s) of diversion.
None
3. Is the proposed point of diversion within a state water district? ☒ Yes. Water District # 63. ☐ No.
4. If already constructed and in use, are the proposed points of diversion equipped with Department-approved measuring devices? ☒ Yes. ☒ No. *All existing diversion points are equipped with flow meters that meet Department standards. Proposed diversion points will also be accommodated with the same.*
5. If this application proposes to divert a surface water right from a ground water well, attach a technical analysis evaluating the hydraulic connection between the proposed ground water point of diversion and the source of water listed on the right to be changed. Label technical analysis as Attachment 4B-5.
6. If this application proposes changing the point of diversion for a ground water right in the Eastern Snake Plain Aquifer (ESPA), attach a technical analysis of the anticipated depletions to reaches of the Snake River that are hydraulically connected to the ESPA using the Department's current ground water model for the ESPA. The technical analysis must evaluate depletion impacts in a time-series format at transient and steady state time steps. To assist applicants in preparing the required technical analysis, the Department has developed a transfer tool interface for the ESPA model. The transfer tool and user instructions can be downloaded from the Department's website (idwr.idaho.gov). If the proposed and current points of diversion are in the same or adjacent model cells, no technical analysis is required, unless specifically requested by the Department. Label technical analysis as Attachment 4B-6.

C. Enlargement in Use

1. Identify any other water rights used at the current place of use, including the number of shares in a canal company or acres assessed by an irrigation district.
 NMID surface water (1270 acres), BOR storage water, Veolia municipal water. Micron's water right 63-10221 for storage of 4.0 ac-ft of waste water for irrigation of 2 acres was not proposed for change due to the limited nature of the right.

2. Identify any other water rights used at the proposed place of use, including the number of shares in a canal company or acres assessed by an irrigation district.
 NMID surface water (1270 acres), BOR storage water, Veolia municipal water. Micron's water right 63-10221 for storage of 4.0 ac-ft of waste water for irrigation of 2 acres was not proposed for change due to the limited nature of the right.

3. If this application proposes changing the place of use or nature of use for irrigation water rights, will the current place of use, for the portion of the right to be changed, continue to be irrigated?

☒ Yes. Identify the water right(s) to be used for the continued irrigation.

The authorized irrigation ppu is proposed for change. The current 100 acres identified for irrigation within the (*see below)

☐ No. The place of use for the portion to be changed will no longer be irrigated.

☐ N/A. The application does not propose to change the place of use for irrigation rights.

**current and proposed ppu remains unchanged.*

4. Unstacking Water Rights for Irrigation. If this application proposes to change the place of use for an irrigation water right that is combined with other irrigation rights at the current place of use but does not propose to change the place of use for all the stacked irrigation rights, attach evidence of the historical consumptive use occurring under all water rights at the current place of use. For irrigation rights, this should include at least five years of diversion data and/or crop data and estimates of evapotranspiration. Label the information as Attachment 4C-4. Evapotranspiration data may be available on the Department's website (<http://et-idwr.idaho.gov>)

5. If the application proposes to change the nature of use for a water right, attach evidence of the historical consumptive use occurring under the portion of the water right to be changed. For irrigation rights, this should include diversion data, crop data and estimates of evapotranspiration. Label the information as Attachment 4C-5. Evapotranspiration data may be available on the Department's website (<http://et-idwr.idaho.gov>)

6. If the application proposes to change the nature of use of a water right to municipal use for reasonably anticipated future needs, complete the form titled "Municipal Water Right Application Checklist" found on the Department's website (idwr.idaho.gov). Label the form as Attachment 4C-6.

7. To your knowledge, are any portions of the water rights proposed to be changed:

Yes No

☐ ☒

currently leased to the Water Supply Bank?

If yes, complete the form titled "Application for Transfer of Water Right Attachment WSB" found on the Department's website (idwr.idaho.gov). Label the Form as Attachment 4C-7.

☐ ☒

currently used in a mitigation plan limiting the use of water under the right?

☐ ☒

subject to an agreement not to divert (CREP)?

☐ ☒

currently enrolled in a federal set-aside program (CRP)?

D. Local Public Interest

The department must consider whether the proposed changes are in the local public interest as defined in Section 42-202B(3), *Idaho Code*. Some of the local public interest factors that may be considered in conjunction with a transfer application are (1) Recreation, fish, and wildlife impacts, (2) Water quality or contamination concerns, (3) Local and state ordinances, regulations, or policies related to water use, (4) Goals, requirements and limits set forth in the State Water Plan. If you choose to provide information about local public interest factors, label the information as Attachment 4D.

E. Conservation of Water Resources

Describe the diversion works and water delivery system. This may include sizes and dimensions of pumps, pipelines, headgates, ditches, dams, impoundments and irrigation equipment.
Integrated ground water (wells & pumps) and surface water (pump station, pipeline) pressurized system.

PART 5 – FILING FEE AND SIGNATURE

A. Filing Fee. Filing fees for transfer applications are set forth in Section 42-221.O, *Idaho Code*. A table summarizing the filing fees for transfer applications is also found on the Department's website (idwr.idaho.gov). Any application proposing to change the nature of use for one or more rights requires an additional filing fee of \$250. Applications proposing to update the ownership records for water rights must also include the appropriate filing fee to update the ownership records. For any application relying on the filing fee set forth in Section 42-221.O.8, *Idaho Code*, attach a statement describing how the application qualifies under Section 42-221.O.8. Label documents as Attachment 5A.

B. Affidavit of Applicant or Representative:

I hereby assert that no one will be injured by the proposed changes and that the proposed changes do not constitute an enlargement in use of the original right(s). The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

[Signature]
 Signature of Applicant or Representative*

SCOTT GATEMEIER
 Print Name and Title, if applicable

6/17/26
 Date

 Signature of Applicant or Representative*

 Print Name and Title, if applicable

 Date

*If water rights included in this application are owned by multiple people or entities, each owner must sign the application form.

FOR DEPARTMENT USE ONLY

Fee Paid: \$ 1620.00 Receipt #: C126852 ; C126853 Date: 6.22.26 Received by: [Signature]
 Add'l Paid: \$ _____ Receipt #: _____ Date: _____ Received by: _____

ATTACHMENT 1D
AUTHORITY TO SIGN

MICRON TECHNOLOGY, INC.
CERTIFICATE OF AUTHORITY

June 17, 2026

I, George Mullin, being a Senior Assistant General Counsel of Micron, hereby certify that

- (i) Scott N. Gatzemeier, whose name, title and signature which appears below is a duly elected (or appointed), qualified, and acting officer of Micron Technology, Inc. and holds the office set forth opposite his name, and
- (ii) the signature appearing opposite his name is his genuine signature. and
- (iii) he is authorized to sign and act on behalf of Micron Technology, Inc. in connection with water rights permit, transfer and/or amendment applications and related documents submitted to the Idaho Department of Water Resources and/or Idaho Water Resource Board.

Scott N. Gatzemeier

Corporate Vice President,
Front End US Expansion



IN WITNESS WHEREOF, I have hereunto set my hand this 17th day of June, 2026.



George Mullin, Senior Assistant
General Counsel

ATTACHMENT 2A
CURRENT WATER RIGHT REPORTS

Water Right Report : 63-8992(Decreed/Active)

Close

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MICRON TECHNOLOGY INC	PO BOX 6	BOISE	ID	83707-0006
Original Owner	VEOLIA WATER IDAHO INC	8248 W VICTORY RD	BOISE	ID	83709-4165

Water Right Status

Priority Date : 7/27/1977
Basis : Decreed
Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
GROUND WATER			

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQ	QQ	Q	County	Diversion Type
GROUND WATER	02N	03E	6	0			SE SW	ADA	
GROUND WATER	02N	03E	7	0			NE NE	ADA	
GROUND WATER	02N	03E	7	0			SW NE	ADA	
GROUND WATER	02N	03E	7	0			SW NE	ADA	
GROUND WATER	02N	03E	7	2			SW NW	ADA	
GROUND WATER	02N	03E	7	0			NE SW	ADA	
GROUND WATER	02N	03E	7	0			SW SE	ADA	
GROUND WATER	02N	03E	8	0			SW NW	ADA	
GROUND WATER	02N	03E	8	0			NW SE	ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
IRRIGATION	03/01	11/15	1.50 CFS	450.00 AFA
INDUSTRIAL	01/01	12/31	2.09 CFS	1267.90 AFA
TOTAL			2.09 CFS	1267.90 AFA

Places of Use

Place of Use Legal Description : IRRIGATION (ADA county)

Township	Range	Section	Lot	QQ	QQ	Q	Acres
02N	03E	6				NE SW	1.0
02N	03E	6	6			NW SW	6.0
02N	03E	6	7			SW SW	21.0
02N	03E	6				SE SW	40.0
02N	03E	6				SW SE	23.0
02N	03E	6				SE SE	0.1
02N	03E	7				NE NE	40.0
02N	03E	7				NW NE	40.0
02N	03E	7				SW NE	40.0
02N	03E	7				SE NE	40.0
02N	03E	7				NE NW	40.0
02N	03E	7	1			NW NW	8.0
02N	03E	7	2			SW NW	0.1

Printable View

Paged View

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	7		SE	NW	35.0
02N	03E	7		NE	SW	22.0
02N	03E	7		SE	SW	9.0
02N	03E	7		NE	SE	40.0
02N	03E	7		NW	SE	40.0
02N	03E	7		SW	SE	40.0
02N	03E	7		SE	SE	40.0
02N	03E	8		SW	NW	40.0
02N	03E	8		SE	NW	40.0
02N	03E	8		NE	SW	40.0
02N	03E	8		NW	SW	40.0
02N	03E	8		SW	SW	40.0
02N	03E	8		SE	SW	40.0
02N	03E	17		NE	NW	40.0
02N	03E	17		NW	NW	40.0
02N	03E	17		SW	NW	40.0
02N	03E	17		SE	NW	40.0
02N	03E	17		NE	SW	19.0
02N	03E	17		NW	SW	19.0
02N	03E	18		NW	NE	35.0
02N	03E	18		NE	NW	0.2

Place of Use Legal Description : INDUSTRIAL (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6		NE	SW		
02N	03E	6	6	NW	SW		
02N	03E	6	7	SW	SW		
02N	03E	6		SE	SW		
02N	03E	6		SW	SE		
02N	03E	6		SE	SE		
02N	03E	7		NE	NE		
02N	03E	7		NW	NE		
02N	03E	7		SW	NE		
02N	03E	7		SE	NE		
02N	03E	7		NE	NW		
02N	03E	7	1	NW	NW		
02N	03E	7	2	SW	NW		
02N	03E	7		SE	NW		
02N	03E	7		NE	SW		
02N	03E	7		SE	SW		
02N	03E	7		NE	SE		
02N	03E	7		NW	SE		
02N	03E	7		SW	SE		
02N	03E	7		SE	SE		
02N	03E	8		SW	NW		
02N	03E	8		SE	NW		
02N	03E	8		NE	SW		
02N	03E	8		NW	SW		
02N	03E	8		SW	SW		
02N	03E	8		SE	SW		
02N	03E	17		NE	NW		
02N	03E	17		NW	NW		

Township	Range	Section	Lot	QQQ	Q	Acres
02N	03E	17		SW	NW	
02N	03E	17		SE	NW	
02N	03E	17		NE	SW	
02N	03E	17		NW	SW	
02N	03E	18		NW	NE	
02N	03E	18		NE	NW	

Irrigation Totals

Total Acres Acre Limit

998.40 100.00

Conditions

Code Conditions

- X35 Rights 63-8992, 63-10221 and 63-31183 when combined shall not exceed a total irrigation of 100 acres.
- X35 Rights 63-8992, 63-9029, 63-9357, 63-10208, 63-11293, and 63-31183 when combined shall not exceed a total diversion rate of 9.55 cfs, and a total annual maximum diversion volume of 4506.7 af.
- X27 This right is limited to the irrigation of 100 acres within the authorized place of use in a single irrigation season.
- 206 This right is limited to the irrigation of a specific 100 acres within the 998.4 acre place of use authorized by this right in a single irrigation season. The specific 100 acres to be irrigated by the right holder shall be identified prior to use by submittal of a land list and a representative electronic shape file or by submittal of a land list and a map sufficiently detailed to allow creation of an electronic shape file to be associated with this right in the geographic information system component of the water rights database maintained by the department. Before changing the 100 acres to be irrigated within the 998.4 acre place of use, the right holder shall submit a new land list and representative electronic shape file or map to the Department prior to the irrigation season in which the change will occur.
- 943 The right holder shall make full beneficial use of all surface water available to the right holder for irrigation of lands within the authorized place of use for this right. The right holder may divert ground water under this right to irrigate land with appurtenant surface water rights when the surface water supply is not reasonably sufficient to irrigate the place of use for this water right or is not available due to drought, curtailment by priority, or the seasonal startup and shutoff or maintenance schedule for canal company or irrigation district deliveries. The right holder shall not divert ground water for irrigation purposes under this right if use of the surface water supply is intentionally discontinued or reduced (for example abandoned, forfeited, sold, disallowed by court decree, or leased to the Water Supply Bank), or is not deliverable due to non-payment of annual assessments, without an approved transfer pursuant to Idaho Code § 42-222 or other Department approval.
- WB7 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 450 af at the field headgate for the place of use.
- R61 This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
- Administration of water distribution to this right during times of scarcity shall recognize the provisions of the letter dated February 6, 2002 from the right holder to the department.
- The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Ground Water Management Area and any management plan adopted by the director.
- 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- 046 Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- T19 Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

Dates

Licensed Date :

Decreed Date : 2/16/2007

Permit Proof Due Date : 2/1/1983

Permit Proof Made Date : 11/6/1979

Permit Approved Date : 3/8/1978

Permit Moratorium Expiration Date :

Enlargment Use Priority Date :

Other Information

State or Federal : S

Water District Number : EXC

Generic Max Rate Per Acre : 0

Generic Max Volume Per Acre : 4.5

Combined Acre Limit :

Combined Volume Limit: 2074.20

Combined Rate Limit: 6.09

Water Right Report : 63-9029(Decreed/Active)

Close

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MICRON TECHNOLOGY INC	PO BOX 6	BOISE	ID	83707-0006
Original Owner	VEOLIA WATER IDAHO INC	8248 W VICTORY RD	BOISE	ID	83709-4165

Water Right Status

Priority Date : 9/9/1977

Basis : Decreed

Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
GROUND WATER			

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	02N	03E	6	0		SE	SW	ADA	
GROUND WATER	02N	03E	7	0		NE	NE	ADA	
GROUND WATER	02N	03E	7	0		SW	NE	ADA	
GROUND WATER	02N	03E	7	0		SW	NE	ADA	
GROUND WATER	02N	03E	7	2		SW	NW	ADA	
GROUND WATER	02N	03E	7	0		NE	SW	ADA	
GROUND WATER	02N	03E	7	0		SW	SE	ADA	
GROUND WATER	02N	03E	8	0		SW	NW	ADA	
GROUND WATER	02N	03E	8	0		NW	SE	ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
INDUSTRIAL	01/01	12/31	4.00 CFS	806.30 AFA
TOTAL			4.00 CFS	806.30 AFA

Places of Use

Place of Use Legal Description : INDUSTRIAL (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6			NE	SW	
02N	03E	6	6		NW	SW	
02N	03E	6	7		SW	SW	
02N	03E	6			SE	SW	
02N	03E	6			SW	SE	
02N	03E	6			SE	SE	
02N	03E	7			NE	NE	
02N	03E	7			NW	NE	
02N	03E	7			SW	NE	
02N	03E	7			SE	NE	
02N	03E	7			NE	NW	
02N	03E	7	1		NW	NW	
02N	03E	7	2		SW	NW	
02N	03E	7			SE	NW	

Printable View

Paged View

Township	Range	Section	Lot	QQC	Q	Acres
02N	03E	7			NE SW	
02N	03E	7			SE SW	
02N	03E	7			NE SE	
02N	03E	7			NW SE	
02N	03E	7			SW SE	
02N	03E	7			SE SE	
02N	03E	8			SW NW	
02N	03E	8			SE NW	
02N	03E	8			NE SW	
02N	03E	8			NW SW	
02N	03E	8			SW SW	
02N	03E	8			SE SW	
02N	03E	17			NE NW	
02N	03E	17			NW NW	
02N	03E	17			SW NW	
02N	03E	17			SE NW	
02N	03E	17			NE SW	
02N	03E	17			NW SW	
02N	03E	18			NW NE	
02N	03E	18			NE NW	

Conditions

Code Conditions

- X35 Rights 63-8992, 63-9029, 63-9357, 63-10208, 63-11293, and 63-31183 when combined shall not exceed a total diversion rate of 9.55 cfs, and a total annual maximum diversion volume of 4506.7 af.
- Administration of water distribution to this right during times of scarcity shall recognize the provisions of the letter dated February 6, 2002 from the right holder to the department.
- The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Ground Water Management Area and any management plan adopted by the director.
- 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- 046 Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- T19 Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

Dates

Licensed Date :
 Decreed Date : 2/16/2007
 Permit Proof Due Date : 12/1/1982
 Permit Proof Made Date : 10/12/1982
 Permit Approved Date : 12/27/1977
 Permit Moratorium Expiration Date :
 Enlargement Use Priority Date :
 Enlargement Statute Priority Date :
 Application Received Date: 9/9/1977
 Protest Deadline Date:

Other Information

State or Federal : S
 Water District Number : EXC
 Generic Max Rate Per Acre : 0
 Generic Max Volume Per Acre : 0
 Combined Acre Limit :
 Combined Volume Limit: 2074.20
 Combined Rate Limit: 6.09
 Civil Case Number :
 Decree Plaintiff :
 Decree Defendant :
 Swan Falls Trust or Nontrust :
 Swan Falls Dismissed :
 DLE Act Number :
 Cary Act Number :

Water Right Report : 63-9357(Decreed/Active)

Close

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MICRON TECHNOLOGY INC	PO BOX 6	BOISE	ID	83707-0006
Original Owner	SEMI ENTERPRISES			ID	

Water Right Status

Priority Date : 3/12/1980
Basis : Decreed
Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
GROUND WATER			

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	02N	03E	6	0				SE SW ADA	
GROUND WATER	02N	03E	7	0				NE NE ADA	
GROUND WATER	02N	03E	7	0				SW NE ADA	
GROUND WATER	02N	03E	7	0				SW NE ADA	
GROUND WATER	02N	03E	7	2				SW NW ADA	
GROUND WATER	02N	03E	7	0				NE SW ADA	
GROUND WATER	02N	03E	7	0				SW SE ADA	
GROUND WATER	02N	03E	8	0				SW NW ADA	
GROUND WATER	02N	03E	8	0				NW SE ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
INDUSTRIAL	1/01	12/31	0.50 CFS	362.00 AFA
FIRE PROTECTION	1/01	12/31	0.60 CFS	
TOTAL			0.60 CFS	362.00 AFA

Places of Use

Place of Use Legal Description : INDUSTRIAL (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6				NE SW	
02N	03E	6	6			NW SW	
02N	03E	6	7			SW SW	
02N	03E	6				SE SW	
02N	03E	6				SW SE	
02N	03E	6				SE SE	
02N	03E	7				NE NE	
02N	03E	7				NW NE	
02N	03E	7				SW NE	
02N	03E	7				SE NE	
02N	03E	7				NE NW	
02N	03E	7	1			NW NW	
02N	03E	7	2			SW NW	

Printable View

Paged View

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	7			SE NW	
02N	03E	7			NE SW	
02N	03E	7			SE SW	
02N	03E	7			NE SE	
02N	03E	7			NW SE	
02N	03E	7			SW SE	
02N	03E	7			SE SE	
02N	03E	8			SW NW	
02N	03E	8			SE NW	
02N	03E	8			NE SW	
02N	03E	8			NW SW	
02N	03E	8			SW SW	
02N	03E	8			SE SW	
02N	03E	17			NE NW	
02N	03E	17			NW NW	
02N	03E	17			SW NW	
02N	03E	17			SE NW	
02N	03E	17			NE SW	
02N	03E	17			NW SW	
02N	03E	18			NW NE	
02N	03E	18			NE NW	

Place of Use Legal Description : FIRE PROTECTION (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6				NE SW	
02N	03E	6	6			NW SW	
02N	03E	6	7			SW SW	
02N	03E	6				SE SW	
02N	03E	6				SW SE	
02N	03E	6				SE SE	
02N	03E	7				NE NE	
02N	03E	7				NW NE	
02N	03E	7				SW NE	
02N	03E	7				SE NE	
02N	03E	7				NE NW	
02N	03E	7	1			NW NW	
02N	03E	7	2			SW NW	
02N	03E	7				SE NW	
02N	03E	7				NE SW	
02N	03E	7				SE SW	
02N	03E	7				NE SE	
02N	03E	7				NW SE	
02N	03E	7				SW SE	
02N	03E	7				SE SE	
02N	03E	8				NW NW	
02N	03E	8				SW NW	
02N	03E	8				SE NW	
02N	03E	8				NE SW	
02N	03E	8				NW SW	
02N	03E	8				SW SW	
02N	03E	8				SE SW	
02N	03E	17				NE NW	

Township	Range	Section	Lot	QQQ	Q	Acres
02N	03E	17			NW	NW
02N	03E	17			SW	NW
02N	03E	17			SE	NW
02N	03E	17			NE	SW
02N	03E	17			NW	SW
02N	03E	18			NE	NE
02N	03E	18			NW	NE
02N	03E	18			SW	NE
02N	03E	18			NE	NW

Conditions

Code Conditions

- X35 Rights 63-8992, 63-9029, 63-9357, 63-10208, 63-11293, and 63-31183 when combined shall not exceed a total diversion rate of 9.55 cfs, and a total annual maximum diversion volume of 4506.7 af.
- The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Ground Water Management Area and any management plan adopted by the director.
- 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- 077 Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
- Industrial use is for microchip manufacturing.
- 046 Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- T19 Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

Dates

Licensed Date :
 Decreed Date : 2/16/2007
 Permit Proof Due Date : 10/1/1982
 Permit Proof Made Date : 8/11/1982
 Permit Approved Date : 6/30/1980
 Permit Moratorium Expiration Date :
 Enlargement Use Priority Date :
 Enlargement Statute Priority Date :
 Application Received Date: 3/12/1980
 Protest Deadline Date:

Other Information

State or Federal : S
 Water District Number : EXC
 Generic Max Rate Per Acre : 0
 Generic Max Volume Per Acre : 0
 Combined Acre Limit :
 Combined Volume Limit: 2432.50
 Combined Rate Limit: 3.46
 Civil Case Number :
 Decree Plaintiff :
 Decree Defendant :
 Swan Falls Trust or Nontrust :
 Swan Falls Dismissed :
 DLE Act Number :
 Cary Act Number :
 Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report : 63-10208(Decreed/Active)

Close

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MICRON TECHNOLOGY INC	PO BOX 6	BOISE	ID	83707-0006

Water Right Status

Priority Date : 11/22/1983
Basis : Decreed
Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
GROUND WATER			

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	02N	03E	6	0					
GROUND WATER	02N	03E	7	0	SE	SW	ADA		
GROUND WATER	02N	03E	7	0	NE	NE	ADA		
GROUND WATER	02N	03E	7	0	SW	NE	ADA		
GROUND WATER	02N	03E	7	2	SW	NE	ADA		
GROUND WATER	02N	03E	7	0	SW	NW	ADA		
GROUND WATER	02N	03E	7	0	NE	SW	ADA		
GROUND WATER	02N	03E	8	0	SW	SE	ADA		
GROUND WATER	02N	03E	8	0	SW	NW	ADA		
GROUND WATER	02N	03E	8	0	NW	SE	ADA		

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
INDUSTRIAL	1/01	12/31	0.61 CFS	441.60 AFA
DOMESTIC	1/01	12/31	0.04 CFS	28.90 AFA
TOTAL			0.61 CFS	441.60 AFA

Places of Use

Place of Use Legal Description : INDUSTRIAL (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6					
				NE	SW		
02N	03E	6	6				
				NW	SW		
02N	03E	6	7				
				SW	SW		
02N	03E	6					
				SE	SW		
02N	03E	6					
				SW	SE		
02N	03E	6					
				SE	SE		
02N	03E	7					
				NE	NE		
02N	03E	7					
				NW	NE		
02N	03E	7					
				SW	NE		
02N	03E	7					
				SE	NE		
02N	03E	7					
				NE	NW		
02N	03E	7	1				
				NW	NW		
02N	03E	7	2				
				SW	NW		
02N	03E	7					
				SE	NW		

Printable View

Paged View

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	7			NE SW	
02N	03E	7			SE SW	
02N	03E	7			NE SE	
02N	03E	7			NW SE	
02N	03E	7			SW SE	
02N	03E	7			SE SE	
02N	03E	8			SW NW	
02N	03E	8			SE NW	
02N	03E	8			NE SW	
02N	03E	8			NW SW	
02N	03E	8			SW SW	
02N	03E	8			SE SW	
02N	03E	17			NE NW	
02N	03E	17			NW NW	
02N	03E	17			SW NW	
02N	03E	17			SE NW	
02N	03E	17			NE SW	
02N	03E	17			NW SW	
02N	03E	18			NW NE	
02N	03E	18			NE NW	

Place of Use Legal Description : DOMESTIC (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6				NE SW	
02N	03E	6	6			NW SW	
02N	03E	6	7			SW SW	
02N	03E	6				SE SW	
02N	03E	6				NE SE	
02N	03E	6				NW SE	
02N	03E	6				SW SE	
02N	03E	6				SE SE	
02N	03E	7				NE NE	
02N	03E	7				NW NE	
02N	03E	7				SW NE	
02N	03E	7				SE NE	
02N	03E	7				NE NW	
02N	03E	7	1			NW NW	
02N	03E	7	2			SW NW	
02N	03E	7				SE NW	
02N	03E	7				NE SW	
02N	03E	7				SE SW	
02N	03E	7				NE SE	
02N	03E	7				NW SE	
02N	03E	7				SW SE	
02N	03E	7				SE SE	
02N	03E	8				SW NW	
02N	03E	8				NW SW	
02N	03E	8				SW SW	
02N	03E	18				NW NE	
02N	03E	18				NE NW	

Conditions

Code Conditions

- X35 Rights 63-8992, 63-9029, 63-9357, 63-10208, 63-11293, and 63-31183 when combined shall not exceed a total diversion rate of 9.55 cfs, and a total annual maximum diversion volume of 4506.7 af.
- The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Ground Water Management Area and any management plan adopted by the director.
- X01 Domestic use is for restroom facilities.
- Industrial use is for microchip manufacturing.
- 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- 046 Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- T19 Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

Dates

Licensed Date :
Decreed Date : 2/16/2007
Permit Proof Due Date : 1/1/1989
Permit Proof Made Date : 10/17/1986
Permit Approved Date : 1/25/1984
Permit Moratorium Expiration Date :
Enlargement Use Priority Date :
Enlargement Statute Priority Date :
Application Received Date : 11/22/1983
Protest Deadline Date :

Other Information

State or Federal : S
Water District Number : EXC
Generic Max Rate Per Acre : 0
Generic Max Volume Per Acre : 0
Combined Acre Limit :
Combined Volume Limit: 2432.50
Combined Rate Limit: 3.46
Civil Case Number :
Decree Plaintiff :
Decree Defendant :
Swan Falls Trust or Nontrust :
Swan Falls Dismissed :
DLE Act Number :
Cary Act Number :
Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report : 63-11293(Decreed/Active)

Close

Water Right Owners

Owner Type Name

Address City State Postal Code

Current Owner MICRON TECHNOLOGY INC PO BOX 6 BOISE ID 83707-0006

Water Right Status

Priority Date : 4/19/1990

Basis : Decreed

Status : Active

Water Source

Source

Source Qualifier Tributary Tributary Qualifier

GROUND WATER

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	02N	03E	6	0				SE SW ADA	
GROUND WATER	02N	03E	7	0				NE NE ADA	
GROUND WATER	02N	03E	7	0				SW NE ADA	
GROUND WATER	02N	03E	7	0				SW NE ADA	
GROUND WATER	02N	03E	7	2				SW NW ADA	
GROUND WATER	02N	03E	7	0				NE SW ADA	
GROUND WATER	02N	03E	7	0				SW SE ADA	
GROUND WATER	02N	03E	8	0				SW NW ADA	
GROUND WATER	02N	03E	8	0				NW SE ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
INDUSTRIAL	1/01	12/31	2.25 CFS	1628.90 AFA
TOTAL			2.25 CFS	1628.90 AFA

Places of Use

Place of Use Legal Description : INDUSTRIAL (ADA county)

Printable View

Paged View

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6				NE SW	
02N	03E	6	6			NW SW	
02N	03E	6	7			SW SW	
02N	03E	6				SE SW	
02N	03E	6				SW SE	
02N	03E	6				SE SE	
02N	03E	7				NE NE	
02N	03E	7				NW NE	
02N	03E	7				SW NE	
02N	03E	7				SE NE	
02N	03E	7				NE NW	
02N	03E	7	1			NW NW	
02N	03E	7	2			SW NW	
02N	03E	7				SE NW	
02N	03E	7				NE SW	

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	7			SE SW	
02N	03E	7			NE SE	
02N	03E	7			NW SE	
02N	03E	7			SW SE	
02N	03E	7			SE SE	
02N	03E	8			SW NW	
02N	03E	8			SE NW	
02N	03E	8			NE SW	
02N	03E	8			NW SW	
02N	03E	8			SW SW	
02N	03E	8			SE SW	
02N	03E	17			NE NW	
02N	03E	17			NW NW	
02N	03E	17			SW NW	
02N	03E	17			SE NW	
02N	03E	17			NE SW	
02N	03E	17			NW SW	
02N	03E	18			NW NE	
02N	03E	18			NE NW	

Conditions

Code Conditions

- X35 Rights 63-8992, 63-9029, 63-9357, 63-10208, 63-11293, and 63-31183 when combined shall not exceed a total diversion rate of 9.55 cfs, and a total annual maximum diversion volume of 4506.7 af.
- The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Ground Water Management Area and any management plan adopted by the director.
- Industrial use is for microchip manufacturing.
- 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- T19 Pursuant to Idaho Code § 42-1412(6), this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as determined by the Snake River Basin Adjudication court in the final unified decree entered 08/26/2014.

Dates

Licensed Date :
 Decreed Date : 2/16/2007
 Permit Proof Due Date : 8/1/1992
 Permit Proof Made Date : 12/9/1991
 Permit Approved Date : 7/31/1990
 Permit Moratorium Expiration Date :
 Enlargement Use Priority Date :
 Enlargement Statute Priority Date :
 Application Received Date: 4/19/1990
 Protest Deadline Date:

Other Information

State or Federal :
 Water District Number : EXC
 Generic Max Rate Per Acre : 0
 Generic Max Volume Per Acre : 0
 Combined Acre Limit :
 Combined Volume Limit: 2432.50
 Combined Rate Limit: 3.46
 Civil Case Number :
 Decree Plaintiff :
 Decree Defendant :
 Swan Falls Trust or Nontrust :
 Swan Falls Dismissed :
 DLE Act Number :
 Cary Act Number :
 Mitigation Plan: False

Water Right Report : 63-12420(License/Active)

Close

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MICRON TECHNOLOGY INC	PO BOX 6	BOISE	ID	83707-0006

Water Right Status

Priority Date : 6/6/1997
Basis : License
Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
BOISE RIVER		SNAKE RIVER	

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
BOISE RIVER	02N	03E	4	6				NW NE ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
INDUSTRIAL	01/01	12/31	5.00 CFS	240.00 AFA
GROUND WATER RECHARGE	01/01	12/31	3.34 CFS	162.00 AFA
TOTAL			5.00 CFS	402.00 AFA

Places of Use

Place of Use Legal Description : INDUSTRIAL (ADA county)

Printable View

Paged View

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6			NE	SW	
02N	03E	6	6		NW	SW	
02N	03E	6	7		SW	SW	
02N	03E	6			SE	SW	
02N	03E	6			SW	SE	
02N	03E	6			SE	SE	
02N	03E	7			NE	NE	
02N	03E	7			NW	NE	
02N	03E	7			SW	NE	
02N	03E	7			SE	NE	
02N	03E	7			NE	NW	
02N	03E	7	1		NW	NW	
02N	03E	7	2		SW	NW	
02N	03E	7			SE	NW	
02N	03E	7			NE	SW	
02N	03E	7			SE	SW	
02N	03E	7			NE	SE	
02N	03E	7			NW	SE	
02N	03E	7			SW	SE	
02N	03E	7			SE	SE	
02N	03E	8			SW	NW	
02N	03E	8			SE	NW	

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	8			NE SW	
02N	03E	8			NW SW	
02N	03E	8			SW SW	
02N	03E	8			SE SW	
02N	03E	17			NE NW	
02N	03E	17			NW NW	
02N	03E	17			SW NW	
02N	03E	17			SE NW	
02N	03E	17			NE SW	
02N	03E	17			NW SW	
02N	03E	18			NW NE	
02N	03E	18			NE NW	

Place of Use Legal Description : GROUND WATER RECHARGE (ADA county)

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	6			NE SW	
02N	03E	6	6		NW SW	
02N	03E	6	7		SW SW	
02N	03E	6			SE SW	
02N	03E	6			SW SE	
02N	03E	6			SE SE	
02N	03E	7			NE NE	
02N	03E	7			NW NE	
02N	03E	7			SW NE	
02N	03E	7			SE NE	
02N	03E	7			NE NW	
02N	03E	7	1		NW NW	
02N	03E	7	2		SW NW	
02N	03E	7			SE NW	
02N	03E	7			NE SW	
02N	03E	7			SE SW	
02N	03E	7			NE SE	
02N	03E	7			NW SE	
02N	03E	7			SW SE	
02N	03E	7			SE SE	
02N	03E	8			NW NW	
02N	03E	8			SW NW	
02N	03E	8			SE NW	
02N	03E	8			NE SW	
02N	03E	8			NW SW	
02N	03E	8			SW SW	
02N	03E	8			SE SW	
02N	03E	17			NE NW	
02N	03E	17			NW NW	
02N	03E	17			SW NW	
02N	03E	17			SE NW	
02N	03E	17			NE SW	
02N	03E	17			NW SW	
02N	03E	18			NE NE	
02N	03E	18			NW NE	
02N	03E	18			SW NE	
02N	03E	18			NE NW	

Conditions

Code Conditions

- R43 The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion(s).
- R05 Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 63.
- 004 This right does not grant any right-of-way or easement across the land of another.
- 907 If measured or calculated Boise River flows at the point of diversion are less than 240 cfs during the period beginning June 16 and ending February 29, water shall not be diverted pursuant to this right. If measured or calculated Boise River flows at the point of diversion are less than 1,100 cfs during the period beginning March 1 and ending May 31, water shall not be diverted pursuant to this water right. Measured or calculated Boise River flows at the point of diversion shall be based on gauged Lucky Peak Dam discharge minus the gauged diversion of the New York Canal.
- 921 Pursuant to Section 42-234(3), Idaho Code, the Director may reduce the amount of water that may be diverted for recharge purposes under this right even though there is sufficient water to supply the entire amount authorized for appropriation under this right.
- 920 Pursuant to Section 42-234(4), Idaho Code, to ensure that other water rights are not injured by the operations of the recharge project authorized by this right, the Director has authority to approve, disapprove, or require alterations in the methods employed to achieve ground water recharge.
- 908 The right holder shall exercise this right only when authorized by the District 63 watermaster when the Boise River is on flood release below Lucky Peak dam/outlet. Flood releases shall be determined based upon the Memorandum of Agreement between the Department of Army and the Department of Interior for Flood Control Operations of Boise River Reservoirs, dated November 20, 1953, contracts with Reclamation contract holders in the Boise River Reservoirs, the Water Control Manual for Boise River Reservoirs, dated April 1985, and any modifications adopted pursuant to the procedures required in these documents and federal laws. The right holder shall not seek, directly or indirectly, any change to the flood control operations of the 1985 Water Control Manual for Boise River reservoirs. This water right may not be used to divert water released from storage to augment lower Snake River flows during the migration of Snake River salmon as authorized under Idaho law, or for any purpose of use authorized under the water rights for Lucky Peak Reservoir.
- Industrial use is for computer chip production.
- This right is subject to all prior water rights, including those water rights for power purposes that may otherwise be subordinated by contract entered into by the governor and Idaho Power Company on October 25, 1984, and ratified by the legislature pursuant to section 42-203B, Idaho Code.
- 103 When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

Dates

Licensed Date : 4/9/2015
Decreed Date :
Permit Proof Due Date : 4/1/2009
Permit Proof Made Date : 4/1/2009
Permit Approved Date : 4/1/1999
Permit Moratorium Expiration Date :
Enlargement Use Priority Date :
Enlargement Statute Priority Date :
Application Received Date: 6/6/1997
Protest Deadline Date:

Other Information

State or Federal :
Water District Number : 63
Generic Max Rate Per Acre : 0
Generic Max Volume Per Acre : 0
Civil Case Number :
Decree Plaintiff :
Decree Defendant :
Swan Falls Trust or Nontrust :
Swan Falls Dismissed :
DLE Act Number :
Cary Act Number :
Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report : 63-31183(License/Active)

Close

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MICRON TECHNOLOGY INC	PO BOX 6	BOISE	ID	83707-0006

Water Right Status

Priority Date : 1/24/2001
Basis : License
Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
GROUND WATER			

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	02N	03E	6	0				SE SW ADA	
GROUND WATER	02N	03E	7	0				NE NE ADA	
GROUND WATER	02N	03E	7	0				SW NE ADA	
GROUND WATER	02N	03E	7	0				SW NE ADA	
GROUND WATER	02N	03E	7	2				SW NW ADA	
GROUND WATER	02N	03E	7	0				NE SW ADA	
GROUND WATER	02N	03E	7	0				SW SE ADA	
GROUND WATER	02N	03E	8	0				SW NW ADA	
GROUND WATER	02N	03E	8	0				NW SE ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
IRRIGATION	03/01	11/15	0.80 CFS	
INDUSTRIAL	01/01	12/31	9.13 CFS	
TOTAL			9.13 CFS	

Places of Use

Place of Use Legal Description : IRRIGATION (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6					NE SW 1.0
02N	03E	6	6				NW SW 6.0
02N	03E	6	7				SW SW 21.0
02N	03E	6					SE SW 40.0
02N	03E	6					SW SE 23.0
02N	03E	6					SE SE 0.1
02N	03E	7					NE NE 40.0
02N	03E	7					NW NE 40.0
02N	03E	7					SW NE 40.0
02N	03E	7					SE NE 40.0
02N	03E	7					NE NW 40.0
02N	03E	7	1				NW NW 8.0
02N	03E	7	2				SW NW 0.1
02N	03E	7					SE NW 35.0

Printable View

Paged View

Township	Range	Section	Lot	QQ	Q	Acres
02N	03E	7			NE SW	22.0
02N	03E	7			SE SW	9.0
02N	03E	7			NE SE	40.0
02N	03E	7			NW SE	40.0
02N	03E	7			SW SE	40.0
02N	03E	7			SE SE	40.0
02N	03E	8			SW NW	40.0
02N	03E	8			SE NW	40.0
02N	03E	8			NE SW	40.0
02N	03E	8			NW SW	40.0
02N	03E	8			SW SW	40.0
02N	03E	8			SE SW	40.0
02N	03E	17			NE NW	40.0
02N	03E	17			NW NW	40.0
02N	03E	17			SW NW	40.0
02N	03E	17			SE NW	40.0
02N	03E	17			NE SW	19.0
02N	03E	17			NW SW	19.0
02N	03E	18			NW NE	35.0
02N	03E	18			NE NW	0.2

Place of Use Legal Description : INDUSTRIAL (ADA county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
02N	03E	6				NE SW	
02N	03E	6	6			NW SW	
02N	03E	6	7			SW SW	
02N	03E	6				SE SW	
02N	03E	6				SW SE	
02N	03E	6				SE SE	
02N	03E	7				NE NE	
02N	03E	7				NW NE	
02N	03E	7				SW NE	
02N	03E	7				SE NE	
02N	03E	7				NE NW	
02N	03E	7	1			NW NW	
02N	03E	7	2			SW NW	
02N	03E	7				SE NW	
02N	03E	7				NE SW	
02N	03E	7				SE SW	
02N	03E	7				NE SE	
02N	03E	7				NW SE	
02N	03E	7				SW SE	
02N	03E	7				SE SE	
02N	03E	8				SW NW	
02N	03E	8				SE NW	
02N	03E	8				NE SW	
02N	03E	8				NW SW	
02N	03E	8				SW SW	
02N	03E	8				SE SW	
02N	03E	17				NE NW	
02N	03E	17				NW NW	
02N	03E	17				SW NW	

Township	Range	Section	Lot	QQQ	2	Acres
02N	03E	17			SE	NW
02N	03E	17			NE	SW
02N	03E	17			NW	SW
02N	03E	18			NW	NE
02N	03E	18			NE	NW

Irrigation Totals

Total Acres	Acre Limit
998.40	39.80

Conditions

Code Conditions

- X35 Industrial use under this right shall not exceed a total annual maximum diversion volume of 3200 af.
- X35 Irrigation use under rights 63-8992, 63-10221, and 63-31183 when combined shall not exceed a total annual maximum diversion volume of 450 af at the field headgate, and the irrigation of 100 acres.
- X35 Rights 63-8992, 63-9029, 63-9357, 63-10208, 63-11293, and 63-31183 when combined shall not exceed a total diversion rate of 9.55 cfs, and a total annual maximum diversion volume of 4506.7 af.
- X27 This right is limited to the irrigation of 39.8 acres within the authorized place of use in a single irrigation season.
- WB7 This right when combined with all other rights for irrigation purposes shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 179 af at the field headgate for the irrigation place of use.
- R61 This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
- The water right holder must comply with the measuring and reporting requirements of the Southeast Boise Groundwater Management Area (SEBGWMA) and any management plan adopted by the director.
- Water diverted from the points of diversion for this right shall be considered water authorized for withdrawal under other existing water rights to their full extent, as deliverable, unless otherwise requested by the water right holder.
- In the event of water right curtailments in the SEBGWMA, out-of-priority diversions may be allowed under this right to the extent that (1) the diversions under this right are mitigated by groundwater recharge activities, and (2) diversions under this right do not injure senior water rights through direct well interference.
- When mitigation is required, the entire volume of water injected by the right holder into the SEBGWMA aquifer for ground water recharge pursuant to right 63-12420 or pursuant to diversions of storage water, up to the total amounts authorized by this right, can be diverted from the aquifer under this right during the calendar year it is injected. Water not diverted during the year it is injected can be carried over for future withdrawal and beneficial use associated with this right. The volume authorized for withdrawal will be reduced by 10% each calendar year following the first calendar year the water is injected.
- 943 The right holder shall make full beneficial use of all surface water available to the right holder for irrigation of lands within the authorized place of use for this right. The right holder may divert ground water under this right to irrigate land with appurtenant surface water rights when the surface water supply is not reasonably sufficient to irrigate the place of use for this water right or is not available due to drought, curtailment by priority, or the seasonal startup and shutoff or maintenance schedule for canal company deliveries. The right holder shall not divert ground water for irrigation purposes under this right if use of the surface water supply is intentionally discontinued or reduced (for example abandoned, forfeited, sold, disallowed by court decree, or leased to the Water Supply Bank), or is not deliverable due to non-payment of annual assessments, without an approved transfer pursuant to Idaho Code § 42-222 or other Department approval.
- 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- Industrial use is for semiconductor and related manufacturing.
- 046 Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

Dates

Licensed Date : 6/23/2015
 Decreed Date :
 Permit Proof Due Date : 2/1/2012
 Permit Proof Made Date : 1/31/2012
 Permit Approved Date : 2/14/2002
 Permit Moratorium Expiration Date :
 Enlargment Use Priority Date :

Other Information


State or Federal :
 Water District Number : EXC
 Generic Max Rate Per Acre : 0.02
 Generic Max Volume Per Acre : 4.5
 Combined Acre Limit : 100.00
 Combined Volume Limit: 450.00
 Combined Rate Limit:

ATTACHMENT 2B & 3C
MAP OF CURRENT AND PROPOSED SYSTEMS

LEGEND

-  Authorized PODs
-  Authorized POU
-  Proposed PODs (to add)
-  Proposed POU - Micron Property Boundary
-  Current designated irrigation - 100 acres

(The proposed POU for industrial and recharge is the also the proposed PPU for Irrigation)



HDR



0 1,250 2,500 Feet

ATTACHMENT 2B AND 3C
CURRENT AND PROPOSED PODS AND POU

MICRON TECHNOLOGY INC.

F 90564 PROJECT #10357654



RECEIVED

JUN 22 2026

DEPT. OF WATER RESOURCES

June 19, 2026

RECEIVED

JUN 23 2026

WATER RESOURCES
WESTERN REGION

Scott Storms
IDWR Western Region Office
2735 Airport Way
Boise, ID 83705

Subject: Application for Transfer, Applications for Amendment of Permits (2)

Dear Scott,

Enclosed on behalf of Micron Technology Inc. is an *Application for Transfer and Applications for Amendment of Permits 63-34614 and 63-34615* proposing changes to Micron's integrated place of use and additional points of diversion. Micron is not requesting an increase in their diversion rate. The changes will accommodate expansion of the Micron facility that is well underway and fully supported by the local economy and government officials. As such, time is of the essence. Expedited processing of the applications would be greatly appreciated.

The application filing fees are being paid with a credit card upon submittal and consist of \$1,620 for the transfer and \$200 for the permit amendments.

Thank you very much for your consideration and assistance in this matter. Please contact me if you have any questions. Thanks Scott.

Sincerely,

HDR Engineering, Inc.

Lori Graves

Lori Graves
Sr. Water Rights Specialist

Cc via email: Micron, Veolia, City of Boise, Simplot, and NMID

Project #10357654

hdrinc.com

HDR, 412 E Parkcenter Blvd, Suite 100, Boise, ID 83706
(208) 387-7000

90564



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

September 10, 2026

MICRON TECHNOLOGY INC
PO BOX 6
BOISE, ID 83707-0006

RE: Applications for Amendment of Permit No. 63-34614, 63-34615 and Transfer No. 90564
Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357

Dear Applicant(s):

The Department of Water Resources has received your applications to amend the above referenced permits and transfer. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN, TIMES NEWS, LEWISTON TRIBUNE, POST REGISTER on 9/16/2026 and 9/23/2026 or 9/17/2026 and 9/24/2026. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application to amend the permit is approved, the Department will send you a copy of the amended permit.

Please contact the Western Region office at 208-334-2190 if you have any questions regarding the applications.

Sincerely,

Kira Weston
Administrative Assistant

CC:
HDR INC

KEVIN J BEATON
STOEL RIVES LLP

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-35844

ANDREW LANE MACHADO

12619 W WILD THISTLE DR

STAR, ID 83669-1113

Point of Diversion L3 (NWSW) S30 T05N R01W ADA County

Source GROUND WATER

Use: IRRIGATION

03/01 to 11/15

0.16 CFS

Total Diversion:

0.16 CFS

Date Filed: 07-16-2026

Place Of Use: IRRIGATION

T05N R01W S30 L3(NWSW)

Total Acres: 8

Water bearing zone to be appropriated is from 170 to 353 feet.

63-35849

TOLL SOUTHWEST LLC

1140 VIRGINIA DR

FORT WASHINGTON, PA 19034-3204

Point of Diversion SWNE S19 T04N R01W ADA County

Point of Diversion SENW S19 T04N R01W ADA County

Point of Diversion SENW S19 T04N R01W ADA County

Source GROUND WATER

Use: AESTHETIC STORAGE

01/01 to 12/31

113.6 AF

Total Diversion:

113.6 AF

Date Filed: 07-14-2026

Place Of Use: AESTHETIC STORAGE

T04N R01W S19 SWNE, SENW

Water bearing zone to be appropriated is from 0 to 30 feet.

PROPOSED AMENDMENT OF WATER PERMIT

63-34615

MICRON TECHNOLOGY INC, PO BOX 6, BOISE, ID 83707-0006 filed an application to amend permit no. 63-34615 on 06-22-2026.

This application proposes adding five new points of diversion from ground water with three wells in SENE of Sec. 8, T02N R03E and two wells in NESW and SWSW of Sec. 9, T02N R03E. This application also proposes to add to the places of use for industrial purposes including in the NESE and NWSE Sec. 6, T02N, R03E, SWNE, SENE, NESE, NWSE, and SWSE of Sec. 8, T02N R03E, NESW, NWSW, SWSW, and SESW Sec. 9, T02N, R03E, NWNE and NENW Sec. 16, T02N, R03E, NWNE, SWNE, SENE, NESE, NWSE, SWSE, and SESE Sec. 17, T02N, R03E. Points of diversion and places of use are located in Southeast Boise, Idaho near the intersection of S Federal Way and State Hwy 21 in Ada County. Water bearing zone to be appropriated is from 600 to 1200 feet.

63-34614

MICRON TECHNOLOGY INC, PO BOX 6, BOISE, ID 83707-0006 filed an application to amend permit no. 63-34614 on 06-22-2026.

This application proposes to add to the places of use for industrial and ground water recharge purposes including in the NESE and NWSE Sec. 6, T02N, R03E, SWNE, SENE, NESE, NWSE, and SWSE of Sec. 8, T02N R03E, NESW, NWSW, SWSW, and SESW Sec. 9, T02N, R03E, NWNE and NENW Sec. 16, T02N, R03E, NWNE, SWNE, SENE, NESE, NWSE, SWSE, and SESE Sec. 17, T02N, R03E. Places of use are located in Southeast Boise, Idaho near the intersection of S Federal Way and State Hwy 21 in Ada County.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 10/5/2026. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published on 9/17/2026 and 9/24/2026

NOTICE OF PROPOSED CHANGE OF WATER RIGHT TRANSFER NO. 90564

MICRON TECHNOLOGY INC, PO BOX 6, BOISE, ID 83707-0006 has filed Application No. 90564 for changes to the following water rights within ADA County(s): Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357; to see a full

description of these rights and the proposed transfer, please see

<https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers>. The purpose of the transfer is to change a portion of the above rights as follows:

adding five new points of diversion from ground water with three wells (wells 14, 15, and 20) in SENE of Sec. 8, T02N R03E and two wells (wells 16 and 17) in NESW and SWSW of Sec. 9, T02N R03E. The applicant also proposes to update the permissible place of use (PPU) boundary irrigation of the 100-acre irrigated are within the PPU. Water will be used at the Micron facility just east of Interstate 84 and south of Highway 21, approximately 7.3 miles southeast of downtown Boise.

For additional information concerning the property location, contact Western Region office at (208)334-2190. Protests may be submitted based on the criteria of Idaho Code Sec. 42-222. Any protest against the proposed change must be filed with the Department of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 10/5/2026. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published on 9/17/2026 and 9/24/2026

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-35844

ANDREW LANE MACHADO

12619 W WILD THISTLE DR

STAR, ID 83669-1113

Point of Diversion L3 (NWSW) S30 T05N R01W ADA County

Source GROUND WATER

Use: IRRIGATION

03/01 to 11/15

0.16 CFS

Total Diversion:

0.16 CFS

Date Filed: 07-16-2026

Place Of Use: IRRIGATION

T05N R01W S30 L3(NWSW)

Total Acres: 8

Water bearing zone to be appropriated is from 170 to 353 feet.

63-35849

TOLL SOUTHWEST LLC

1140 VIRGINIA DR

FORT WASHINGTON, PA 19034-3204

Point of Diversion SWNE S19 T04N R01W ADA County

Point of Diversion SENW S19 T04N R01W ADA County

Point of Diversion SENW S19 T04N R01W ADA County

Source GROUND WATER

Use: AESTHETIC STORAGE

01/01 to 12/31

113.6 AF

Total Diversion:

113.6 AF

Date Filed: 07-14-2026

Place Of Use: AESTHETIC STORAGE

T04N R01W S19 SWNE, SENW

Water bearing zone to be appropriated is from 0 to 30 feet.

PROPOSED AMENDMENT OF WATER PERMIT

63-34615

MICRON TECHNOLOGY INC, PO BOX 6, BOISE, ID 83707-0006 filed an application to amend permit no. 63-34615 on 06-22-2026.

This application proposes adding five new points of diversion from ground water with three wells in SENE of Sec. 8, T02N R03E and two wells in NESW and SWSW of Sec. 9, T02N R03E. This application also proposes to add to the places of use for industrial purposes including in the NESE and NWSE Sec. 6, T02N, R03E, SWNE, SENE, NESE, NWSE, and SWSE of Sec. 8, T02N R03E, NESW, NWSW, SWSW, and SESW Sec. 9, T02N, R03E, NWNE and NENW Sec. 16, T02N, R03E, NWNE, SWNE, SENE, NESE, NWSE, SWSE, and SESE Sec. 17, T02N, R03E. Points of diversion and places of use are located in Southeast Boise, Idaho near the intersection of S Federal Way and State Hwy 21 in Ada County. Water bearing zone to be appropriated is from 600 to 1200 feet.

63-34614

MICRON TECHNOLOGY INC, PO BOX 6, BOISE, ID 83707-0006 filed an application to amend permit no. 63-34614 on 06-22-2026.

This application proposes to add to the places of use for industrial and ground water recharge purposes including in the NESE and NWSE Sec. 6, T02N, R03E, SWNE, SENE, NESE, NWSE, and SWSE of Sec. 8, T02N R03E, NESW, NWSW, SWSW, and SESW Sec. 9, T02N, R03E, NWNE and NENW Sec. 16, T02N, R03E, NWNE, SWNE, SENE, NESE, NWSE, SWSE, and SESE Sec. 17, T02N, R03E. Places of use are located in Southeast Boise, Idaho near the intersection of S Federal Way and State Hwy 21 in Ada County.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 10/5/2026. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published on 9/16/2026 and 9/23/2026

NOTICE OF PROPOSED CHANGE OF WATER RIGHT TRANSFER NO. 90564

MICRON TECHNOLOGY INC, PO BOX 6, BOISE, ID 83707-0006 has filed Application No. 90564 for changes to the following water rights within ADA County(s): Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357; to see a full

description of these rights and the proposed transfer, please see
<https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers>.

The purpose of the transfer is to change a portion of the above rights as follows:
adding five new points of diversion from ground water with three wells (wells 14, 15, and 20) in SENE of Sec. 8, T02N R03E and two wells (wells 16 and 17) in NESW and SWSW of Sec. 9, T02N R03E. The applicant also proposes to update the permissible place of use (PPU) boundary irrigation of the 100-acre irrigated are within the PPU. Water will be used at the Micron facility just east of Interstate 84 and south of Highway 21, approximately 7.3 miles southeast of downtown Boise.

For additional information concerning the property location, contact Western Region office at (208)334-2190. Protests may be submitted based on the criteria of Idaho Code Sec. 42-222. Any protest against the proposed change must be filed with the Department of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 10/5/2026. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published on 9/16/2026 and 9/23/2026

Kira Weston

From: Kira Weston
Sent: Thursday, September 10, 2026 11:06 AM
To: legalnotices@postregister.com
Cc: Western Advertising
Subject: Transfer No. 90564; Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357 Application to Amend Permit No. 63-34615, 63-34614
Attachments: Statewide Legal Notice - Wednesday.docx

Please publish the enclosed legal notice in the Post Register on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/5/2026. Your cooperation is appreciated.

Best,
Kira Weston

Administrative Assistant 1
IDWR | Western Region
P: (208) 605-4622



Kira Weston

From: Kira Weston
Sent: Thursday, September 10, 2026 11:08 AM
To: legals@lmtribune.com
Cc: Western Advertising
Subject: Application to Amend Permit No. 63-34615, 63-34614 Transfer No. 90564; Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357
Attachments: Statewide Legal Notice - Thursday.docx

Please publish the enclosed legal notice in the Lewiston Tribune on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/5/2026. Your cooperation is appreciated.

Best,
Kira Weston

Administrative Assistant 1
IDWR | Western Region
P: (208) 605-4622



Kira Weston

From: Kira Weston
Sent: Thursday, September 10, 2026 11:38 AM
To: 'Jane from Support'
Cc: Western Advertising
Subject: RE: Application for Permit No. 63-35844, 63-35849 Application to Amend Permit No. 63-34615, 63-34614 Transfer No. 90564; Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357
Attachments: ADA County Legal Notices.docx

Jane,

We would like it to appear in print. Here is the updated version. Thank you for the assistance.

Best,
Kira Weston

Administrative Assistant 1
IDWR / Western Region
P: (208) 605-4622



IDAHO DEPARTMENT OF
WATER RESOURCES

From: Jane from Support <classifiedsupport@legacy.com>
Sent: Thursday, September 10, 2026 11:33 AM
To: Kira Weston <kira.weston@idwr.idaho.gov>
Cc: Western Advertising <westernadvertising@idwr.idaho.gov>
Subject: Re: Application for Permit No. 63-35844, 63-35849 Application to Amend Permit No. 63-34615, 63-34614 Transfer No. 90564; Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Kira,

The Idaho Statesman publishes in **PRINT on Wednesdays, Fridays, Sundays.**
Any other day chosen will be digitally only.

PRINT PUBLICATIONS = Wed/Fri/Sun

DIGITAL PUBLICATIONS = Every Day

The days you selected are Thursdays for online publication only.

If you would like your ad to appear in the print edition as well, please reply with the preferred dates.
Thank you,
Jane

On Thu, Sep 10, 2026 at 10:29 AM, Kira Weston <kira.weston@idwr.idaho.gov> wrote:
Jane,


Will this be for the printed or online version? We will need it to run in the printed version .
Best,

Kira Weston

Administrative Assistant 1

IDWR / Western Region

P: (208) 605-4622



From: Jane from Support <classifiedsupport@legacy.com>
Sent: Thursday, September 10, 2026 11:23 AM
To: Kira Weston <kira.weston@idwr.idaho.gov>
Cc: Western Advertising <westernadvertising@idwr.idaho.gov>
Subject: Re: Application for Permit No. 63-35844, 63-35849 Application to Amend Permit No. 63-34615, 63-34614
Transfer No. 90564; Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Kira,

Attached is the confirmation for your advertisement to be published in **Idaho Statesman** on **Sept. 17 & 24**.

Order # IPL0373184

Ad Cost \$265.24

Account # AP26964

Please review the details carefully to ensure everything is accurate. If you need to make any changes to the ad text, billing information, publication dates, or newspaper selection—or if you have questions regarding cost—please let us know **by 12 NOON on Tuesday 9/15**. Otherwise, the advertisement will be published as confirmed. For legal advertisements, the Affidavit/Proof of Publication will be emailed to the affidavit email address on file on the first business day following the final publication date.

Thank you,
Jane

 [IPL0373184.pdf](#)

On Thu, Sep 10, 2026 at 10:02 AM, Kira Weston <kira.weston@idwr.idaho.gov> wrote:

Please publish the enclosed legal notice in the Idaho Statesmen on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/5/2026. Your cooperation is appreciated.

Best,

Kira Weston

Administrative Assistant 1

IDWR / Western Region

P: (208) 605-4622





IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082

Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

September 11, 2026

See attached list.

RE: Amended Applications for Permit 63-34614 and 63-34615; Transfer No. 90564

Dear Interested Party:

The Department of Water Resources (Department) is notifying you of applications for amendment of permit and a transfer that may be of interest to you. A full description concerning property location for the amendments may be found at: <https://research.idwr.idaho.gov/apps/waterrights/wrapapplicationresults/>. And for the transfer may be found at: <https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers>

If you desire to file a formal protest against approval of the applications, a written protest along with the \$25 protest fee for each application protested must be received by October 5, 2026. Notice of Protest forms are available on our website, www.idwr.idaho.gov.

Please contact the Department's Western office at (208) 334-2190 if you have any questions regarding the application.

Sincerely,

Kira Weston
Administrative Assistant

SEBGWMA

REPORTING PARTIES

MOTIVE POWER INC
ATTN: AMANDA LUNDGREN
4600 APPLE ST
BOISE ID 83716

IDAHO POWER
ATTN: TOBY HALVERSON
PO BOX 70
BOISE ID 83707-0070

DIXON CONTAINER CO
ATTN: JAY WASHBURN
2255 BRANIFF ST
BOISE ID 83716

IDAHO DEPT OF LANDS
SOUTHWEST AREA OFFICE
ATTN: DEAN JOHNSON
8355 W STATE ST
BOISE ID 83714

INDEPENDENT SCHOOL DISTRICT
OF BOISE CITY
ATTN: TIM STIENMETZ
6625 S ELITE DR
BOISE ID 83716

JMT PROPERTIES LLC
ATTN: CARL J DAINES
PO BOX 12668
OGDEN UT 84412

LES BOIS SOCCER
C/O JUDGE MCDEVITT
PO BOX 1543
BOISE ID 83701

UNITED WATER IDAHO
ATTN: ROBERT LAWRENCE
PO BOX 190420
BOISE ID 83719-0420

J.R. SIMPLOT COMPANY
ATTN: VIC CONRAD
PO BOX 27
BOISE ID 83707-0027

BUNTING BUILDING CORP.
ATTN: SALLY NIHIPALI
4503 S FEDERAL WAY
BOISE ID 83716

BLUE VALLEY LLC
ATTN: GREG PAVENTY
2235 BLUE LAKE LN
BOISE ID 83716

VEOLIA WATER IDAHO
ATTN: ROBERT NEWBRY
8248 W VICTORY RD
BOISE ID 83709

TSP WATER SERVICES
ATTN: TYLER PARRISH
11316 W RED SUNSET DR
BOISE, ID 83709
(this is BME Firetrucks)

INTERESTED PARTIES

SPF WATER ENGINEERING
ATTN: TERRY SCANLAN
300 E MALLARD DR, STE 350
BOISE ID 83706

CITY OF BOISE
ATTN: CATHERINE CHERTUDI
PO BOX 500
BOISE ID 83701-0500

HYDRO LOGIC INC
ATTN: ED SQUIRES
1002 W FRANKLIN ST
BOISE ID 83702-5431

Kira Weston

From: Kira Weston
Sent: Thursday, September 10, 2026 11:06 AM
To: legalnotices@postregister.com
Cc: Western Advertising
Subject: Transfer No. 90564; Water Right No(s). 63-10208, 63-11293, 63-12420, 63-31183, 63-8992, 63-9029, 63-9357 Application to Amend Permit No. 63-34615, 63-34614
Attachments: Statewide Legal Notice - Wednesday.docx

Please publish the enclosed legal notice in the Post Register on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/5/2026. Your cooperation is appreciated.

Best,
Kira Weston

Administrative Assistant 1
IDWR | Western Region
P: (208) 605-4622



MEMORANDUM

Date: September 4, 2026
To: Transfer 90564
From: Allen Bradbury
Re: Legal Notice Remarks

adding five new points of diversion from ground water with three wells (wells 14, 15, and 20) in SENE of Sec. 8, T02N R03E and two wells (wells 16 and 17) in NESW and SWSW of Sec. 9, T02N R03E. The applicant also proposes to update the permissible place of use (PPU) boundary irrigation of the 100-acre irrigated are within the PPU. Water will be used at the Micron facility just east of Interstate 84 and south of Highway 21, approximately 7.3 miles southeast of downtown Boise.