

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.1. WELL OWNER Priest River Corrected RPTName Community Baptist ChurchAddress Box 1148 Priest River Idaho 83856Owner's Permit No. 99-87-N-13

7. WATER LEVEL

Static water level 22 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 50 °F. Quality good
Describe artesian or temperature zones below.2. NATURE OF WORK 96-87-N-118Permit # 757644☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1.6</u> feet	<u>18.6</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout☒ Bentonite ☒ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casingMethod of joining casing: ☐ Threaded ☒ Overbore to seal depth☐ Welded ☐ Solvent Weld☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County BonnerSE 1/4 SW 1/4 Sec. 1, T. 56 N, R. 5 E

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____Discharge G.P.M. 2-3Pumping Level low test approx

Hours Pumped _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Wat Yes
	From	To		
8	0	10	clay-broken rock	
8	10	18	hard granite	
6	18	302	hard granite	

RECEIVED
OCT 30 1987

Department of Water Resources

RECEIVED

OCT 27 1987

Department of Water Resources
Northern District Office

OFFICE USE ONLY

Inspected by AssessorTwp SW Rge SW Sec 11/4 SE 1/4 SW 1/4

10.

Work started 10-22 finished 10-23-87

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Drilling Firm No. 252Address Box 312 Priest River Date 10-25-87Signed by (Firm Official) Norman H. Hyattand
(Operator) Same