


# IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT 49115

Use Typewriter  
or  
Ball Point Pen

1. DRILLING PERMIT NO. 63-95-W-0126-200  
Other IDWR No. 63-03608

2. OWNER:  
Name City of Nysa 2A  
Address 1450 3rd  
City Nysa State OR Zip 97913

3. LOCATION OF WELL by legal description:  
Sketch map location must agree with written location.



Twp. 6 North  or South   
Rge. 5 East  or West   
Sec. 7 1/4 NE 1/4 NE 1/4  
Gov't Lot 1 County Caydon

Address of Well Site City Nysa Water Supply Field, East Bank of Snake River  
City Nysa  
(Give at least name of road + Distance to Road or Landmark)

Lt. \_\_\_\_\_ Blk. \_\_\_\_\_ Sub. Name \_\_\_\_\_

4. PROPOSED USE:  
 Domestic  Municipal  Monitor  Irrigation  
 Thermal  Injection  Other \_\_\_\_\_

5. TYPE OF WORK  
 New Well  Modify or Repair  Replacement  Abandonment

6. DRILL METHOD  
 Mud Rotary  Air Rotary  Cable  Other \_\_\_\_\_

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From To	Sacks or Pounds		
<u>Cement</u>	<u>0 20</u>	<u>2268</u>	<u>Overbone</u>	
<u>70.6-9</u>	<u>10 55</u>	<u>5450</u>	<u>Pressure</u>	
<u>Silica</u>			<u>Grout</u>	

Was drive shoe used?   N Shoe Depth(s) \_\_\_\_\_  
Was drive shoe seal tested?  Y  N How? \_\_\_\_\_

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>20</u>	<u>1</u>	<u>20</u>	<u>375</u>	<u>Steel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>10</u>	<u>2</u>	<u>51</u>	<u>365</u>	<u>Steel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Length of Headpipe 31' Length of Tailpipe 10'

9. PERFORATIONS/SCREENS  
 Perforations Method \_\_\_\_\_  
 Screens Screen Type 304 Stainless

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
<u>29</u>	<u>39</u>	<u>.080</u>		<u>10"</u>	<u>Stainless</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:  
11 ft. below ground Artesian pressure \_\_\_\_\_ lb.  
Depth flow encountered \_\_\_\_\_ ft. Describe access port or control devices: \_\_\_\_\_

11. WELL TESTS:  
 Pump  Bailer  Air  Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
<u>350</u>		<u>30' 10"</u>	<u>6 hrs</u>
<u>350</u>		<u>51'</u>	

Water Temp. 61' Bottom hole temp. \_\_\_\_\_  
Water Quality test or comments: \_\_\_\_\_

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
	<u>0</u>	<u>8</u>	<u>Brown Silty Clay</u>		
	<u>16</u>	<u>39</u>	<u>Sand + Gravel</u>		
	<u>16</u>	<u>39</u>	<u>55</u>		
			<u>Blue Clay</u>		

RECEIVED  
AUG 07 1995  
DEPARTMENT OF WATER RESOURCES

RECEIVED  
JUL 28 1995  
WATER RESOURCES  
WESTERN REGION  
Late RW

Completed Depth 51' (Measurable)  
Date: Started 5-8-95 Completed 5-10-95

13. DRILLER'S CERTIFICATION  
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.  
Firm Name Dallas Drilling Pump Firm No. 445  
Firm Official [Signature] Date 7-25-95  
and  
Supervisor or Operator \_\_\_\_\_ Date \_\_\_\_\_  
(Sign once if Firm Official & Operator)