

STATE OF IDAHO  
**WATER DISTRICT No. 63**  
(BOISE RIVER)

REX R. BARRIE, WATERMASTER  
P.O. BOX 767  
STAR, IDAHO 83669-0767  
(208) 908-5480

November 5, 2013

**Via: E-Mail**

Gerald A. White  
15 Stronghold  
Boise, Idaho 83716

Re: Permit No. 63-31981

Dear Mr. White:

Thank you for meeting with me at your Point of Diversion (POD) related to Permit No. 63-31981.

The letter from Ms. Vicky Music with IDWR dated October 28, 2013 required you to meet certain conditions for the final approval of your permit. After looking at the site I will recommend the following items be addressed.

Permit Condition No. 9: Requiring a measuring device at your POD. You will need to install a Cipolletti (or similar) Weir at your POD in order to measure flow past the intake pipe. As current conditions at the site are not suitable for this work to be done in the near future I will require the weir to be installed no later than August 1, 2014. If it is possible to install the weir after ice out and before the spring freshet that would be acceptable.

Permit Condition No. 16: Requires you to cease diversion when the flow in Robie Creek falls below 1 Cubic Foot per Second (cfs). In order to monitor the flow past your POD I will require you to submit weekly data to my office. Electronic transmission via e-mail is the preferred method of submitting data. This data shall show the flow rate across the weir as measured with an approved staff gage. As soon as the weir is installed I will meet with you to explain how to measure the flow and provide you with a rating table for the weir. When the flow in Robie Creek falls below 1 cfs you must cease diversion until the flow raises enough to provide the 1cfs past your POD.

Information on the dimensions of weirs and related flow tables can be obtained from the U.S. Bureau of Reclamation's Water Measurement Manual at,  
<http://www.usbr.gov/wrrl/fmt/wmm>

As a part of the administration of Water District No. 63 you will be sent an annual assessment from the Watermaster's office each year in February. Currently the minimum assessment charged is \$50.00 per year.

Please contact me if you need any further assistance with this project or if you have any question.

Sincerely,

Rex R. Barrie  
Boise River Watermaster

Sent via e-mail:

Cc: Vicky Music, IDWR Western Region Office  
John Westra, IDWR Western Region Office  
Tim Luke, IDWR State Office