

WATERMASTER'S REPORT

WATER DISTRICT No. 72A

WATER DISTRICT NAME: CHALLIS/GARDEN CREEKS
AREA SUB-DISTRICT

January/2016 through December/2016

WATERMASTER NAME: Rick Philps

WATERMASTER ADDRESS: 25033 Highway 93 N., Challis, ID 83226

SECTION 42-606, IDAHO CODE

REPORTS OF WATERMASTERS. All watermasters shall make an annual report to the department of water resources prior to the expiration of the watermaster's appointment for the current year. This report shall show the total amount of water delivered by the watermaster during the preceding year, the amount delivered to each water user, the total expense of delivery and the apportionment of expenses among users and all debits and credits to be carried over to the following year. Such report shall also include records of stream flow the watermaster used or made in the process of distributing water supplies. The director may ask for other information deemed necessary in assuring proper distribution of water supplies within the district. The reports of watermasters to the department of water resources shall be filed and kept in the office of the department.


State of Idaho)
County of Custer) ss

AFFIDAVIT OF WATERMASTER

Rick Philps, being first duly sworn deposes and says that he is Watermaster of Water District No. 72A, having been lawfully appointed by _____, Director, Idaho Department of Water Resources, and that the volumes of water as stated in this report and prorated by him to the water right holders of the district are correct.

Rick Philps
Watermaster, District No. 72A

SUBSCRIBED AND SWORN to before me this 5th day of April, 2016



LaCinda Phelps
Notary Public

Residing at Challis, Idaho

Commission Expires 3-19-19

I HEREBY CERTIFY that, Rick Philps was lawfully appointed by me as Watermaster of Water District No. 72A, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Director, Department of Water Resources

By _____

WATERMASTER'S REPORT
2016 Delivery Records

See attached pages/log books

**Annual Summary for Water District 72A Garden and Challis Creeks
72110002 - D - GDN02 - A0003067**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.50 ^m	0.50 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.50 ⁱ	0.50 ^m	--	--	--	--	--	--
25	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	15.5	12.0	--	--	--	--	--	--
Mean:	--	--	--	--	0.50	0.50	--	--	--	--	--	--
Min:	--	--	--	--	0.50	0.50	--	--	--	--	--	--
Max:	--	--	--	--	0.50	0.50	--	--	--	--	--	--
AC-FT:	--	--	--	--	30.7	23.8	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 27.5

TOTAL AC-FT: 54.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
24	--	--	--	0.95 ^m	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
25	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
26	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
27	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
28	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
29	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
30	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ^m	--	--	--	--	--	--
31	--	--	--	--	0.95 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	6.65	29.5	28.5	--	--	--	--	--	--
Mean:	--	--	--	0.95	0.95	0.95	--	--	--	--	--	--
Min:	--	--	--	0.95	0.95	0.95	--	--	--	--	--	--
Max:	--	--	--	0.95	0.95	0.95	--	--	--	--	--	--
AC-FT:	--	--	--	13.2	58.4	56.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 64.6

TOTAL AC-FT: 128.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72110012 - D - GDN12 - A0002509**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.92 ^c	6.92 ⁱ	4.88 ^m	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
2	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
3	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
4	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
5	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
6	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
7	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
8	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
9	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
10	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
11	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
12	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
13	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
14	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
15	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
16	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ^m	--	--
17	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
18	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
19	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
20	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
21	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
22	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
23	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
24	--	--	--	3.68 ^m	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
25	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
26	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
27	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
28	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
29	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
30	--	--	--	3.68 ^m	6.92 ⁱ	6.92 ^m	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
31	--	--	--	--	6.92 ⁱ	--	4.88 ⁱ	4.88 ⁱ	--	--	--	--
Total:	--	--	--	25.8	214.5	207.6	151.3	151.3	146.4	78.1	--	--
Mean:	--	--	--	3.68	6.92	6.92	4.88	4.88	4.88	4.88	--	--
Min:	--	--	--	3.68	6.92	6.92	4.88	4.88	4.88	4.88	--	--
Max:	--	--	--	3.68	6.92	6.92	4.88	4.88	4.88	4.88	--	--
AC-FT:	--	--	--	51.1	425.5	411.8	300.1	300.1	290.4	154.9	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 974.9

TOTAL AC-FT: 1933

**Annual Summary for Water District 72A Garden and Challis Creeks
72110016 - D - GDN16 - A0003078**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ^m	1.40 ⁱ	0.06 ^m	1.00 ^m	--	--
2	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
3	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
4	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
5	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
6	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
7	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
8	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
9	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
10	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
11	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
12	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
13	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
14	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
15	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
16	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
17	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ^m	--	--
18	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
19	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
20	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
21	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
22	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
23	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
24	--	--	--	2.42 ^m	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
25	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
26	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
27	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
28	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
29	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
30	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ^m	1.40 ⁱ	1.40 ⁱ	0.06 ^m	--	--	--
31	--	--	--	--	2.42 ⁱ	--	1.40 ⁱ	1.40 ^m	--	--	--	--
Total:	--	--	--	16.9	75.0	72.6	43.4	43.4	1.80	17.0	--	--
Mean:	--	--	--	2.42	2.42	2.42	1.40	1.40	0.06	1.00	--	--
Min:	--	--	--	2.42	2.42	2.42	1.40	1.40	0.06	1.00	--	--
Max:	--	--	--	2.42	2.42	2.42	1.40	1.40	0.06	1.00	--	--
AC-FT:	--	--	--	33.6	148.8	144.0	86.1	86.1	3.57	33.7	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 270.2

TOTAL AC-FT: 535.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
2	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
3	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
4	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
5	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
6	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
7	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
8	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
9	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
10	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
11	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
16	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
17	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
18	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
19	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
20	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
21	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
22	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
23	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
24	--	--	--	2.26 ^e	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
25	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
26	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
27	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
28	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
29	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
30	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁿ	--	--	--	--	--	--
31	--	--	--	--	2.26 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	15.8	70.1	67.8	--	--	--	--	--	--
Mean:	--	--	--	2.26	2.26	2.26	--	--	--	--	--	--
Min:	--	--	--	2.26	2.26	2.26	--	--	--	--	--	--
Max:	--	--	--	2.26	2.26	2.26	--	--	--	--	--	--
AC-FT:	--	--	--	31.4	139.0	134.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 153.7

TOTAL AC-FT: 304.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.02 ^m	--	--	--	--	--
2	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
16	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
17	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
18	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
19	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
20	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
21	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
22	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
23	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
24	--	--	--	1.93 ^m	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
25	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
26	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
27	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
28	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
29	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
30	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ^m	--	--	--	--	--	--
31	--	--	--	--	1.93 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	13.5	59.8	57.9	1.02	--	--	--	--	--
Mean:	--	--	--	1.93	1.93	1.93	1.02	--	--	--	--	--
Min:	--	--	--	1.93	1.93	1.93	1.02	--	--	--	--	--
Max:	--	--	--	1.93	1.93	1.93	1.02	--	--	--	--	--
AC-FT:	--	--	--	26.8	118.7	114.8	2.02	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 132.3

TOTAL AC-FT: 262.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
24	--	--	--	0.78 ^m	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
25	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
26	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
27	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
28	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
29	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
30	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ^m	--	--	--	--	--	--
31	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.46	24.2	23.4	--	--	--	--	--	--
Mean:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
Min:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
Max:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
AC-FT:	--	--	--	10.8	48.0	46.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 53.0

TOTAL AC-FT: 105.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.06 ⁿ	1.06 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
16	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
17	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
18	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
19	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
20	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
21	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
22	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
23	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
24	--	--	--	0.50 ^m	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
25	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
26	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
27	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
28	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
29	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
30	--	--	--	0.50 ^m	1.06 ⁱ	1.06 ⁿ	--	--	--	--	--	--
31	--	--	--	--	1.06 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	3.50	32.9	31.8	--	--	--	--	--	--
Mean:	--	--	--	0.50	1.06	1.06	--	--	--	--	--	--
Min:	--	--	--	0.50	1.06	1.06	--	--	--	--	--	--
Max:	--	--	--	0.50	1.06	1.06	--	--	--	--	--	--
AC-FT:	--	--	--	6.94	65.2	63.1	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 68.2

TOTAL AC-FT: 135.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.62 ⁿ	2.62 ⁱ	0.60 ^m	0.60 ⁱ	0.46 ^m	0.46 ⁱ	--	--
2	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
3	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
4	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
5	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
6	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
7	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
8	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
9	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
10	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ^m	0.46 ⁱ	0.46 ⁱ	--	--
11	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ^m	0.46 ⁱ	0.46 ⁱ	--	--
12	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
13	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	0.46 ^m	--	--
14	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
15	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
16	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
17	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
18	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
19	--	--	--	--	2.62 ⁱ	2.62 ^m	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
20	--	--	--	--	2.62 ⁱ	1.22 ^m	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
21	--	--	--	--	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
22	--	--	--	0.93 ^m	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
23	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
24	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
25	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
26	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
27	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
28	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
29	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
30	--	--	--	0.93 ^m	2.62 ⁱ	1.22 ^m	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
31	--	--	--	--	2.62 ⁱ	--	0.60 ⁱ	0.70 ^m	--	--	--	--
Total:	--	--	--	8.37	81.2	63.2	18.6	20.7	13.8	5.98	--	--
Mean:	--	--	--	0.93	2.62	2.11	0.60	0.67	0.46	0.46	--	--
Min:	--	--	--	0.93	2.62	1.22	0.60	0.60	0.46	0.46	--	--
Max:	--	--	--	0.93	2.62	2.62	0.60	0.70	0.46	0.46	--	--
AC-FT:	--	--	--	16.6	161.1	125.4	36.9	41.1	27.4	11.9	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 211.9

TOTAL AC-FT: 420.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.52 ^m	4.52 ⁱ	1.68 ⁿ	1.68 ⁱ	--	--	--	--
2	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
3	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
4	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
5	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
6	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
7	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
8	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
9	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
10	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁿ	--	--	--	--
11	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁿ	--	--	--	--
12	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
13	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
14	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
15	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
16	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
17	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
18	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
19	--	--	--	--	4.52 ⁱ	4.52 ^m	1.68 ⁱ	1.27 ⁱ	--	--	--	--
20	--	--	--	--	4.52 ⁱ	3.38 ^m	1.68 ⁱ	1.27 ⁱ	--	--	--	--
21	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
22	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
23	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
24	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
25	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
26	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
27	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
28	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
29	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
30	--	--	--	--	4.52 ⁱ	3.38 ⁿ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
31	--	--	--	--	4.52 ⁱ	--	1.68 ⁱ	1.27 ⁿ	--	--	--	--
Total:	--	--	--	--	140.1	123.1	52.1	43.5	--	--	--	--
Mean:	--	--	--	--	4.52	4.10	1.68	1.40	--	--	--	--
Min:	--	--	--	--	4.52	3.38	1.68	1.27	--	--	--	--
Max:	--	--	--	--	4.52	4.52	1.68	1.68	--	--	--	--
AC-FT:	--	--	--	--	277.9	244.1	103.3	86.2	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 358.7

TOTAL AC-FT: 711.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.66 ^m	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ^m	1.41 ⁱ	--	--
2	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
3	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
4	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
5	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
6	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
7	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
8	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
9	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
10	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ^m	1.41 ⁱ	1.41 ⁱ	--	--
11	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ^m	1.41 ⁱ	1.41 ⁱ	--	--
12	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
13	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
14	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ^m	--	--
15	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
16	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
17	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
18	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
19	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
20	--	--	--	--	6.66 ⁱ	6.66 ^m	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
21	--	--	--	--	6.66 ⁱ	3.89 ^m	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
22	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
23	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
24	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
25	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
26	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
27	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
28	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ^m	2.40 ⁱ	1.41 ⁱ	--	--	--
29	--	--	--	--	6.66 ⁱ	3.89 ⁱ	2.40 ^m	2.40 ⁱ	1.41 ⁱ	--	--	--
30	--	--	--	--	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
31	--	--	--	--	6.66 ⁱ	--	2.40 ⁱ	2.40 ^m	--	--	--	--
Total:	--	--	--	--	206.5	172.1	116.1	74.4	42.3	19.7	--	--
Mean:	--	--	--	--	6.66	5.74	3.75	2.40	1.41	1.41	--	--
Min:	--	--	--	--	6.66	3.89	2.40	2.40	1.41	1.41	--	--
Max:	--	--	--	--	6.66	6.66	3.89	2.40	1.41	1.41	--	--
AC-FT:	--	--	--	--	409.5	341.4	230.3	147.6	83.9	39.2	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 631.1

TOTAL AC-FT: 1251

**Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.82 ^m	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁿ	0.95 ⁱ	--	--
2	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
3	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
4	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
5	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
6	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
7	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
8	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
9	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
10	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ^m	0.95 ⁱ	0.95 ⁱ	--	--
11	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁿ	0.95 ⁱ	0.95 ⁱ	--	--
12	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
13	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
14	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	0.95 ^e	--	--
15	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
16	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
17	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
18	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
19	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
20	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
21	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
22	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
23	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
24	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
25	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
26	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
27	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
28	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
29	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
30	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
31	--	--	--	--	1.82 ⁱ	--	1.82 ⁱ	1.39 ⁿ	--	--	--	--
Total:	--	--	--	--	56.4	54.6	56.4	47.4	28.5	13.3	--	--
Mean:	--	--	--	--	1.82	1.82	1.82	1.53	0.95	0.95	--	--
Min:	--	--	--	--	1.82	1.82	1.82	1.39	0.95	0.95	--	--
Max:	--	--	--	--	1.82	1.82	1.82	1.82	0.95	0.95	--	--
AC-FT:	--	--	--	--	111.9	108.3	111.9	94.0	56.5	26.4	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 256.6

TOTAL AC-FT: 509.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120009 - D - CHLC06 - A0002598**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.21 ⁿ	--	--	--	--	--	--
2	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
3	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
4	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
5	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
12	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
13	--	--	--	--	--	0.21 ⁿ	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	--	2.73	--	--	--	--	--	--
Mean:	--	--	--	--	--	0.21	--	--	--	--	--	--
Min:	--	--	--	--	--	0.21	--	--	--	--	--	--
Max:	--	--	--	--	--	0.21	--	--	--	--	--	--
AC-FT:	--	--	--	--	--	5.41	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 2.73

TOTAL AC-FT: 5.41

**Annual Summary for Water District 72A Garden and Challis Creeks
72120010 - D - CHLC07 - A0002599**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.26 ⁿ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁿ	--	--	--
2	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
3	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
4	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
5	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
6	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
7	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
8	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
9	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
10	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ^m	0.13 ⁱ	--	--	--
11	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁿ	0.13 ⁱ	--	--	--
12	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.13 ⁱ	--	--	--
13	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.13 ⁿ	--	--	--
14	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
15	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
16	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
17	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
18	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
19	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
20	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
21	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
22	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
23	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
24	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
25	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
26	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
27	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
28	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
29	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
30	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.26 ⁱ	0.19 ⁿ	--	--	--	--
Total:	--	--	--	--	8.06	7.80	8.06	6.59	1.69	--	--	--
Mean:	--	--	--	--	0.26	0.26	0.26	0.21	0.13	--	--	--
Min:	--	--	--	--	0.26	0.26	0.26	0.19	0.13	--	--	--
Max:	--	--	--	--	0.26	0.26	0.26	0.26	0.13	--	--	--
AC-FT:	--	--	--	--	16.0	15.5	16.0	13.1	3.35	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 32.2

TOTAL AC-FT: 63.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120014 - D - CHLC08 - A0002592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^c	0.40 ⁱ	0.20 ⁿ	--	--	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁿ	--	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ⁿ	--	--	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	12.4	12.0	2.60	--	--	--	--	--
Mean:	--	--	--	--	0.40	0.40	0.20	--	--	--	--	--
Min:	--	--	--	--	0.40	0.40	0.20	--	--	--	--	--
Max:	--	--	--	--	0.40	0.40	0.20	--	--	--	--	--
AC-FT:	--	--	--	--	24.6	23.8	5.16	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 27.0

TOTAL AC-FT: 53.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁿ	--	--	--
2	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
3	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
4	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
5	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
6	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
7	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
8	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
9	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
10	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁿ	0.10 ⁱ	--	--	--
11	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁿ	0.10 ⁱ	--	--	--
12	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
13	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
14	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
15	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
16	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
17	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
18	--	--	--	--	0.47 ⁿ	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
19	--	--	--	--	0.47 ⁱ	0.47 ⁿ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
20	--	--	--	--	0.47 ⁱ	0.19 ⁿ	0.19 ⁱ	0.14 ⁱ	0.10 ⁿ	--	--	--
21	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
22	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
23	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
24	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
25	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
26	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
27	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
28	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
29	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
30	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
31	--	--	--	--	0.47 ⁱ	--	0.19 ⁱ	0.14 ⁿ	--	--	--	--
Total:	--	--	--	--	6.58	11.0	5.89	4.84	2.00	--	--	--
Mean:	--	--	--	--	0.47	0.37	0.19	0.16	0.10	--	--	--
Min:	--	--	--	--	0.47	0.19	0.19	0.14	0.10	--	--	--
Max:	--	--	--	--	0.47	0.47	0.19	0.19	0.10	--	--	--
AC-FT:	--	--	--	--	13.1	21.9	11.7	9.60	3.97	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 30.3

TOTAL AC-FT: 60.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.79 ^m	3.08 ^m	0.98 ⁱ	0.98 ⁱ	0.50 ^m	0.50 ⁱ	--	--
2	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
3	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
4	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
5	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
6	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
7	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
8	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
9	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
10	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ^m	0.50 ⁱ	0.50 ⁱ	--	--
11	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ^e	0.50 ⁱ	0.50 ⁱ	--	--
12	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
13	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
14	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
15	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ^m	--	--
16	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
17	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
18	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
19	--	--	--	--	1.79 ⁱ	3.08 ^m	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
20	--	--	--	--	1.79 ⁱ	0.98 ^m	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
21	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
22	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
23	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
24	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
25	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
26	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
27	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
28	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
29	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
30	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
31	--	--	--	--	1.79 ^m	--	0.98 ⁱ	0.72 ^m	--	--	--	--
Total:	--	--	--	--	55.5	69.3	30.4	24.9	15.0	7.50	--	--
Mean:	--	--	--	--	1.79	2.31	0.98	0.80	0.50	0.50	--	--
Min:	--	--	--	--	1.79	0.98	0.98	0.72	0.50	0.50	--	--
Max:	--	--	--	--	1.79	3.08	0.98	0.98	0.50	0.50	--	--
AC-FT:	--	--	--	--	110.1	137.5	60.3	49.4	29.8	14.9	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 202.6

TOTAL AC-FT: 401.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120018 - D - CHLC10 - A0002582**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.74 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.85 ⁱ	--	--
2	--	--	--	--	3.04 ^c	1.69 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.86 ⁱ	--	--
3	--	--	--	--	3.04 ⁱ	1.64 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.87 ⁱ	--	--
4	--	--	--	--	3.04 ⁱ	1.59 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ^m	5.88 ⁱ	--	--
5	--	--	--	--	3.04 ^c	1.54 ⁱ	32.0 ⁱ	30.1 ⁱ	12.2 ⁱ	5.89 ⁱ	--	--
6	--	--	--	--	2.99 ⁱ	1.50 ⁱ	32.0 ⁱ	30.1 ^m	10.0 ⁱ	5.90 ⁱ	--	--
7	--	--	--	--	2.94 ⁱ	1.45 ⁱ	32.0 ⁱ	27.7 ⁱ	7.85 ⁱ	5.91 ⁱ	--	--
8	--	--	--	--	2.90 ⁱ	1.40 ^m	32.0 ^m	25.4 ⁱ	5.67 ^m	5.92 ⁱ	--	--
9	--	--	--	--	2.85 ⁱ	16.9 ^m	31.8 ⁱ	23.0 ⁱ	5.67 ⁱ	5.93 ⁱ	--	--
10	--	--	--	--	2.80 ⁱ	16.9 ⁱ	31.7 ⁱ	20.7 ⁱ	5.67 ⁱ	5.94 ⁱ	--	--
11	--	--	--	--	2.75 ⁱ	16.9 ⁱ	31.6 ⁱ	18.3 ⁱ	5.67 ⁱ	5.95 ⁱ	--	--
12	--	--	--	--	2.70 ⁱ	16.9 ⁱ	31.4 ⁱ	16.0 ⁱ	5.67 ⁱ	5.96 ^m	--	--
13	--	--	--	--	2.65 ⁱ	16.9 ⁱ	31.3 ⁱ	13.6 ⁱ	5.67 ⁱ	5.96 ⁱ	--	--
14	--	--	--	--	2.61 ⁱ	16.9 ⁱ	31.2 ⁱ	11.3 ⁱ	5.67 ^m	5.96 ⁱ	--	--
15	--	--	--	--	2.56 ⁱ	16.9 ⁱ	31.0 ⁱ	8.91 ⁱ	5.68 ⁱ	5.96 ^m	--	--
16	--	--	--	--	2.51 ⁱ	16.9 ⁱ	30.9 ⁱ	6.55 ⁱ	5.69 ⁱ	--	--	--
17	--	--	--	--	2.46 ⁱ	16.9 ^m	30.8 ⁱ	4.20 ^m	5.70 ⁱ	--	--	--
18	--	--	--	--	2.41 ⁱ	19.9 ⁱ	30.6 ⁱ	4.20 ⁱ	5.71 ⁱ	--	--	--
19	--	--	--	--	2.36 ⁱ	22.9 ⁱ	30.5 ⁱ	4.20 ^m	5.72 ⁱ	--	--	--
20	--	--	--	--	2.32 ⁱ	25.9 ⁱ	30.4 ⁱ	14.4 ^m	5.73 ⁱ	--	--	--
21	--	--	--	--	2.27 ⁱ	29.0 ⁱ	30.2 ⁱ	14.4 ⁱ	5.74 ⁱ	--	--	--
22	--	--	--	--	2.22 ⁱ	32.0 ^m	30.1 ^m	14.4 ⁱ	5.75 ⁱ	--	--	--
23	--	--	--	--	2.17 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.76 ⁱ	--	--	--
24	--	--	--	--	2.12 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.77 ⁱ	--	--	--
25	--	--	--	--	2.08 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.78 ⁱ	--	--	--
26	--	--	--	--	2.03 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.79 ⁱ	--	--	--
27	--	--	--	--	1.98 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.80 ⁱ	--	--	--
28	--	--	--	--	1.93 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.82 ⁱ	--	--	--
29	--	--	--	--	1.88 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.83 ⁱ	--	--	--
30	--	--	--	--	1.83 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.84 ⁱ	--	--	--
31	--	--	--	--	1.79 ⁱ	--	30.1 ⁱ	14.4 ⁱ	--	--	--	--
Total:	--	--	--	--	74.3	550.2	959.7	537.3	219.5	88.7	--	--
Mean:	--	--	--	--	2.48	18.3	31.0	17.3	7.32	5.92	--	--
Min:	--	--	--	--	1.79	1.40	30.1	4.20	5.67	5.85	--	--
Max:	--	--	--	--	3.04	32.0	32.0	30.1	14.4	5.96	--	--
AC-FT:	--	--	--	--	147.3	1091	1903	1065	435.4	176.0	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 2429

TOTAL AC-FT: 4819

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ^m	0.06 ⁱ	0.03 ⁿ	--	--	--
2	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
3	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
4	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
5	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
6	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
7	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
8	--	--	--	--	2.08 ⁱ	2.08 ⁿ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
9	--	--	--	--	2.08 ⁱ	0.88 ^m	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
10	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.06 ^m	0.03 ⁱ	--	--	--
11	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ^m	0.03 ⁱ	--	--	--
12	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
13	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
14	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
15	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
16	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
17	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
18	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
19	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
20	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
21	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
22	--	--	--	2.08 ^m	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
23	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
24	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
25	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
26	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
27	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
28	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
29	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
30	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ^m	0.06 ⁱ	0.45 ⁱ	0.03 ⁿ	--	--	--
31	--	--	--	--	2.08 ⁱ	--	0.06 ⁱ	0.45 ^m	--	--	--	--
Total:	--	--	--	18.7	64.5	36.0	1.86	10.1	0.90	--	--	--
Mean:	--	--	--	2.08	2.08	1.20	0.06	0.32	0.03	--	--	--
Min:	--	--	--	2.08	2.08	0.88	0.06	0.06	0.03	--	--	--
Max:	--	--	--	2.08	2.08	2.08	0.06	0.45	0.03	--	--	--
AC-FT:	--	--	--	37.1	127.9	71.4	3.69	19.9	1.79	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 132.0

TOTAL AC-FT: 261.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ^m	--	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
22	--	--	--	0.60 ^m	0.60 ⁱ	--	--	--	--	--	--	--
23	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
24	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.40	18.6	4.80	--	--	--	--	--	--
Mean:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Min:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Max:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
AC-FT:	--	--	--	10.7	36.9	9.52	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 28.8

TOTAL AC-FT: 57.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120022 - D - CHLC11 - A0002586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^a	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ^m	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	3.41	3.30	0.33	--	--	--	--	--
Mean:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
Min:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
Max:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
AC-FT:	--	--	--	--	6.76	6.55	0.65	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.04

TOTAL AC-FT: 14.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120023 - D - CHLC11A - A0002585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.73 ^m	0.11 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.73 ⁱ	0.11 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.73 ⁱ	0.11 ^e	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.73 ^m	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ^m	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.11 ^m	--	--	--	--	--	--	--
Total:	--	--	--	--	3.41	15.1	0.33	--	--	--	--	--
Mean:	--	--	--	--	0.11	0.50	0.11	--	--	--	--	--
Min:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
Max:	--	--	--	--	0.11	0.73	0.11	--	--	--	--	--
AC-FT:	--	--	--	--	6.76	29.9	0.65	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 18.8

TOTAL AC-FT: 37.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72120024 - D - CHLC12 - A0007594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.56 ^m	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--
2	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--
3	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.56 ^m	--	--	--	--	--
4	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.56 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	17.4	16.8	1.68	--	--	--	--	--
Mean:	--	--	--	--	0.56	0.56	0.56	--	--	--	--	--
Min:	--	--	--	--	0.56	0.56	0.56	--	--	--	--	--
Max:	--	--	--	--	0.56	0.56	0.56	--	--	--	--	--
AC-FT:	--	--	--	--	34.4	33.3	3.33	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 35.8

TOTAL AC-FT: 71.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120025 - D - CHLC13 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.20 ⁿ	0.70 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
4	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
5	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
6	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
7	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
8	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
9	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
10	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
11	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
12	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
13	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
14	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
15	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
16	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	--	--
17	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.20 ⁱ	0.70 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.20 ⁱ	0.20 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.20 ⁿ	--	0.20 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	6.20	15.5	6.20	6.20	6.00	3.20	--	--
Mean:	--	--	--	--	0.20	0.52	0.20	0.20	0.20	0.20	--	--
Min:	--	--	--	--	0.20	0.20	0.20	0.20	0.20	0.20	--	--
Max:	--	--	--	--	0.20	0.70	0.20	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	--	12.3	30.7	12.3	12.3	11.9	6.35	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 43.3

TOTAL AC-FT: 85.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120027 - D - CHLC16 - A0003053**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
2	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
3	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
4	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
5	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.70 ^m	0.70 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ^m	--	--	--	--	--	--
24	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
25	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	14.0	16.1	--	--	--	--	--	--
Mean:	--	--	--	--	0.70	0.70	--	--	--	--	--	--
Min:	--	--	--	--	0.70	0.70	--	--	--	--	--	--
Max:	--	--	--	--	0.70	0.70	--	--	--	--	--	--
AC-FT:	--	--	--	--	27.8	31.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 30.1

TOTAL AC-FT: 59.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120028 - D - CHLC17 - A0003052**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
2	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
3	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
4	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
5	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.20 ^m	2.20 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
16	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
17	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
18	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
19	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
20	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
21	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
22	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
23	--	--	--	--	2.20 ⁱ	2.20 ^m	--	--	--	--	--	--
24	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
25	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	44.0	50.6	--	--	--	--	--	--
Mean:	--	--	--	--	2.20	2.20	--	--	--	--	--	--
Min:	--	--	--	--	2.20	2.20	--	--	--	--	--	--
Max:	--	--	--	--	2.20	2.20	--	--	--	--	--	--
AC-FT:	--	--	--	--	87.3	100.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 94.6

TOTAL AC-FT: 187.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARC1 - A0007596**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.79 ^c	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
2	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
3	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
4	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
5	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
6	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
7	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
8	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
9	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
10	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
11	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
12	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
13	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
14	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
15	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
16	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
17	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
18	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
19	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
20	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
21	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
22	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
23	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
24	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
25	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
26	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
27	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
28	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
29	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
30	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ^m	--	--	--	--	--
31	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	24.5	23.7	23.7	--	--	--	--	--
Mean:	--	--	--	--	0.79	0.79	0.79	--	--	--	--	--
Min:	--	--	--	--	0.79	0.79	0.79	--	--	--	--	--
Max:	--	--	--	--	0.79	0.79	0.79	--	--	--	--	--
AC-FT:	--	--	--	--	48.6	47.0	47.0	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 71.9

TOTAL AC-FT: 142.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120104 - D - DARC4 - A0002612**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.41 ^m	0.41 ⁱ	1.40 ^m	--	--	--	--	--
2	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
3	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
4	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
5	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
6	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
7	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
8	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
9	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
10	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
11	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
12	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
13	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ^m	--	--	--	--	--
14	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.41 ⁱ	0.41 ^m	--	--	--	--	--	--
31	--	--	--	--	0.41 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	12.7	12.3	18.2	--	--	--	--	--
Mean:	--	--	--	--	0.41	0.41	1.40	--	--	--	--	--
Min:	--	--	--	--	0.41	0.41	1.40	--	--	--	--	--
Max:	--	--	--	--	0.41	0.41	1.40	--	--	--	--	--
AC-FT:	--	--	--	--	25.2	24.4	36.1	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 43.2

TOTAL AC-FT: 85.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ^m	0.90 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	0.90 ^m	--	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
25	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	27.9	17.1	--	--	--	--	--	--
Mean:	--	--	--	--	0.90	0.90	--	--	--	--	--	--
Min:	--	--	--	--	0.90	0.90	--	--	--	--	--	--
Max:	--	--	--	--	0.90	0.90	--	--	--	--	--	--
AC-FT:	--	--	--	--	55.3	33.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 45.0

TOTAL AC-FT: 89.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.35 ^c	0.75 ^m	0.15 ⁱ	0.15 ⁱ	0.08 ^m	0.08 ⁱ	--	--
2	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
3	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
4	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
5	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
6	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
7	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
8	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
9	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
10	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ^m	0.08 ⁱ	0.08 ⁱ	--	--
11	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ^m	0.08 ⁱ	0.08 ⁱ	--	--
12	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
13	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
14	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
15	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ^m	--	--
16	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
17	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
18	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
19	--	--	--	--	0.35 ⁱ	0.75 ^e	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
20	--	--	--	--	0.35 ⁱ	0.15 ^m	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
21	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
22	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
23	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
24	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
25	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
26	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
27	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
28	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
29	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
30	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
31	--	--	--	--	0.35 ^m	--	0.15 ⁱ	0.11 ^m	--	--	--	--
Total:	--	--	--	--	10.9	15.9	4.65	3.81	2.40	1.20	--	--
Mean:	--	--	--	--	0.35	0.53	0.15	0.12	0.08	0.08	--	--
Min:	--	--	--	--	0.35	0.15	0.15	0.11	0.08	0.08	--	--
Max:	--	--	--	--	0.35	0.75	0.15	0.15	0.08	0.08	--	--
AC-FT:	--	--	--	--	21.5	31.5	9.22	7.56	4.76	2.38	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 38.8

TOTAL AC-FT: 77.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.00 ^m	1.00 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
16	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
17	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
18	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
19	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
20	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
21	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
22	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
23	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
24	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
25	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
26	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
27	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
28	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
29	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
30	--	--	--	--	1.00 ⁱ	1.00 ^m	--	--	--	--	--	--
31	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	31.0	30.0	--	--	--	--	--	--
Mean:	--	--	--	--	1.00	1.00	--	--	--	--	--	--
Min:	--	--	--	--	1.00	1.00	--	--	--	--	--	--
Max:	--	--	--	--	1.00	1.00	--	--	--	--	--	--
AC-FT:	--	--	--	--	61.5	59.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 61.0

TOTAL AC-FT: 121.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120401 - D - PTC1 - A0002587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ⁿ	--	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
22	--	--	--	0.60 ⁿ	0.60 ⁱ	--	--	--	--	--	--	--
23	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
24	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.40	18.6	4.80	--	--	--	--	--	--
Mean:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Min:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Max:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
AC-FT:	--	--	--	10.7	36.9	9.52	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 28.8

TOTAL AC-FT: 57.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120501 - D - BRC1 - A0002588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.16 ^m	7.45 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--
2	--	--	--	--	2.35 ^m	7.22 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--
3	--	--	--	--	2.35 ⁱ	6.99 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ^m	16.2 ⁱ	--	--
4	--	--	--	--	2.35 ⁱ	6.76 ⁱ	14.4 ⁱ	10.6 ⁱ	1.30 ^m	16.2 ⁱ	--	--
5	--	--	--	--	2.35 ^m	6.53 ⁱ	14.4 ⁱ	10.6 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
6	--	--	--	--	13.5 ^m	6.30 ⁱ	14.4 ⁱ	10.6 ^m	1.30 ⁱ	16.2 ⁱ	--	--
7	--	--	--	--	13.3 ⁱ	6.06 ⁱ	14.4 ⁱ	4.24 ^m	1.30 ⁱ	16.2 ⁱ	--	--
8	--	--	--	--	13.0 ⁱ	5.83 ⁱ	14.4 ⁱ	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
9	--	--	--	--	12.8 ⁱ	5.60 ^m	14.4 ^m	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
10	--	--	--	--	12.6 ⁱ	5.60 ⁱ	3.85 ^m	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
11	--	--	--	--	12.3 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
12	--	--	--	--	12.1 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
13	--	--	--	0.77 ^m	11.9 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	1.30 ^m	16.2 ⁱ	--	--
14	--	--	--	0.77 ^m	11.6 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	16.2 ^m	16.2 ⁱ	--	--
15	--	--	--	8.23 ^m	11.4 ⁱ	5.60 ^m	3.85 ⁱ	4.24 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
16	--	--	--	8.23 ⁱ	11.2 ⁱ	2.31 ^m	3.85 ⁱ	4.24 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
17	--	--	--	8.23 ⁱ	10.9 ⁱ	2.31 ⁱ	3.85 ⁱ	4.24 ^m	16.2 ⁱ	16.2 ⁱ	--	--
18	--	--	--	8.23 ⁱ	10.7 ⁱ	2.31 ⁱ	3.85 ⁱ	2.84 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
19	--	--	--	8.23 ⁱ	10.5 ⁱ	2.31 ⁱ	3.85 ^m	1.44 ^m	16.2 ⁱ	16.2 ⁱ	--	--
20	--	--	--	8.23 ⁱ	10.2 ⁱ	2.31 ⁱ	10.6 ^m	1.61 ^m	16.2 ⁱ	16.2 ⁱ	--	--
21	--	--	--	8.23 ⁱ	10.0 ⁱ	2.31 ^m	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
22	--	--	--	8.23 ⁱ	9.77 ⁱ	14.4 ^m	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
23	--	--	--	8.23 ⁱ	9.54 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
24	--	--	--	8.23 ⁱ	9.31 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
25	--	--	--	8.23 ⁱ	9.08 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ^m	--	--
26	--	--	--	8.23 ⁱ	8.84 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ^m	16.2 ⁱ	--	--	--
27	--	--	--	8.23 ⁱ	8.61 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ^m	16.2 ⁱ	--	--	--
28	--	--	--	8.23 ^m	8.38 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--	--
29	--	--	--	1.16 ^m	8.15 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--	--
30	--	--	--	1.16 ⁱ	7.92 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--	--
31	--	--	--	--	7.69 ⁱ	--	10.6 ⁱ	3.44 ⁱ	--	--	--	--
Total:	--	--	--	119.1	285.7	235.8	295.1	142.9	298.2	404.3	--	--
Mean:	--	--	--	6.62	9.22	7.86	9.52	4.61	9.94	16.2	--	--
Min:	--	--	--	0.77	1.16	2.31	3.85	1.44	1.30	16.2	--	--
Max:	--	--	--	8.23	13.5	14.4	14.4	10.6	16.2	16.2	--	--
AC-FT:	--	--	--	236.2	566.7	467.7	585.3	283.4	591.5	801.8	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 1780

TOTAL AC-FT: 3532

**Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.83 ⁿ	0.33 ⁿ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
2	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
3	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
4	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
5	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
6	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
7	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
8	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
9	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
10	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁿ	--	--	--	--
11	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
12	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
13	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
14	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
15	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
16	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
17	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
18	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
19	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
20	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
21	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
22	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
23	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
24	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
25	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
26	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
27	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
28	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
29	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
30	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
31	--	--	--	--	1.83 ⁿ	--	0.33 ⁱ	--	--	--	--	--
Total:	--	--	--	--	56.7	9.90	10.2	3.30	--	--	--	--
Mean:	--	--	--	--	1.83	0.33	0.33	0.33	--	--	--	--
Min:	--	--	--	--	1.83	0.33	0.33	0.33	--	--	--	--
Max:	--	--	--	--	1.83	0.33	0.33	0.33	--	--	--	--
AC-FT:	--	--	--	--	112.5	19.6	20.3	6.55	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 80.2

TOTAL AC-FT: 159.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.92 ⁿ	1.35 ⁿ	0.50 ^m	0.50 ⁱ	0.25 ^e	0.25 ⁱ	--	--
2	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
3	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
4	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
5	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
6	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
7	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
8	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
9	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
10	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁿ	0.25 ⁱ	0.25 ⁱ	--	--
11	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁿ	0.25 ⁱ	0.25 ⁱ	--	--
12	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	0.25 ^e	--	--
13	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
14	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
15	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
16	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
17	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
18	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
19	--	--	--	--	0.92 ⁱ	1.35 ⁿ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
20	--	--	--	--	0.92 ⁱ	0.17 ⁿ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
21	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
22	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
23	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
24	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
25	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
26	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
27	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
28	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
29	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
30	--	--	--	--	0.92 ⁱ	0.17 ⁿ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
31	--	--	--	--	0.92 ⁿ	--	0.50 ⁱ	0.36 ^m	--	--	--	--
Total:	--	--	--	--	28.5	27.5	15.5	12.6	7.50	3.00	--	--
Mean:	--	--	--	--	0.92	0.92	0.50	0.41	0.25	0.25	--	--
Min:	--	--	--	--	0.92	0.17	0.50	0.36	0.25	0.25	--	--
Max:	--	--	--	--	0.92	1.35	0.50	0.50	0.25	0.25	--	--
AC-FT:	--	--	--	--	56.6	54.6	30.7	24.9	14.9	5.95	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 94.6

TOTAL AC-FT: 187.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.20 ⁿ	0.25 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
4	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
5	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
6	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
7	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
8	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
9	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
10	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
11	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
12	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
13	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
14	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
15	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
16	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁿ	--	--
17	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.20 ⁱ	0.25 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.20 ⁱ	0.20 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.20 ⁿ	--	0.20 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	6.20	6.95	6.20	6.20	6.00	3.20	--	--
Mean:	--	--	--	--	0.20	0.23	0.20	0.20	0.20	0.20	--	--
Min:	--	--	--	--	0.20	0.20	0.20	0.20	0.20	0.20	--	--
Max:	--	--	--	--	0.20	0.25	0.20	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	--	12.3	13.8	12.3	12.3	11.9	6.35	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 34.8

TOTAL AC-FT: 68.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.29 ⁱ	0.29 ^m	--	--	--	--	--
2	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
3	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
4	--	--	--	--	--	0.29 ⁱ	0.29 ^m	--	--	--	--	--
5	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
6	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
7	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
8	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
9	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
10	--	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--
11	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
12	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
13	--	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--
14	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
15	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
16	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
17	--	--	--	--	0.29 ^m	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
18	--	--	--	--	0.29 ^m	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
19	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
20	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
21	--	--	--	--	0.29 ⁱ	0.29 ^m	0.29 ⁱ	--	--	--	--	--
22	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
23	--	--	--	--	0.29 ⁱ	0.29 ^m	0.29 ⁱ	--	--	--	--	--
24	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
25	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
26	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ^m	--	--	--	--	--
27	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
28	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ^m	--	--	--	--	--
29	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.29 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	4.35	8.70	8.12	--	--	--	--	--
Mean:	--	--	--	--	0.29	0.29	0.29	--	--	--	--	--
Min:	--	--	--	--	0.29	0.29	0.29	--	--	--	--	--
Max:	--	--	--	--	0.29	0.29	0.29	--	--	--	--	--
AC-FT:	--	--	--	--	8.63	17.3	16.1	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 21.2

TOTAL AC-FT: 42.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130003 - D - HLCNL-03 - A0002594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ^m	--	--
2	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ^m	--	--
3	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
4	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
5	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
6	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
7	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
8	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
9	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
10	--	--	--	--	--	1.11 ⁱ	1.11 ^m	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
11	--	--	--	--	1.11 ^m	1.11 ⁱ	2.22 ^m	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
12	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
13	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
14	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
15	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ^m	--	--
16	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
17	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
18	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
19	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
20	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
21	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
22	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
23	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
24	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
25	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
26	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
27	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
28	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
29	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
30	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
31	--	--	--	--	1.11 ⁱ	--	2.22 ⁱ	2.22 ⁱ	--	--	--	--
Total:	--	--	--	--	23.3	33.3	57.7	68.8	66.6	17.8	--	--
Mean:	--	--	--	--	1.11	1.11	1.86	2.22	2.22	1.18	--	--
Min:	--	--	--	--	1.11	1.11	1.11	2.22	2.22	1.11	--	--
Max:	--	--	--	--	1.11	1.11	2.22	2.22	2.22	2.22	--	--
AC-FT:	--	--	--	--	46.2	66.1	114.5	136.5	132.1	35.2	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 267.5

TOTAL AC-FT: 530.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130004 - D - HLCNL-04 - A0002709**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ^m	0.35 ⁱ	0.22 ⁱ	--	--	--
2	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.34 ⁱ	0.22 ⁱ	--	--	--
3	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ^m	0.33 ⁱ	0.22 ⁱ	--	--	--
4	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.31 ⁱ	0.22 ⁱ	--	--	--
5	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.30 ⁱ	0.22 ⁱ	--	--	--
6	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.29 ⁱ	0.22 ⁱ	--	--	--
7	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.27 ⁱ	0.22 ⁱ	--	--	--
8	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.26 ⁱ	0.22 ⁱ	--	--	--
9	--	--	--	--	0.42 ^m	1.19 ⁱ	0.42 ⁱ	0.25 ⁱ	0.22 ⁱ	--	--	--
10	--	--	--	--	1.19 ^m	1.19 ⁱ	0.42 ⁱ	0.23 ⁱ	0.22 ⁱ	--	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ^m	0.22 ⁱ	--	--	--
12	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
13	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	0.22 ⁱ	--	--	--
14	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
15	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
16	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ^m	--	--	--
17	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
18	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
19	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
20	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
21	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
22	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
23	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
24	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
25	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
26	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
27	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
28	--	--	--	0.42 ^m	1.19 ⁱ	1.19 ⁱ	0.41 ⁱ	0.22 ⁱ	--	--	--	--
29	--	--	--	0.42 ⁱ	1.19 ⁱ	1.19 ⁱ	0.39 ⁱ	0.22 ⁱ	--	--	--	--
30	--	--	--	0.42 ⁱ	1.19 ⁱ	1.19 ^m	0.38 ⁱ	0.22 ⁱ	--	--	--	--
31	--	--	--	--	1.19 ⁱ	--	0.37 ⁱ	0.22 ⁱ	--	--	--	--
Total:	--	--	--	1.26	30.0	35.7	12.9	7.55	3.52	--	--	--
Mean:	--	--	--	0.42	0.97	1.19	0.42	0.24	0.22	--	--	--
Min:	--	--	--	0.42	0.42	1.19	0.37	0.22	0.22	--	--	--
Max:	--	--	--	0.42	1.19	1.19	0.42	0.35	0.22	--	--	--
AC-FT:	--	--	--	2.50	59.4	70.8	25.6	15.0	6.98	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 90.9

TOTAL AC-FT: 180.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130007 - D - HLCNL-07 - A0002704**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
28	--	--	--	0.12 ^m	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
29	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
30	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--	--	--	--
31	--	--	--	--	0.12 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.36	3.72	3.60	--	--	--	--	--	--
Mean:	--	--	--	0.12	0.12	0.12	--	--	--	--	--	--
Min:	--	--	--	0.12	0.12	0.12	--	--	--	--	--	--
Max:	--	--	--	0.12	0.12	0.12	--	--	--	--	--	--
AC-FT:	--	--	--	0.71	7.38	7.14	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.68

TOTAL AC-FT: 15.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.20 ^m	4.80 ^m	4.30 ⁱ	8.12 ^m	3.86 ^e	2.72 ⁱ	--	--
2	--	--	--	--	4.20 ^m	4.80 ⁱ	4.30 ⁱ	6.22 ^m	3.86 ^m	2.72 ⁱ	--	--
3	--	--	--	--	4.40 ^m	4.80 ⁱ	4.30 ^m	6.22 ⁱ	3.48 ^m	2.72 ^m	--	--
4	--	--	--	--	4.40 ⁱ	4.80 ⁱ	8.12 ^m	6.22 ⁱ	3.48 ⁱ	1.30 ^m	--	--
5	--	--	--	--	4.40 ⁱ	4.80 ⁱ	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	1.30 ⁱ	--	--
6	--	--	--	--	4.40 ⁱ	4.80 ⁱ	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	1.30 ^m	--	--
7	--	--	--	--	4.40 ⁱ	4.80 ^m	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	0.10 ^m	--	--
8	--	--	--	--	4.40 ⁱ	4.30 ^m	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
9	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
10	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	6.22 ^m	3.48 ⁱ	0.10 ⁱ	--	--
11	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ^m	3.48 ⁱ	0.10 ⁱ	--	--
12	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
13	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
14	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
15	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ^e	--	--
16	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ^m	--	--	--
17	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ^m	--	--	--
18	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
19	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
20	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
21	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
22	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
23	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
24	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
25	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ^m	--	--	--
26	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ^m	--	--	--
27	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
28	--	--	--	2.00 ^m	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
29	--	--	--	2.00 ⁱ	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
30	--	--	--	2.00 ^m	4.40 ^m	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
31	--	--	--	--	4.40 ^m	--	8.12 ⁱ	2.20 ^m	--	--	--	--
Total:	--	--	--	6.00	136.0	132.5	240.3	110.3	83.7	13.0	--	--
Mean:	--	--	--	2.00	4.39	4.42	7.75	3.56	2.79	0.86	--	--
Min:	--	--	--	2.00	4.20	4.30	4.30	2.20	1.52	0.10	--	--
Max:	--	--	--	2.00	4.40	4.80	8.12	8.12	3.86	2.72	--	--
AC-FT:	--	--	--	11.9	269.8	262.8	476.6	218.8	166.1	25.7	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 721.7

TOTAL AC-FT: 1431

**Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^m	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ^m	0.20 ⁱ	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ^m	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.40 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.40 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.40 ⁱ	0.40 ^m	--	--	--	--
Total:	--	--	--	--	12.4	12.0	12.4	12.4	6.00	0.60	--	--
Mean:	--	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--
Min:	--	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--
Max:	--	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--
AC-FT:	--	--	--	--	24.6	23.8	24.6	24.6	11.9	1.19	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 55.8

TOTAL AC-FT: 110.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72130012 - D - HLCNL-12 - A0007586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ^m	1.38 ⁱ	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	1.38 ^m	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.38 ⁱ	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
28	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
29	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
30	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ^m	1.90 ^m	--	--	--	--
Total:	--	--	--	5.70	58.9	57.0	58.9	58.9	41.4	4.14	--	--
Mean:	--	--	--	1.90	1.90	1.90	1.90	1.90	1.38	1.38	--	--
Min:	--	--	--	1.90	1.90	1.90	1.90	1.90	1.38	1.38	--	--
Max:	--	--	--	1.90	1.90	1.90	1.90	1.90	1.38	1.38	--	--
AC-FT:	--	--	--	11.3	116.8	113.1	116.8	116.8	82.1	8.21	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 284.9

TOTAL AC-FT: 565.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130013 - D - HLCNL-13 - A0002701**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ^c	2.51 ⁱ	2.51 ⁱ	--	--	--
2	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
3	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
4	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
5	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
6	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	--	--	--
7	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
8	--	--	--	--	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
9	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
10	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
11	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
12	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
13	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	--	--	--
14	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
15	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
16	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
17	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
18	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	--	--	--
19	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
20	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
21	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
22	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
23	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
24	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
25	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
26	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
27	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
28	--	--	--	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
29	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
30	--	--	--	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	--	--	--
31	--	--	--	--	2.51 ⁱ	--	2.51 ⁱ	2.51 ⁱ	--	--	--	--
Total:	--	--	--	7.53	77.8	75.3	77.8	77.8	75.3	--	--	--
Mean:	--	--	--	2.51	2.51	2.51	2.51	2.51	2.51	--	--	--
Min:	--	--	--	2.51	2.51	2.51	2.51	2.51	2.51	--	--	--
Max:	--	--	--	2.51	2.51	2.51	2.51	2.51	2.51	--	--	--
AC-FT:	--	--	--	14.9	154.3	149.4	154.3	154.3	149.4	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 391.6

TOTAL AC-FT: 776.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
28	--	--	--	0.06 ^m	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
29	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ^m	--	--	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.18	1.86	1.80	--	--	--	--	--	--
Mean:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Min:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Max:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
AC-FT:	--	--	--	0.36	3.69	3.57	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 3.84

TOTAL AC-FT: 7.62

**Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
22	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
23	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
24	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
25	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
26	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
27	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
28	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
29	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
30	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--
Total:	--	--	--	6.30	21.7	21.0	21.7	21.7	21.0	11.2	--	--
Mean:	--	--	--	0.70	0.70	0.70	0.70	0.70	0.70	0.70	--	--
Min:	--	--	--	0.70	0.70	0.70	0.70	0.70	0.70	0.70	--	--
Max:	--	--	--	0.70	0.70	0.70	0.70	0.70	0.70	0.70	--	--
AC-FT:	--	--	--	12.5	43.0	41.7	43.0	43.0	41.7	22.2	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 124.6

TOTAL AC-FT: 247.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130018 - D - HLCNL-18 - A0002716**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.00 ⁱ	0.50 ^m	0.10 ⁱ	0.85 ^m	--	--	--
2	--	--	--	--	0.40 ^m	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
3	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
4	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
5	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
6	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
7	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
8	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
9	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
10	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
11	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ^m	--	--	--	--
12	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.95 ^m	--	--	--	--
13	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.95 ⁱ	--	--	--	--
14	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.95 ⁱ	--	--	--	--
15	--	--	--	--	0.40 ^m	2.00 ⁱ	0.50 ⁱ	0.95 ^m	--	--	--	--
16	--	--	--	--	2.00 ^m	2.00 ⁱ	0.50 ⁱ	0.85 ^m	--	--	--	--
17	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
18	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
19	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
20	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
21	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
22	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
23	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
24	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
25	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
26	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
27	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
28	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ^m	0.85 ⁱ	--	--	--	--
29	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.10 ^m	0.85 ⁱ	--	--	--	--
30	--	--	--	--	2.00 ⁱ	2.00 ^m	0.10 ⁱ	0.85 ⁱ	--	--	--	--
31	--	--	--	--	2.00 ⁱ	--	0.10 ⁱ	0.85 ⁱ	--	--	--	--
Total:	--	--	--	--	37.6	60.0	14.3	18.5	0.85	--	--	--
Mean:	--	--	--	--	1.25	2.00	0.46	0.60	0.85	--	--	--
Min:	--	--	--	--	0.40	2.00	0.10	0.10	0.85	--	--	--
Max:	--	--	--	--	2.00	2.00	0.50	0.95	0.85	--	--	--
AC-FT:	--	--	--	--	74.6	119.0	28.4	36.7	1.69	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 131.3

TOTAL AC-FT: 260.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ^m	--	--	--
2	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
3	--	--	--	--	--	0.54 ⁱ	0.54 ^e	0.54 ⁱ	0.27 ⁱ	--	--	--
4	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
5	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
6	--	--	--	--	0.54 ⁿ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
7	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
8	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
9	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
10	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁿ	0.27 ⁱ	--	--	--
11	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁿ	0.27 ⁱ	--	--	--
12	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
13	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
14	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁿ	0.36 ⁱ	0.27 ⁱ	--	--	--
15	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
16	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
17	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
18	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
19	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
20	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
21	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
22	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
23	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
24	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
25	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
26	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
27	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
28	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
29	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
30	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁿ	--	--	--
31	--	--	--	--	0.54 ⁱ	--	0.54 ⁱ	0.36 ⁿ	--	--	--	--
Total:	--	--	--	--	14.0	16.2	16.7	13.0	8.10	--	--	--
Mean:	--	--	--	--	0.54	0.54	0.54	0.42	0.27	--	--	--
Min:	--	--	--	--	0.54	0.54	0.54	0.36	0.27	--	--	--
Max:	--	--	--	--	0.54	0.54	0.54	0.54	0.27	--	--	--
AC-FT:	--	--	--	--	27.9	32.1	33.2	25.7	16.1	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 68.0

TOTAL AC-FT: 135.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130021 - D - HLCNL-21 - A0002718**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ^c	0.91 ⁱ	0.30 ^m	0.30 ⁱ	--	--
2	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ^m	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
3	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
4	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
5	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
6	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
7	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
8	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
9	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
10	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁿ	0.30 ⁱ	0.30 ⁱ	--	--
11	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ^m	0.30 ⁱ	0.30 ⁱ	--	--
12	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
13	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
14	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
15	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
16	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ^m	--	--
17	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
18	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
19	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
20	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
21	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
22	--	--	--	1.45 ⁿ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
23	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
24	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
26	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
27	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
28	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
29	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
30	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
31	--	--	--	--	1.45 ⁱ	--	0.91 ⁱ	0.45 ^m	--	--	--	--
Total:	--	--	--	13.1	45.0	43.5	28.8	18.6	9.00	4.80	--	--
Mean:	--	--	--	1.45	1.45	1.45	0.93	0.60	0.30	0.30	--	--
Min:	--	--	--	1.45	1.45	1.45	0.91	0.45	0.30	0.30	--	--
Max:	--	--	--	1.45	1.45	1.45	1.45	0.91	0.30	0.30	--	--
AC-FT:	--	--	--	25.9	89.2	86.3	57.0	36.8	17.9	9.52	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 162.6

TOTAL AC-FT: 322.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72130022 - D - HLCNL-22 - A0002719**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
22	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
23	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
24	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
25	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
26	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ^m	--	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.99	3.41	3.30	--	--	--	--	--	--
Mean:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
Min:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
Max:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
AC-FT:	--	--	--	1.96	6.76	6.55	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.70

TOTAL AC-FT: 15.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130023 - D - HLCNL-23 - A0007587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
22	--	--	--	0.10 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
23	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
24	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
25	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
26	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
27	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
28	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
29	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
30	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ^m	--	--	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.90	3.10	3.00	--	--	--	--	--	--
Mean:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
Min:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
Max:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
AC-FT:	--	--	--	1.79	6.15	5.95	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.00

TOTAL AC-FT: 13.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130024 - D - HLCNL-24 - A0007590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
22	--	--	--	0.62 ^r	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
23	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
24	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
25	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
26	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
27	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
28	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
29	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
30	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ^e	--	--	--	--	--	--
31	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.58	19.2	18.6	--	--	--	--	--	--
Mean:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
Min:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
Max:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
AC-FT:	--	--	--	11.1	38.1	36.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 43.4

TOTAL AC-FT: 86.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130025 - D - HLCNL-25 - A0007589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ^c	2.40 ⁱ	1.52 ⁿ	1.52 ⁱ	1.15 ⁱ	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁿ	1.15 ⁱ	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁿ	1.15 ⁱ	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	1.15 ⁱ	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	1.15 ⁱ	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	1.15 ⁿ	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
16	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
17	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
18	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
19	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
20	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
21	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
22	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
23	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
24	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
25	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
26	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
27	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
28	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
29	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
30	--	--	--	--	2.40 ⁱ	2.40 ⁿ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	1.52 ⁱ	1.15 ⁱ	--	--	--	--
Total:	--	--	--	--	74.4	72.0	47.1	39.4	16.1	--	--	--
Mean:	--	--	--	--	2.40	2.40	1.52	1.27	1.15	--	--	--
Min:	--	--	--	--	2.40	2.40	1.52	1.15	1.15	--	--	--
Max:	--	--	--	--	2.40	2.40	1.52	1.52	1.15	--	--	--
AC-FT:	--	--	--	--	147.6	142.8	93.5	78.1	31.9	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 249.0

TOTAL AC-FT: 493.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁿ	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ^m	0.06 ⁱ	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁿ	0.06 ⁱ	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
22	--	--	--	0.11 ⁿ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
23	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
24	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
25	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
26	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁿ	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.11 ⁱ	0.09 ⁿ	--	--	--	--
Total:	--	--	--	0.99	3.41	3.30	3.41	2.99	1.56	--	--	--
Mean:	--	--	--	0.11	0.11	0.11	0.11	0.10	0.06	--	--	--
Min:	--	--	--	0.11	0.11	0.11	0.11	0.09	0.06	--	--	--
Max:	--	--	--	0.11	0.11	0.11	0.11	0.11	0.06	--	--	--
AC-FT:	--	--	--	1.96	6.76	6.55	6.76	5.93	3.09	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 15.7

TOTAL AC-FT: 31.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.59 ^m	1.63 ^m	0.59 ^m	0.59 ⁱ	0.29 ^m	--	--	--
2	--	--	--	--	1.45 ^m	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
3	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
4	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
5	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
6	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
7	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
8	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
9	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
10	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ^m	0.29 ⁱ	--	--	--
11	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ^m	0.29 ⁱ	--	--	--
12	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	0.29 ⁱ	--	--	--
13	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	0.29 ^m	--	--	--
14	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
15	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
16	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
17	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
18	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
19	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
20	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
21	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
22	--	--	--	0.59 ^m	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
23	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
24	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
25	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
26	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
27	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
28	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
29	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
30	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ^m	0.59 ⁱ	0.44 ⁱ	--	--	--	--
31	--	--	--	--	1.45 ^m	--	0.59 ⁱ	0.44 ^m	--	--	--	--
Total:	--	--	--	5.31	44.1	48.9	18.3	15.1	3.77	--	--	--
Mean:	--	--	--	0.59	1.42	1.63	0.59	0.49	0.29	--	--	--
Min:	--	--	--	0.59	0.59	1.63	0.59	0.44	0.29	--	--	--
Max:	--	--	--	0.59	1.45	1.63	0.59	0.59	0.29	--	--	--
AC-FT:	--	--	--	10.5	87.5	97.0	36.3	30.0	7.48	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 135.5

TOTAL AC-FT: 268.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130028 - D - HLCNL-28 - A0002722**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁿ	0.10 ⁱ	0.10 ⁱ	--	--	--
2	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
3	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
4	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
5	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
6	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
7	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
8	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
9	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
10	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
11	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
12	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
13	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
14	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
15	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁿ	--	--	--
16	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
17	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
18	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
19	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
20	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
21	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
22	--	--	--	0.30 ⁿ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
23	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
24	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
25	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
26	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
27	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
28	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
29	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
30	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁿ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
31	--	--	--	--	0.30 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--
Total:	--	--	--	2.70	9.30	9.00	3.10	3.10	1.50	--	--	--
Mean:	--	--	--	0.30	0.30	0.30	0.10	0.10	0.10	--	--	--
Min:	--	--	--	0.30	0.30	0.30	0.10	0.10	0.10	--	--	--
Max:	--	--	--	0.30	0.30	0.30	0.10	0.10	0.10	--	--	--
AC-FT:	--	--	--	5.36	18.5	17.9	6.15	6.15	2.98	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 28.7

TOTAL AC-FT: 56.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
2	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
3	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
4	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
5	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
6	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
7	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
8	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
9	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
10	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ^m	1.60 ⁱ	1.60 ^e	--	--
11	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ^m	1.60 ⁱ	--	--	--
12	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
13	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
14	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
15	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
16	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
17	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
18	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
19	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
20	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
21	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
22	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
23	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
24	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
25	--	--	--	3.40 ^m	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
26	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
27	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
28	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
29	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
30	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
31	--	--	--	--	3.40 ⁱ	--	3.40 ⁱ	1.60 ⁱ	--	--	--	--
Total:	--	--	--	20.4	105.4	102.0	105.4	67.6	48.0	16.0	--	--
Mean:	--	--	--	3.40	3.40	3.40	3.40	2.18	1.60	1.60	--	--
Min:	--	--	--	3.40	3.40	3.40	3.40	1.60	1.60	1.60	--	--
Max:	--	--	--	3.40	3.40	3.40	3.40	3.40	1.60	1.60	--	--
AC-FT:	--	--	--	40.5	209.1	202.3	209.1	134.1	95.2	31.7	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 464.8

TOTAL AC-FT: 921.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.04 ⁿ	1.04 ⁱ	1.03 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
2	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.03 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
3	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
4	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
5	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
6	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
7	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
8	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ^e	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
9	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
10	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ^e	--	--
11	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
12	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
13	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
14	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
15	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
16	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
17	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
18	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
19	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
20	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
21	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
22	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
23	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
24	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
25	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
26	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
27	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
28	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
29	--	--	--	--	1.04 ⁱ	1.04 ⁿ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
30	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
31	--	--	--	--	1.04 ⁱ	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--
Total:	--	--	--	--	32.2	31.2	31.1	31.0	30.0	10.0	--	--
Mean:	--	--	--	--	1.04	1.04	1.00	1.00	1.00	1.00	--	--
Min:	--	--	--	--	1.04	1.04	1.00	1.00	1.00	1.00	--	--
Max:	--	--	--	--	1.04	1.04	1.03	1.00	1.00	1.00	--	--
AC-FT:	--	--	--	--	64.0	61.9	61.7	61.5	59.5	19.8	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 165.6

TOTAL AC-FT: 328.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ^m	1.90 ⁱ	--	--	--	--
2	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
3	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
4	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
5	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
6	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
7	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
8	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
9	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
10	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
12	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
13	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
14	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
15	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
16	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
17	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
18	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
19	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
20	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
21	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
22	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
23	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
24	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
25	--	--	--	1.19 ^m	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
26	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
27	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
28	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
29	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
30	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ^m	1.90 ⁱ	1.90 ^m	--	--	--	--
31	--	--	--	--	1.19 ⁱ	--	1.90 ⁱ	--	--	--	--	--
Total:	--	--	--	7.14	36.9	35.7	58.9	57.0	--	--	--	--
Mean:	--	--	--	1.19	1.19	1.19	1.90	1.90	--	--	--	--
Min:	--	--	--	1.19	1.19	1.19	1.90	1.90	--	--	--	--
Max:	--	--	--	1.19	1.19	1.19	1.90	1.90	--	--	--	--
AC-FT:	--	--	--	14.2	73.2	70.8	116.8	113.1	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 195.6

TOTAL AC-FT: 388.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.64 ⁱ	2.16 ⁿ	2.16 ⁱ	2.16 ⁱ	0.12 ⁿ	--	--	--
2	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
3	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
4	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
5	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
6	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
7	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
8	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
9	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
10	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁿ	--	--	--	--
11	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁿ	--	--	--	--
12	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
13	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
14	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
15	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
16	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
17	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
18	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
19	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
20	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
21	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
22	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
23	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
24	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
25	--	--	--	0.64 ⁿ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
26	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
27	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
28	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
29	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
30	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
31	--	--	--	--	0.64 ⁿ	--	2.16 ⁱ	0.12 ⁱ	--	--	--	--
Total:	--	--	--	3.84	19.8	64.8	67.0	24.1	0.12	--	--	--
Mean:	--	--	--	0.64	0.64	2.16	2.16	0.78	0.12	--	--	--
Min:	--	--	--	0.64	0.64	2.16	2.16	0.12	0.12	--	--	--
Max:	--	--	--	0.64	0.64	2.16	2.16	2.16	0.12	--	--	--
AC-FT:	--	--	--	7.62	39.4	128.5	132.8	47.8	0.24	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 179.7

TOTAL AC-FT: 356.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72130039 - D - HLCNL-39 - A0002724**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.88 ^m	1.88 ⁱ	1.50 ⁿ	1.50 ⁱ	--	--	--	--
2	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
3	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
4	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
5	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
6	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
7	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
8	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
9	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
10	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
11	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
12	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
13	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
14	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
15	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
16	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
17	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
18	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
19	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
20	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
21	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
22	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
23	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
24	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
25	--	--	--	1.50 ^m	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
26	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
27	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
28	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
29	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
30	--	--	--	1.50 ^m	1.88 ⁱ	1.88 ^m	1.50 ⁱ	1.50 ^m	--	--	--	--
31	--	--	--	--	1.88 ⁱ	--	1.50 ⁱ	--	--	--	--	--
Total:	--	--	--	9.00	58.3	56.4	46.5	45.0	--	--	--	--
Mean:	--	--	--	1.50	1.88	1.88	1.50	1.50	--	--	--	--
Min:	--	--	--	1.50	1.88	1.88	1.50	1.50	--	--	--	--
Max:	--	--	--	1.50	1.88	1.88	1.50	1.50	--	--	--	--
AC-FT:	--	--	--	17.9	115.6	111.9	92.2	89.3	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 215.2

TOTAL AC-FT: 426.8