

RECEIVED

MAY 31 2018

WATERMASTER'S REPORT DEPT OF WATER RESOURCES SOUTHERN REGION

From April 1, 2017 To October 31, 2017

Water District No. 72-A


Name of Watermaster Craig Winstead

Mailing Address PO Box 1250, Challis, ID 83226-1250

AFFIDAVIT OF WATERMASTER

STATE OF IDAHO)
) ss.
COUNTY OF Custer)

Craig Winstead, being first duly sworn, deposes and says that he/she is Watermaster of Water District 72-A, having been lawfully appointed by _____, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him/her to the water right holders of the district are correct.



[Signature]
(Deputy) Watermaster District No. 72-A

Subscribed and sworn to before me, this 31st day of May, 2018

[Signature]
Notary Public

(SEAL)

My Commission expires 3-19-19

Boise, Idaho _____, 20____

I HEREBY CERTIFY, that _____ was lawfully appointed by me as Watermaster of Water District No. _____, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Director, Department of Water Resources

By _____

**Annual Summary for Water District 72A Garden and Challis Creeks
72110002 - D - GDN02 - A0003067**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.50 ^m	0.50 ⁱ	0.25 ^m	0.25 ⁱ	---	---	---	---
2	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
3	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
4	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
5	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
6	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
7	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
8	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
9	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
10	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
11	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
12	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
13	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
14	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
15	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
16	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
17	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
18	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
19	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
20	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
21	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
22	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
23	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
24	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
25	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
26	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
27	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
28	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
29	---	---	---	---	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	---	---	---	---
30	---	---	---	---	0.50 ⁱ	0.50 ^m	0.25 ⁱ	0.25 ^m	---	---	---	---
31	---	---	---	---	0.50 ⁱ	---	0.25 ⁱ	---	---	---	---	---
Total:	---	---	---	---	15.5	15.0	7.75	7.50	---	---	---	---
Mean:	---	---	---	---	0.50	0.50	0.25	0.25	---	---	---	---
Min:	---	---	---	---	0.50	0.50	0.25	0.25	---	---	---	---
Max:	---	---	---	---	0.50	0.50	0.25	0.25	---	---	---	---
AC-FT:	---	---	---	---	30.7	29.8	15.4	14.9	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 45.8

TOTAL AC-FT: 90.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.95 ^m	0.95 ⁱ	0.43 ⁿ	0.43 ⁱ	0.21 ^m	---	---	---
2	---	---	---	---	0.95 ^m	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
3	---	---	---	---	0.95 ^m	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
4	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
5	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
6	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
7	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
8	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
9	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
10	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
11	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
12	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
13	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
14	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
15	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
16	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	---	---	---	---
17	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁿ	---	---	---	---
18	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁿ	---	---	---	---
19	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
20	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
21	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
22	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
23	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
24	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
25	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
26	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
27	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
28	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
29	---	---	---	---	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	---	---	---	---
30	---	---	---	---	0.95 ⁱ	0.95 ^m	0.43 ⁱ	0.21 ⁱ	---	---	---	---
31	---	---	---	---	0.95 ⁱ	---	0.43 ⁱ	0.21 ⁱ	---	---	---	---
Total:	---	---	---	---	29.5	28.5	13.3	10.3	0.21	---	---	---
Mean:	---	---	---	---	0.95	0.95	0.43	0.33	0.21	---	---	---
Min:	---	---	---	---	0.95	0.95	0.43	0.21	0.21	---	---	---
Max:	---	---	---	---	0.95	0.95	0.43	0.43	0.21	---	---	---
AC-FT:	---	---	---	---	58.4	56.5	26.4	20.3	0.42	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 81.7

TOTAL AC-FT: 162.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72110012 - D - GDN12 - A0002509**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.92 ^m	6.92 ⁱ	4.88 ^m	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
2	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
3	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
4	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
5	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
6	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
7	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
8	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
9	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
10	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
11	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
12	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
13	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
14	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
15	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ^m	2.44 ⁱ	2.44 ^m	--	--
16	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ^m	2.44 ⁱ	--	--	--
17	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
18	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
19	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
20	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
21	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
22	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
23	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
24	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
25	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
26	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
27	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
28	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
29	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
30	--	--	--	--	6.92 ⁱ	6.92 ^m	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
31	--	--	--	--	6.92 ⁱ	--	4.88 ⁱ	2.44 ⁱ	--	--	--	--
Total:	--	--	--	--	214.5	207.6	151.3	112.2	73.2	36.6	--	--
Mean:	--	--	--	--	6.92	6.92	4.88	3.62	2.44	2.44	--	--
Min:	--	--	--	--	6.92	6.92	4.88	2.44	2.44	2.44	--	--
Max:	--	--	--	--	6.92	6.92	4.88	4.88	2.44	2.44	--	--
AC-FT:	--	--	--	--	425.5	411.8	300.1	222.6	145.2	72.6	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 795.4

TOTAL AC-FT: 1577

**Annual Summary for Water District 72A Garden and Challis Creeks
72110016 - D - GDN16 - A0003078**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	2.42 ^m	2.42 ^m	1.20 ^m	1.31 ⁱ	0.70 ^m	0.70 ⁱ	---	---
2	---	---	---	---	2.42 ^m	2.42 ⁱ	1.20 ⁱ	1.32 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
3	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.21 ⁱ	1.32 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
4	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.21 ⁱ	1.32 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
5	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.21 ⁱ	1.33 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
6	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.22 ⁱ	1.33 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
7	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.22 ⁱ	1.33 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
8	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.23 ⁱ	1.34 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
9	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.23 ⁱ	1.34 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
10	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.23 ⁱ	1.34 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
11	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.24 ⁱ	1.35 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
12	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.24 ⁱ	1.35 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
13	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.24 ⁱ	1.36 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
14	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.25 ⁱ	1.36 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---
15	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.25 ⁱ	1.36 ⁱ	0.70 ⁱ	0.70 ^m	---	---
16	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.25 ⁱ	1.37 ⁱ	0.70 ⁱ	---	---	---
17	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.26 ⁱ	1.37 ⁱ	0.70 ⁱ	---	---	---
18	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.26 ⁱ	1.37 ⁱ	0.70 ⁱ	---	---	---
19	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.26 ⁱ	1.38 ⁱ	0.70 ⁱ	---	---	---
20	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.27 ⁱ	1.38 ⁱ	0.70 ⁱ	---	---	---
21	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.27 ⁱ	1.38 ⁱ	0.70 ⁱ	---	---	---
22	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.28 ⁱ	1.39 ⁱ	0.70 ⁱ	---	---	---
23	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.28 ⁱ	1.39 ⁱ	0.70 ⁱ	---	---	---
24	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.28 ⁱ	1.39 ⁱ	0.70 ⁱ	---	---	---
25	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.29 ⁱ	1.40 ⁱ	0.70 ⁱ	---	---	---
26	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.29 ⁱ	1.40 ⁱ	0.70 ⁱ	---	---	---
27	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.29 ⁱ	1.41 ⁱ	0.70 ⁱ	---	---	---
28	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.30 ⁱ	1.41 ⁱ	0.70 ⁱ	---	---	---
29	---	---	---	---	2.42 ⁱ	2.42 ⁱ	1.30 ⁱ	1.41 ⁱ	0.70 ⁱ	---	---	---
30	---	---	---	---	2.42 ⁱ	2.42 ^m	1.30 ⁱ	1.42 ⁱ	0.70 ⁱ	---	---	---
31	---	---	---	---	2.42 ^m	---	1.31 ⁱ	1.42 ^m	---	---	---	---
Total:	---	---	---	---	75.0	72.6	38.9	42.4	21.0	10.5	---	---
Mean:	---	---	---	---	2.42	2.42	1.25	1.37	0.70	0.70	---	---
Min:	---	---	---	---	2.42	2.42	1.20	1.31	0.70	0.70	---	---
Max:	---	---	---	---	2.42	2.42	1.31	1.42	0.70	0.70	---	---
AC-FT:	---	---	---	---	148.8	144.0	77.1	84.0	41.7	20.8	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 260.3

TOTAL AC-FT: 516.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.26 ^m	2.26 ⁱ	1.20 ^m	1.20 ⁱ	0.60 ⁱ	--	--	--
2	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
3	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
4	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
5	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
6	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ^m	--	--	--
7	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
8	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
9	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
10	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
11	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
12	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
13	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
14	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
15	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ^m	--	--	--	--
16	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ^m	--	--	--	--
17	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
18	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
19	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
20	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
21	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
22	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
23	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
24	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
25	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
26	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
27	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
28	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
29	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
30	--	--	--	--	2.26 ⁱ	2.26 ^m	1.20 ⁱ	0.60 ⁱ	--	--	--	--
31	--	--	--	--	2.26 ⁱ	--	1.20 ⁱ	0.60 ⁱ	--	--	--	--
Total:	--	--	--	--	70.1	67.8	37.2	27.6	3.60	--	--	--
Mean:	--	--	--	--	2.26	2.26	1.20	0.89	0.60	--	--	--
Min:	--	--	--	--	2.26	2.26	1.20	0.60	0.60	--	--	--
Max:	--	--	--	--	2.26	2.26	1.20	1.20	0.60	--	--	--
AC-FT:	--	--	--	--	139.0	134.5	73.8	54.7	7.14	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 206.3

TOTAL AC-FT: 409.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	1.93 ^m	1.93 ⁱ	1.10 ^m	1.10 ⁱ	---	---	---	---
2	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
3	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
4	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
5	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
6	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
7	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
8	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
9	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
10	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
11	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
12	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
13	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
14	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	---	---	---	---
15	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ^m	---	---	---	---
16	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ^m	---	---	---	---
17	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
18	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
19	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
20	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
21	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
22	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
23	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
24	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
25	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
26	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
27	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
28	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
29	---	---	---	---	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	---	---	---	---
30	---	---	---	---	1.93 ⁱ	1.93 ^m	1.10 ⁱ	0.90 ⁱ	---	---	---	---
31	---	---	---	---	1.93 ⁱ	---	1.10 ⁱ	0.90 ^m	---	---	---	---
Total:	---	---	---	---	59.8	57.9	34.1	30.9	---	---	---	---
Mean:	---	---	---	---	1.93	1.93	1.10	1.00	---	---	---	---
Min:	---	---	---	---	1.93	1.93	1.10	0.90	---	---	---	---
Max:	---	---	---	---	1.93	1.93	1.10	1.10	---	---	---	---
AC-FT:	---	---	---	---	118.7	114.8	67.6	61.3	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 182.7

TOTAL AC-FT: 362.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.78 ^m	0.78 ⁱ	0.43 ⁿ	0.43 ⁱ	--	--	--	--
2	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
3	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
4	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
5	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
6	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
7	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
8	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
9	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
10	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
11	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
12	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
13	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
14	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
15	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ^m	--	--	--	--
16	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
17	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
18	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
19	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
20	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
21	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
22	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
23	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
24	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
25	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
26	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
27	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
28	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
29	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
30	--	--	--	--	0.78 ⁱ	0.78 ^m	0.43 ⁱ	--	--	--	--	--
31	--	--	--	--	0.78 ⁱ	--	0.43 ⁱ	--	--	--	--	--
Total:	--	--	--	--	24.2	23.4	13.3	6.45	--	--	--	--
Mean:	--	--	--	--	0.78	0.78	0.43	0.43	--	--	--	--
Min:	--	--	--	--	0.78	0.78	0.43	0.43	--	--	--	--
Max:	--	--	--	--	0.78	0.78	0.43	0.43	--	--	--	--
AC-FT:	--	--	--	--	48.0	46.4	26.4	12.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 67.4

TOTAL AC-FT: 133.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	1.06 ^m	1.06 ⁱ	0.51 ^m	0.51 ⁱ	---	---	---	---
2	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
3	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
4	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
5	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
6	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
7	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
8	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
9	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
10	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
11	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
12	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
13	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
14	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	---	---	---	---
15	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ^m	---	---	---	---
16	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
17	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
18	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
19	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
20	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
21	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
22	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
23	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
24	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
25	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
26	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
27	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
28	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
29	---	---	---	---	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	---	---	---	---	---
30	---	---	---	---	1.06 ⁱ	1.06 ^m	0.51 ⁱ	---	---	---	---	---
31	---	---	---	---	1.06 ⁱ	---	0.51 ⁱ	---	---	---	---	---
Total:	---	---	---	---	32.9	31.8	15.8	7.65	---	---	---	---
Mean:	---	---	---	---	1.06	1.06	0.51	0.51	---	---	---	---
Min:	---	---	---	---	1.06	1.06	0.51	0.51	---	---	---	---
Max:	---	---	---	---	1.06	1.06	0.51	0.51	---	---	---	---
AC-FT:	---	---	---	---	65.2	63.1	31.4	15.2	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 88.1

TOTAL AC-FT: 174.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.62 ^m	2.62 ⁱ	1.56 ^m	0.70 ^m	--	--	--	--
2	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
3	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
4	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
5	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
6	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
7	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
8	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
9	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
10	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
11	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
12	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
13	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
14	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
15	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ^m	--	--	--	--
16	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
17	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
18	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
19	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
20	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
21	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
22	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
23	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
24	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
25	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
26	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
27	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
28	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
29	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
30	--	--	--	--	2.62 ⁱ	2.62 ^m	1.56 ⁱ	--	--	--	--	--
31	--	--	--	--	2.62 ⁱ	--	1.56 ^m	--	--	--	--	--
Total:	--	--	--	--	81.2	78.6	48.4	10.5	--	--	--	--
Mean:	--	--	--	--	2.62	2.62	1.56	0.70	--	--	--	--
Min:	--	--	--	--	2.62	2.62	1.56	0.70	--	--	--	--
Max:	--	--	--	--	2.62	2.62	1.56	0.70	--	--	--	--
AC-FT:	--	--	--	--	161.1	155.9	95.9	20.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 218.7

TOTAL AC-FT: 433.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	4.52 ^m	2.08 ^m	1.20 ^m	0.62 ^m	0.62 ⁱ	---	---	---
2	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
3	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
4	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
5	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
6	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
7	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
8	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
9	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
10	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
11	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
12	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
13	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	---	---	---
14	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ^m	---	---	---
15	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
16	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
17	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
18	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
19	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
20	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
21	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
22	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
23	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
24	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
25	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
26	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
27	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
28	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
29	---	---	---	---	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	---	---	---	---
30	---	---	---	---	4.52 ⁱ	2.08 ^m	1.20 ⁱ	0.62 ⁱ	---	---	---	---
31	---	---	---	---	4.52 ^m	---	1.20 ^m	0.62 ⁱ	---	---	---	---
Total:	---	---	---	---	140.1	62.4	37.2	19.2	8.68	---	---	---
Mean:	---	---	---	---	4.52	2.08	1.20	0.62	0.62	---	---	---
Min:	---	---	---	---	4.52	2.08	1.20	0.62	0.62	---	---	---
Max:	---	---	---	---	4.52	2.08	1.20	0.62	0.62	---	---	---
AC-FT:	---	---	---	---	277.9	123.8	73.8	38.1	17.2	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 267.6

TOTAL AC-FT: 530.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.66 ^m	6.66 ^m	3.38 ^m	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
2	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
3	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
4	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
5	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ^m	2.08 ⁱ	1.19 ⁱ	--	--
6	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ^m	2.08 ⁱ	1.19 ⁱ	--	--
7	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
8	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
9	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	2.08 ^m	1.19 ⁱ	--	--
10	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ^m	1.19 ⁱ	--	--
11	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
12	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
13	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
14	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
15	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ^m	--	--
16	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
17	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
18	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
19	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
20	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
21	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
22	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
23	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
24	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
25	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
26	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
27	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
28	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
29	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
30	--	--	--	--	6.66 ⁱ	6.66 ^m	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
31	--	--	--	--	6.66 ^m	--	3.38 ⁱ	2.08 ⁱ	--	--	--	--
Total:	--	--	--	--	206.5	199.8	104.8	71.0	43.7	17.9	--	--
Mean:	--	--	--	--	6.66	6.66	3.38	2.29	1.46	1.19	--	--
Min:	--	--	--	--	6.66	6.66	3.38	2.08	1.19	1.19	--	--
Max:	--	--	--	--	6.66	6.66	3.38	3.38	2.08	1.19	--	--
AC-FT:	--	--	--	--	409.5	396.3	207.8	140.8	86.7	35.4	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 643.6

TOTAL AC-FT: 1276

**Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.82 ^m	1.82 ⁱ	1.45 ^m	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
2	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
3	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
4	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
5	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ^m	1.19 ⁱ	0.93 ⁱ	--	--
6	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ^m	1.19 ⁱ	0.93 ⁱ	--	--
7	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
8	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
9	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	1.19 ^m	0.93 ⁱ	--	--
10	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ^m	0.93 ⁱ	--	--
11	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
12	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
13	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
14	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
15	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ^m	--	--
16	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
17	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
18	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
19	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
20	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
21	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
22	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
23	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
24	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
25	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
26	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
27	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
28	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
29	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
30	--	--	--	--	1.82 ⁱ	1.82 ^m	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
31	--	--	--	--	1.82 ⁱ	--	1.45 ⁱ	1.19 ⁱ	--	--	--	--
Total:	--	--	--	--	56.4	54.6	45.0	38.2	30.2	14.0	--	--
Mean:	--	--	--	--	1.82	1.82	1.45	1.23	1.01	0.93	--	--
Min:	--	--	--	--	1.82	1.82	1.45	1.19	0.93	0.93	--	--
Max:	--	--	--	--	1.82	1.82	1.45	1.45	1.19	0.93	--	--
AC-FT:	--	--	--	--	111.9	108.3	89.2	75.8	60.0	27.7	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 238.4

TOTAL AC-FT: 472.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120014 - D - CHLC08 - A0002592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^m	0.40 ⁱ	0.20 ^m	0.20 ⁱ	--	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ^m	--	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ^m	0.20 ⁱ	--	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	--	--	--	--	--
Total:	--	--	--	--	12.4	12.0	6.20	3.00	--	--	--	--
Mean:	--	--	--	--	0.40	0.40	0.20	0.20	--	--	--	--
Min:	--	--	--	--	0.40	0.40	0.20	0.20	--	--	--	--
Max:	--	--	--	--	0.40	0.40	0.20	0.20	--	--	--	--
AC-FT:	--	--	--	--	24.6	23.8	12.3	5.95	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 33.6

TOTAL AC-FT: 66.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

* c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.47 ^m	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
2	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
3	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
4	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
5	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
6	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
7	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ^m	0.32 ⁱ	0.12 ⁱ	--	--	--
8	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁿ	0.32 ⁱ	0.12 ⁱ	--	--	--
9	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
10	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
11	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
12	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
13	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
14	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
15	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ^m	0.12 ⁱ	--	--	--
16	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ^m	0.12 ⁱ	--	--	--
17	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
18	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
19	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
20	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
21	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
22	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
23	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
24	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
25	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
26	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
27	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
28	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
29	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
30	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--
31	--	--	--	--	0.47 ⁱ	--	0.32 ⁱ	0.12 ⁱ	--	--	--	--
Total:	--	--	--	--	14.6	14.1	11.0	6.72	3.60	--	--	--
Mean:	--	--	--	--	0.47	0.47	0.35	0.22	0.12	--	--	--
Min:	--	--	--	--	0.47	0.47	0.32	0.12	0.12	--	--	--
Max:	--	--	--	--	0.47	0.47	0.47	0.32	0.12	--	--	--
AC-FT:	--	--	--	--	28.9	28.0	21.8	13.3	7.14	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 50.0

TOTAL AC-FT: 99.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120016 - D - CHLC08B**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	1.79 ^m	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Total:	---	---	---	---	1.79	---	---	---	---	---	---	---
Mean:	---	---	---	---	1.79	---	---	---	---	---	---	---
Min:	---	---	---	---	1.79	---	---	---	---	---	---	---
Max:	---	---	---	---	1.79	---	---	---	---	---	---	---
AC-FT:	---	---	---	---	3.55	---	---	---	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 1.79

TOTAL AC-FT: 3.55

**Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.08 ⁿ	3.08 ⁱ	1.70 ^m	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
2	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
3	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
4	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
5	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ^m	1.19 ⁱ	0.79 ⁱ	--	--
6	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ^m	1.19 ⁱ	0.79 ⁱ	--	--
7	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	1.19 ⁱ	0.79 ^m	--	--
8	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	1.19 ⁱ	0.48 ^m	--	--
9	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	1.19 ^m	0.48 ⁱ	--	--
10	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ^m	0.48 ⁱ	--	--
11	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
12	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
13	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
14	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
15	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ^m	--	--
16	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
17	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
18	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
19	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
20	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
21	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
22	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
23	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
24	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
25	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
26	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
27	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
28	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
29	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
30	--	--	--	--	3.08 ⁱ	3.08 ^m	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
31	--	--	--	--	3.08 ⁱ	--	1.70 ⁱ	1.19 ⁱ	--	--	--	--
Total:	--	--	--	--	95.5	92.4	52.7	39.4	27.3	9.37	--	--
Mean:	--	--	--	--	3.08	3.08	1.70	1.27	0.91	0.62	--	--
Min:	--	--	--	--	3.08	3.08	1.70	1.19	0.79	0.48	--	--
Max:	--	--	--	--	3.08	3.08	1.70	1.70	1.19	0.79	--	--
AC-FT:	--	--	--	--	189.4	183.3	104.5	78.2	54.2	18.6	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 316.7

TOTAL AC-FT: 628.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120018 - D - CHLC10 - A0002582**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	32.0 ^m	32.0 ⁱ	27.0 ⁱ	16.2 ^m	16.2 ⁱ	7.23 ⁱ	---	---
2	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
3	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
4	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
5	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
6	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
7	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
8	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---
9	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ^m	7.23 ⁱ	---	---
10	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ^m	7.23 ⁱ	---	---
11	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	---	---
12	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	---	---
13	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	---	---
14	---	---	---	---	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	---	---
15	---	---	---	---	32.0 ⁱ	32.0 ^m	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ^m	---	---
16	---	---	---	---	32.0 ⁱ	27.0 ^m	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
17	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
18	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
19	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
20	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
21	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
22	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
23	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
24	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
25	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
26	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
27	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
28	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
29	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
30	---	---	---	---	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	---	---	---
31	---	---	---	---	32.0 ⁱ	---	27.0 ^m	16.2 ⁱ	---	---	---	---
Total:	---	---	---	---	992.0	885.0	837.0	502.2	297.6	108.5	---	---
Mean:	---	---	---	---	32.0	29.5	27.0	16.2	9.92	7.23	---	---
Min:	---	---	---	---	32.0	27.0	27.0	16.2	7.23	7.23	---	---
Max:	---	---	---	---	32.0	32.0	27.0	16.2	16.2	7.23	---	---
AC-FT:	---	---	---	---	1967	1755	1660	996.1	590.4	215.1	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 3622

TOTAL AC-FT: 7184

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.08 ^m	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
2	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
3	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
4	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
5	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ^m	0.23 ⁱ	--	--	--
6	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ^m	0.23 ⁱ	--	--	--
7	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
8	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
9	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
10	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
11	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
12	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
13	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ^m	0.23 ⁱ	0.23 ⁱ	--	--	--
14	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.40 ^m	0.23 ⁱ	0.23 ⁱ	--	--	--
15	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
16	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
17	--	--	--	--	2.08 ⁱ	2.08 ^m	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
18	--	--	--	--	2.08 ⁱ	0.78 ^m	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
19	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
20	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
21	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
22	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
23	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
24	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
25	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
26	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
27	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
28	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
29	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
30	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ^m	--	--	--
31	--	--	--	--	2.08 ⁱ	--	0.40 ⁱ	0.23 ⁱ	--	--	--	--
Total:	--	--	--	--	64.5	45.5	17.3	7.98	6.90	--	--	--
Mean:	--	--	--	--	2.08	1.52	0.56	0.26	0.23	--	--	--
Min:	--	--	--	--	2.08	0.78	0.40	0.23	0.23	--	--	--
Max:	--	--	--	--	2.08	2.08	0.78	0.40	0.23	--	--	--
AC-FT:	--	--	--	--	127.9	90.3	34.4	15.8	13.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 142.2

TOTAL AC-FT: 282.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.60 ^m	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---
2	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---
3	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---
4	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---
5	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ^m	---	---	---	---
6	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	---	---	---	---	---
7	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	---	---	---	---	---
8	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.32 ^m	---	---	---	---	---
9	---	---	---	---	0.60 ⁱ	0.60 ⁱ	0.12 ^m	---	---	---	---	---
10	---	---	---	---	0.60 ⁱ	0.60 ^m	0.12 ⁱ	---	---	---	---	---
11	---	---	---	---	0.60 ⁱ	0.32 ^m	0.12 ⁱ	---	---	---	---	---
12	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
13	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
14	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
15	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
16	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
17	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
18	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
19	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
20	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
21	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
22	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
23	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
24	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
25	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
26	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
27	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
28	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
29	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
30	---	---	---	---	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	---	---	---	---	---
31	---	---	---	---	0.60 ⁱ	---	0.12 ⁱ	---	---	---	---	---
Total:	---	---	---	---	18.6	12.4	5.32	0.60	---	---	---	---
Mean:	---	---	---	---	0.60	0.41	0.17	0.12	---	---	---	---
Min:	---	---	---	---	0.60	0.32	0.12	0.12	---	---	---	---
Max:	---	---	---	---	0.60	0.60	0.32	0.12	---	---	---	---
AC-FT:	---	---	---	---	36.9	24.6	10.6	1.19	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 36.9

TOTAL AC-FT: 73.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120022 - D - CHLC11 - A0002586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ^m	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.06 ^m	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.06 ^m	--	--	--	--	--
Total:	--	--	--	--	3.41	2.30	1.86	--	--	--	--	--
Mean:	--	--	--	--	0.11	0.08	0.06	--	--	--	--	--
Min:	--	--	--	--	0.11	0.06	0.06	--	--	--	--	--
Max:	--	--	--	--	0.11	0.11	0.06	--	--	--	--	--
AC-FT:	--	--	--	--	6.76	4.56	3.69	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 7.57

TOTAL AC-FT: 15.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120023 - D - CHLC11A - A0002585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.47 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
2	--	--	--	--	0.12 ⁱ	0.48 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
3	--	--	--	--	0.13 ⁱ	0.49 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
4	--	--	--	--	0.14 ⁱ	0.51 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
5	--	--	--	--	0.16 ⁱ	0.52 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
6	--	--	--	--	0.17 ⁱ	0.53 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
7	--	--	--	--	0.18 ⁱ	0.54 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
8	--	--	--	--	0.19 ⁱ	0.55 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
9	--	--	--	--	0.20 ⁱ	0.56 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
10	--	--	--	--	0.21 ⁱ	0.58 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
11	--	--	--	--	0.23 ⁱ	0.59 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
12	--	--	--	--	0.24 ⁱ	0.60 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
13	--	--	--	--	0.25 ⁱ	0.61 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
14	--	--	--	--	0.26 ⁱ	0.62 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
15	--	--	--	--	0.27 ⁱ	0.63 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
16	--	--	--	--	0.28 ⁱ	0.65 ⁱ	0.75 ⁱ	0.75 ^m	--	--	--	--
17	--	--	--	--	0.30 ⁱ	0.66 ⁱ	0.75 ⁱ	0.11 ^m	--	--	--	--
18	--	--	--	--	0.31 ⁱ	0.67 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
19	--	--	--	--	0.32 ⁱ	0.68 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
20	--	--	--	--	0.33 ⁱ	0.69 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
21	--	--	--	--	0.34 ⁱ	0.70 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
22	--	--	--	--	0.35 ⁱ	0.72 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
23	--	--	--	--	0.37 ⁱ	0.73 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
24	--	--	--	--	0.38 ⁱ	0.74 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
25	--	--	--	--	0.39 ⁱ	0.75 ^m	0.75 ⁱ	0.11 ⁱ	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
27	--	--	--	--	0.41 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
28	--	--	--	--	0.42 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
29	--	--	--	--	0.44 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
30	--	--	--	--	0.45 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
31	--	--	--	--	0.46 ⁱ	--	0.75 ⁱ	0.11 ^m	--	--	--	--
Total:	--	--	--	--	8.81	19.0	23.3	13.7	--	--	--	--
Mean:	--	--	--	--	0.28	0.63	0.75	0.44	--	--	--	--
Min:	--	--	--	--	0.11	0.47	0.75	0.11	--	--	--	--
Max:	--	--	--	--	0.46	0.75	0.75	0.75	--	--	--	--
AC-FT:	--	--	--	--	17.5	37.7	46.1	27.1	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 64.7

TOTAL AC-FT: 128.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72120024 - D - CHLC12 - A0007594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.56 ^m	0.56 ⁱ	0.21 ^m	0.21 ⁱ	--	--	--	--
2	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
3	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
4	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
5	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
6	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
7	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
8	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
9	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
10	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
11	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
12	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
13	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
14	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
15	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
16	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
17	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
18	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
19	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
20	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
21	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
22	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
23	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
24	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
25	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
26	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
27	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
28	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
29	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
30	--	--	--	--	0.56 ⁱ	0.56 ^m	0.21 ⁱ	0.21 ⁱ	--	--	--	--
31	--	--	--	--	0.56 ⁱ	--	0.21 ⁱ	0.21 ^m	--	--	--	--
Total:	--	--	--	--	17.4	16.8	6.51	6.51	--	--	--	--
Mean:	--	--	--	--	0.56	0.56	0.21	0.21	--	--	--	--
Min:	--	--	--	--	0.56	0.56	0.21	0.21	--	--	--	--
Max:	--	--	--	--	0.56	0.56	0.21	0.21	--	--	--	--
AC-FT:	--	--	--	--	34.4	33.3	12.9	12.9	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 47.2

TOTAL AC-FT: 93.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120025 - D - CHLC13 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ^m	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ^m	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ^m	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ^m	0.11 ⁱ	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ^m	0.11 ⁱ	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
24	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
25	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
26	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
27	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
28	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
29	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
30	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.20 ⁱ	0.11 ⁱ	--	--	--	--
Total:	--	--	--	--	21.7	21.0	11.7	5.03	3.30	1.65	--	--
Mean:	--	--	--	--	0.70	0.70	0.38	0.16	0.11	0.11	--	--
Min:	--	--	--	--	0.70	0.70	0.20	0.11	0.11	0.11	--	--
Max:	--	--	--	--	0.70	0.70	0.70	0.20	0.11	0.11	--	--
AC-FT:	--	--	--	--	43.0	41.7	23.2	9.98	6.55	3.27	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 64.4

TOTAL AC-FT: 127.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120027 - D - CHLC16 - A0003053**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---
2	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---
3	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---
4	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---
5	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ^m	---	---	---	---
6	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---	---	---	---
7	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	---	---	---	---	---
8	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.70 ^m	---	---	---	---	---
9	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ^m	---	---	---	---	---
10	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
11	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
12	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
13	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
14	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
15	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
16	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
17	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
18	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
19	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
20	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
21	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
22	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
23	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
24	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
25	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
26	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
27	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
28	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
29	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
30	---	---	---	---	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	---	---	---	---	---
31	---	---	---	---	0.70 ⁱ	---	0.32 ⁱ	---	---	---	---	---
Total:	---	---	---	---	21.7	21.0	13.0	1.60	---	---	---	---
Mean:	---	---	---	---	0.70	0.70	0.42	0.32	---	---	---	---
Min:	---	---	---	---	0.70	0.70	0.32	0.32	---	---	---	---
Max:	---	---	---	---	0.70	0.70	0.70	0.32	---	---	---	---
AC-FT:	---	---	---	---	43.0	41.7	25.7	3.17	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 57.3

TOTAL AC-FT: 113.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120028 - D - CHLC17 - A0003052**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.20 ^m	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ^m	--	--	--
2	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
3	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
4	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
5	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
6	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
7	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ^m	0.95 ⁱ	--	--	--	--
8	--	--	--	--	2.20 ⁱ	2.20 ⁱ	0.95 ^m	0.95 ⁱ	--	--	--	--
9	--	--	--	--	2.20 ⁱ	2.20 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
10	--	--	--	--	2.20 ⁱ	2.20 ^m	0.95 ⁱ	0.95 ⁱ	--	--	--	--
11	--	--	--	--	2.20 ⁱ	1.93 ^m	0.95 ⁱ	0.95 ⁱ	--	--	--	--
12	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
13	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
14	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
15	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
16	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
17	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
18	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
19	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
20	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
21	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
22	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
23	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
24	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
25	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
26	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
27	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
28	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
29	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
30	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
31	--	--	--	--	2.20 ⁱ	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--
Total:	--	--	--	--	68.2	60.6	36.3	29.5	0.95	--	--	--
Mean:	--	--	--	--	2.20	2.02	1.17	0.95	0.95	--	--	--
Min:	--	--	--	--	2.20	1.93	0.95	0.95	0.95	--	--	--
Max:	--	--	--	--	2.20	2.20	1.93	0.95	0.95	--	--	--
AC-FT:	--	--	--	--	135.3	120.2	72.0	58.4	1.88	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 195.5

TOTAL AC-FT: 387.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARCI - A0007596**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.79 ^m	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
2	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
3	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
4	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
5	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
6	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
7	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
8	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ^m	0.43 ⁱ	--	--	--	--
9	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ^m	0.43 ⁱ	--	--	--	--
10	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
11	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
12	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
13	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
14	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
15	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ^m	--	--	--	--
16	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
17	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
18	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
19	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
20	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
21	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
22	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
23	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
24	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
25	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
26	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
27	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
28	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
29	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
30	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
31	--	--	--	--	0.79 ⁱ	--	0.43 ⁱ	--	--	--	--	--
Total:	--	--	--	--	24.5	23.7	16.2	6.45	--	--	--	--
Mean:	--	--	--	--	0.79	0.79	0.52	0.43	--	--	--	--
Min:	--	--	--	--	0.79	0.79	0.43	0.43	--	--	--	--
Max:	--	--	--	--	0.79	0.79	0.79	0.43	--	--	--	--
AC-FT:	--	--	--	--	48.6	47.0	32.2	12.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 70.9

TOTAL AC-FT: 140.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120104 - D - DARC4 - A0002612**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.41 ^m	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
2	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
3	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
4	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
5	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
6	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
7	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
8	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ^m	0.95 ^m	--	--	--	--
9	--	--	--	--	1.41 ⁱ	1.41 ⁱ	0.95 ^m	--	--	--	--	--
10	--	--	--	--	1.41 ⁱ	1.41 ^m	0.95 ⁱ	--	--	--	--	--
11	--	--	--	--	1.41 ⁱ	1.00 ^m	0.95 ⁱ	--	--	--	--	--
12	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
13	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
14	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
15	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
16	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
17	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
18	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
19	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
20	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
21	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
22	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
23	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
24	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
25	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
26	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
27	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
28	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
29	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
30	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
31	--	--	--	--	1.41 ⁱ	--	0.95 ⁱ	--	--	--	--	--
Total:	--	--	--	--	43.7	34.1	29.9	7.60	--	--	--	--
Mean:	--	--	--	--	1.41	1.14	0.96	0.95	--	--	--	--
Min:	--	--	--	--	1.41	1.00	0.95	0.95	--	--	--	--
Max:	--	--	--	--	1.41	1.41	1.00	0.95	--	--	--	--
AC-FT:	--	--	--	--	86.7	67.6	59.2	15.1	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 115.3

TOTAL AC-FT: 228.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ^m	0.90 ⁱ	0.43 ⁱ	0.20 ^m	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ^m	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.20 ^m	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ^m	0.20 ⁱ	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.43 ^m	0.20 ⁱ	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
25	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
26	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
27	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
28	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
29	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
30	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	0.20 ⁱ	--	--	--	--	--
Total:	--	--	--	--	27.9	17.6	8.04	0.20	--	--	--	--
Mean:	--	--	--	--	0.90	0.59	0.26	0.20	--	--	--	--
Min:	--	--	--	--	0.90	0.43	0.20	0.20	--	--	--	--
Max:	--	--	--	--	0.90	0.90	0.43	0.20	--	--	--	--
AC-FT:	--	--	--	--	55.3	34.9	16.0	0.40	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 53.7

TOTAL AC-FT: 106.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.75 ^m	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
2	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
3	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
4	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
5	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ^m	0.10 ⁱ	0.10 ⁱ	---	---
6	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.10 ^m	0.10 ⁱ	0.10 ⁱ	---	---
7	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
8	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.35 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
9	---	---	---	---	0.75 ⁱ	0.75 ⁱ	0.18 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
10	---	---	---	---	0.75 ⁱ	0.75 ^m	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
11	---	---	---	---	0.75 ⁱ	0.35 ^m	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
12	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
13	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
14	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---
15	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ^m	---	---
16	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
17	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
18	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
19	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
20	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
21	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
22	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
23	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
24	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
25	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
26	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
27	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
28	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
29	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
30	---	---	---	---	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	---	---	---
31	---	---	---	---	0.75 ⁱ	---	0.18 ⁱ	0.10 ⁱ	---	---	---	---
Total:	---	---	---	---	23.3	14.5	6.94	3.50	3.00	1.50	---	---
Mean:	---	---	---	---	0.75	0.48	0.22	0.11	0.10	0.10	---	---
Min:	---	---	---	---	0.75	0.35	0.18	0.10	0.10	0.10	---	---
Max:	---	---	---	---	0.75	0.75	0.35	0.18	0.10	0.10	---	---
AC-FT:	---	---	---	---	46.1	28.8	13.8	6.94	5.95	2.98	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 52.7

TOTAL AC-FT: 104.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.00 ^m	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
2	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
3	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
4	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
5	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
6	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
7	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
8	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ^m	--	--	--	--	--
9	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.35 ^m	--	--	--	--	--
10	--	--	--	--	1.00 ⁱ	1.00 ^m	0.35 ⁱ	--	--	--	--	--
11	--	--	--	--	1.00 ⁱ	0.60 ^m	0.35 ⁱ	--	--	--	--	--
12	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
13	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
14	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
15	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
16	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
17	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
18	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
19	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
20	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
21	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
22	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
23	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
24	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
25	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
26	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
27	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
28	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
29	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
30	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
31	--	--	--	--	1.00 ⁱ	--	0.35 ^m	--	--	--	--	--
Total:	--	--	--	--	31.0	22.0	12.9	--	--	--	--	--
Mean:	--	--	--	--	1.00	0.73	0.41	--	--	--	--	--
Min:	--	--	--	--	1.00	0.60	0.35	--	--	--	--	--
Max:	--	--	--	--	1.00	1.00	0.60	--	--	--	--	--
AC-FT:	--	--	--	--	61.5	43.6	25.5	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 65.9

TOTAL AC-FT: 130.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120401 - D - PTC1 - A0002587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ^m	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ^m	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.15 ^m	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	0.60 ^m	0.15 ⁱ	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	0.30 ^m	0.15 ⁱ	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
22	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
23	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
24	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
25	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
26	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
27	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
28	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
29	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
30	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	0.15 ^m	--	--	--	--	--
Total:	--	--	--	--	18.6	12.0	5.85	--	--	--	--	--
Mean:	--	--	--	--	0.60	0.40	0.19	--	--	--	--	--
Min:	--	--	--	--	0.60	0.30	0.15	--	--	--	--	--
Max:	--	--	--	--	0.60	0.60	0.30	--	--	--	--	--
AC-FT:	--	--	--	--	36.9	23.8	11.6	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 36.5

TOTAL AC-FT: 72.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72120501 - D - BRC1 - A0002588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	13.5 ^m	15.6 ⁱ	13.2 ⁱ	12.4 ⁱ	9.14 ⁱ	4.24 ⁱ	--	--
2	--	--	--	--	13.6 ⁱ	15.7 ⁱ	13.0 ⁱ	12.4 ⁱ	9.03 ⁱ	4.24 ⁱ	--	--
3	--	--	--	--	13.6 ⁱ	15.7 ⁱ	12.9 ⁱ	12.3 ⁱ	8.91 ⁱ	4.24 ⁱ	--	--
4	--	--	--	--	13.7 ⁱ	15.8 ⁱ	12.7 ⁱ	12.2 ⁱ	8.80 ⁱ	4.24 ⁱ	--	--
5	--	--	--	--	13.8 ⁱ	15.9 ⁱ	12.6 ⁱ	12.1 ^m	8.69 ⁱ	4.24 ⁱ	--	--
6	--	--	--	--	13.8 ⁱ	15.9 ⁱ	12.4 ⁱ	12.1 ^m	8.57 ⁱ	4.24 ⁱ	--	--
7	--	--	--	--	13.9 ⁱ	16.0 ⁱ	12.3 ⁱ	12.0 ⁱ	8.46 ⁱ	4.24 ^m	--	--
8	--	--	--	--	14.0 ⁱ	16.1 ⁱ	12.1 ^m	11.9 ⁱ	8.34 ⁱ	3.44 ^m	--	--
9	--	--	--	--	14.0 ⁱ	16.1 ⁱ	14.4 ^m	11.8 ⁱ	8.23 ^m	3.44 ⁱ	--	--
10	--	--	--	--	14.1 ⁱ	16.2 ^m	14.3 ⁱ	11.6 ⁱ	4.24 ^m	3.44 ⁱ	--	--
11	--	--	--	--	14.2 ⁱ	16.2 ^m	14.2 ⁱ	11.5 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
12	--	--	--	--	14.2 ⁱ	16.1 ⁱ	14.1 ⁱ	11.4 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
13	--	--	--	--	14.3 ⁱ	15.9 ⁱ	14.1 ⁱ	11.3 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
14	--	--	--	--	14.4 ⁱ	15.7 ⁱ	14.0 ⁱ	11.2 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
15	--	--	--	--	14.5 ⁱ	15.6 ⁱ	13.9 ⁱ	11.1 ⁱ	4.24 ⁱ	3.44 ^m	--	--
16	--	--	--	--	14.5 ⁱ	15.4 ⁱ	13.8 ⁱ	11.0 ⁱ	4.24 ⁱ	--	--	--
17	--	--	--	--	14.6 ⁱ	15.3 ⁱ	13.7 ⁱ	10.9 ⁱ	4.24 ⁱ	--	--	--
18	--	--	--	--	14.7 ⁱ	15.1 ⁱ	13.6 ⁱ	10.7 ⁱ	4.24 ⁱ	--	--	--
19	--	--	--	--	14.7 ⁱ	15.0 ⁱ	13.6 ⁱ	10.6 ⁱ	4.24 ⁱ	--	--	--
20	--	--	--	--	14.8 ⁱ	14.8 ⁱ	13.5 ⁱ	10.5 ⁱ	4.24 ⁱ	--	--	--
21	--	--	--	--	14.9 ⁱ	14.7 ⁱ	13.4 ⁱ	10.4 ⁱ	4.24 ⁱ	--	--	--
22	--	--	--	--	14.9 ⁱ	14.5 ⁱ	13.3 ⁱ	10.3 ⁱ	4.24 ⁱ	--	--	--
23	--	--	--	--	15.0 ⁱ	14.4 ⁱ	13.2 ⁱ	10.2 ⁱ	4.24 ⁱ	--	--	--
24	--	--	--	--	15.1 ⁱ	14.2 ⁱ	13.1 ⁱ	10.1 ⁱ	4.24 ⁱ	--	--	--
25	--	--	--	--	15.1 ⁱ	14.1 ⁱ	13.0 ⁱ	9.94 ⁱ	4.24 ⁱ	--	--	--
26	--	--	--	--	15.2 ⁱ	13.9 ⁱ	13.0 ⁱ	9.82 ⁱ	4.24 ⁱ	--	--	--
27	--	--	--	--	15.3 ⁱ	13.8 ⁱ	12.9 ⁱ	9.71 ⁱ	4.24 ⁱ	--	--	--
28	--	--	--	--	15.3 ⁱ	13.6 ⁱ	12.8 ⁱ	9.60 ⁱ	4.24 ⁱ	--	--	--
29	--	--	--	--	15.4 ⁱ	13.5 ⁱ	12.7 ⁱ	9.48 ⁱ	4.24 ⁱ	--	--	--
30	--	--	--	--	15.5 ⁱ	13.3 ⁱ	12.6 ⁱ	9.37 ⁱ	4.24 ⁱ	--	--	--
31	--	--	--	--	15.5 ⁱ	--	12.5 ⁱ	9.25 ⁱ	--	--	--	--
Total:	--	--	--	--	449.9	454.1	410.7	339.0	167.2	57.2	--	--
Mean:	--	--	--	--	14.5	15.1	13.3	10.9	5.57	3.81	--	--
Min:	--	--	--	--	13.5	13.3	12.1	9.25	4.24	3.44	--	--
Max:	--	--	--	--	15.5	16.2	14.4	12.4	9.14	4.24	--	--
AC-FT:	--	--	--	--	892.4	900.8	814.6	672.4	331.7	113.5	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 1878

TOTAL AC-FT: 3725

**Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.83 ^m	1.83 ⁱ	1.18 ⁱ	0.63 ⁱ	--	--	--	--
2	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.15 ⁱ	0.61 ⁱ	--	--	--	--
3	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.11 ⁱ	0.60 ⁱ	--	--	--	--
4	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.08 ⁱ	0.58 ⁱ	--	--	--	--
5	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.05 ⁱ	0.57 ⁱ	--	--	--	--
6	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.02 ⁱ	0.56 ⁱ	--	--	--	--
7	--	--	--	--	1.83 ⁱ	1.83 ⁱ	0.98 ⁱ	0.54 ⁱ	--	--	--	--
8	--	--	--	--	1.83 ⁱ	1.83 ⁱ	0.95 ^m	0.53 ⁱ	--	--	--	--
9	--	--	--	--	1.83 ⁱ	1.83 ⁱ	0.95 ^m	0.51 ⁱ	--	--	--	--
10	--	--	--	--	1.83 ⁱ	1.83 ^m	0.94 ⁱ	0.50 ⁱ	--	--	--	--
11	--	--	--	--	1.83 ⁱ	1.83 ^m	0.92 ⁱ	0.49 ⁱ	--	--	--	--
12	--	--	--	--	1.83 ⁱ	1.80 ⁱ	0.91 ⁱ	0.47 ⁱ	--	--	--	--
13	--	--	--	--	1.83 ⁱ	1.76 ⁱ	0.89 ⁱ	0.46 ⁱ	--	--	--	--
14	--	--	--	--	1.83 ⁱ	1.73 ⁱ	0.88 ⁱ	0.44 ⁱ	--	--	--	--
15	--	--	--	--	1.83 ⁱ	1.70 ⁱ	0.87 ⁱ	0.43 ^m	--	--	--	--
16	--	--	--	--	1.83 ⁱ	1.67 ⁱ	0.85 ⁱ	0.43 ^m	--	--	--	--
17	--	--	--	--	1.83 ⁱ	1.63 ⁱ	0.84 ⁱ	0.42 ⁱ	--	--	--	--
18	--	--	--	--	1.83 ⁱ	1.60 ⁱ	0.82 ⁱ	0.42 ⁱ	--	--	--	--
19	--	--	--	--	1.83 ⁱ	1.57 ⁱ	0.81 ⁱ	0.41 ⁱ	--	--	--	--
20	--	--	--	--	1.83 ⁱ	1.54 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--	--
21	--	--	--	--	1.83 ⁱ	1.50 ⁱ	0.78 ⁱ	0.40 ⁱ	--	--	--	--
22	--	--	--	--	1.83 ⁱ	1.47 ⁱ	0.77 ⁱ	0.39 ⁱ	--	--	--	--
23	--	--	--	--	1.83 ⁱ	1.44 ⁱ	0.75 ⁱ	0.38 ⁱ	--	--	--	--
24	--	--	--	--	1.83 ⁱ	1.41 ⁱ	0.74 ⁱ	0.38 ⁱ	--	--	--	--
25	--	--	--	--	1.83 ⁱ	1.37 ⁱ	0.73 ⁱ	0.37 ⁱ	--	--	--	--
26	--	--	--	--	1.83 ⁱ	1.34 ⁱ	0.71 ⁱ	0.36 ⁱ	--	--	--	--
27	--	--	--	--	1.83 ⁱ	1.31 ⁱ	0.70 ⁱ	0.36 ⁱ	--	--	--	--
28	--	--	--	--	1.83 ⁱ	1.28 ⁱ	0.68 ⁱ	0.35 ⁱ	--	--	--	--
29	--	--	--	--	1.83 ⁱ	1.24 ⁱ	0.67 ⁱ	0.34 ⁱ	--	--	--	--
30	--	--	--	--	1.83 ⁱ	1.21 ⁱ	0.65 ⁱ	0.34 ⁱ	--	--	--	--
31	--	--	--	--	1.83 ⁱ	--	0.64 ⁱ	0.33 ^m	--	--	--	--
Total:	--	--	--	--	56.7	48.7	26.8	14.0	--	--	--	--
Mean:	--	--	--	--	1.83	1.62	0.87	0.45	--	--	--	--
Min:	--	--	--	--	1.83	1.21	0.64	0.33	--	--	--	--
Max:	--	--	--	--	1.83	1.83	1.18	0.63	--	--	--	--
AC-FT:	--	--	--	--	112.5	96.6	53.2	27.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 146.3

TOTAL AC-FT: 290.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	1.35 ^m	1.35 ⁱ	1.18 ⁱ	0.92 ^m	0.59 ⁱ	0.36 ^m	---	---
2	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.17 ⁱ	0.91 ⁱ	0.58 ⁱ	0.35 ⁱ	---	---
3	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.16 ⁱ	0.90 ⁱ	0.56 ⁱ	0.34 ⁱ	---	---
4	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.15 ⁱ	0.89 ⁱ	0.55 ⁱ	0.34 ⁱ	---	---
5	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.14 ⁱ	0.88 ⁱ	0.54 ⁱ	0.33 ⁱ	---	---
6	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.14 ⁱ	0.87 ⁱ	0.53 ⁱ	0.32 ⁱ	---	---
7	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.13 ⁱ	0.86 ⁱ	0.52 ⁱ	0.31 ⁱ	---	---
8	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.12 ⁱ	0.84 ⁱ	0.51 ⁱ	0.31 ⁱ	---	---
9	---	---	---	---	1.35 ⁱ	1.35 ⁱ	1.11 ⁱ	0.83 ⁱ	0.50 ^m	0.30 ⁱ	---	---
10	---	---	---	---	1.35 ⁱ	1.35 ^m	1.10 ⁱ	0.82 ⁱ	0.50 ^m	0.29 ⁱ	---	---
11	---	---	---	---	1.35 ⁱ	1.35 ^m	1.09 ⁱ	0.81 ⁱ	0.49 ⁱ	0.28 ⁱ	---	---
12	---	---	---	---	1.35 ⁱ	1.34 ⁱ	1.08 ⁱ	0.80 ⁱ	0.49 ⁱ	0.27 ⁱ	---	---
13	---	---	---	---	1.35 ⁱ	1.33 ⁱ	1.07 ⁱ	0.79 ⁱ	0.48 ⁱ	0.27 ⁱ	---	---
14	---	---	---	---	1.35 ⁱ	1.32 ⁱ	1.07 ⁱ	0.78 ⁱ	0.47 ⁱ	0.26 ⁱ	---	---
15	---	---	---	---	1.35 ⁱ	1.32 ⁱ	1.06 ⁱ	0.77 ⁱ	0.47 ⁱ	0.25 ^m	---	---
16	---	---	---	---	1.35 ⁱ	1.31 ⁱ	1.05 ⁱ	0.76 ⁱ	0.46 ⁱ	---	---	---
17	---	---	---	---	1.35 ⁱ	1.30 ⁱ	1.04 ⁱ	0.75 ⁱ	0.45 ⁱ	---	---	---
18	---	---	---	---	1.35 ⁱ	1.29 ⁱ	1.03 ⁱ	0.74 ⁱ	0.44 ⁱ	---	---	---
19	---	---	---	---	1.35 ⁱ	1.28 ⁱ	1.02 ⁱ	0.73 ⁱ	0.44 ⁱ	---	---	---
20	---	---	---	---	1.35 ⁱ	1.27 ⁱ	1.01 ⁱ	0.72 ⁱ	0.43 ⁱ	---	---	---
21	---	---	---	---	1.35 ⁱ	1.26 ⁱ	1.01 ⁱ	0.70 ⁱ	0.42 ⁱ	---	---	---
22	---	---	---	---	1.35 ⁱ	1.26 ⁱ	1.00 ⁱ	0.69 ⁱ	0.42 ⁱ	---	---	---
23	---	---	---	---	1.35 ⁱ	1.25 ⁱ	0.99 ⁱ	0.68 ⁱ	0.41 ⁱ	---	---	---
24	---	---	---	---	1.35 ⁱ	1.24 ⁱ	0.98 ⁱ	0.67 ⁱ	0.40 ⁱ	---	---	---
25	---	---	---	---	1.35 ⁱ	1.23 ⁱ	0.97 ⁱ	0.66 ⁱ	0.39 ⁱ	---	---	---
26	---	---	---	---	1.35 ⁱ	1.22 ⁱ	0.96 ⁱ	0.65 ⁱ	0.39 ⁱ	---	---	---
27	---	---	---	---	1.35 ⁱ	1.21 ⁱ	0.95 ⁱ	0.64 ⁱ	0.38 ⁱ	---	---	---
28	---	---	---	---	1.35 ⁱ	1.20 ⁱ	0.95 ⁱ	0.63 ⁱ	0.37 ⁱ	---	---	---
29	---	---	---	---	1.35 ⁱ	1.20 ⁱ	0.94 ⁱ	0.62 ⁱ	0.37 ⁱ	---	---	---
30	---	---	---	---	1.35 ⁱ	1.19 ⁱ	0.93 ⁱ	0.61 ⁱ	0.36 ^m	---	---	---
31	---	---	---	---	1.35 ⁱ	---	0.92 ^m	0.60 ⁱ	---	---	---	---
Total:	---	---	---	---	41.9	38.9	32.5	23.5	13.9	4.58	---	---
Mean:	---	---	---	---	1.35	1.30	1.05	0.76	0.46	0.31	---	---
Min:	---	---	---	---	1.35	1.19	0.92	0.60	0.36	0.25	---	---
Max:	---	---	---	---	1.35	1.35	1.18	0.92	0.59	0.36	---	---
AC-FT:	---	---	---	---	83.0	77.1	64.5	46.7	27.6	9.08	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 155.3

TOTAL AC-FT: 307.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.25 ^m	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
2	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
3	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
4	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
5	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
6	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	0.25 ⁱ	0.25 ^m	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	0.25 ⁱ	0.25 ^m	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ^m	--	--	--
16	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	--	--	--	--
17	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	--	--	--	--
18	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
19	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
20	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
21	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
22	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
23	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
24	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
25	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
26	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
27	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
28	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
29	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
30	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--	--
31	--	--	--	--	0.25 ⁱ	--	0.22 ⁱ	0.21 ⁱ	--	--	--	--
Total:	--	--	--	--	7.75	7.40	7.20	6.68	3.05	--	--	--
Mean:	--	--	--	--	0.25	0.25	0.23	0.22	0.20	--	--	--
Min:	--	--	--	--	0.25	0.24	0.22	0.21	0.20	--	--	--
Max:	--	--	--	--	0.25	0.25	0.24	0.22	0.21	--	--	--
AC-FT:	--	--	--	--	15.4	14.7	14.3	13.3	6.05	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 32.1

TOTAL AC-FT: 63.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.29 ^m	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
2	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
3	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
4	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
5	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
6	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
7	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
8	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
9	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
10	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
11	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
12	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
13	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
14	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---
15	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ^m	---	---	---	---
16	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
17	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
18	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
19	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
20	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
21	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
22	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
23	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
24	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
25	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
26	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
27	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
28	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
29	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
30	---	---	---	---	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	---	---	---	---	---
31	---	---	---	---	0.29 ⁱ	---	0.29 ⁱ	---	---	---	---	---
Total:	---	---	---	---	8.99	8.70	8.99	4.35	---	---	---	---
Mean:	---	---	---	---	0.29	0.29	0.29	0.29	---	---	---	---
Min:	---	---	---	---	0.29	0.29	0.29	0.29	---	---	---	---
Max:	---	---	---	---	0.29	0.29	0.29	0.29	---	---	---	---
AC-FT:	---	---	---	---	17.8	17.3	17.8	8.63	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 31.0

TOTAL AC-FT: 61.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130003 - D - HLCNL-03 - A0002594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.22 ^m	2.22 ⁱ	2.22 ⁱ	1.96 ⁱ	1.61 ⁱ	1.27 ⁱ	--	--
2	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.95 ⁱ	1.60 ⁱ	1.26 ⁱ	--	--
3	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.94 ⁱ	1.59 ⁱ	1.25 ⁱ	--	--
4	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.93 ⁱ	1.57 ⁱ	1.23 ⁱ	--	--
5	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.91 ⁱ	1.56 ⁱ	1.22 ⁱ	--	--
6	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.90 ⁱ	1.55 ⁱ	1.21 ⁱ	--	--
7	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.89 ⁱ	1.54 ⁱ	1.20 ⁱ	--	--
8	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ^m	1.88 ⁱ	1.53 ⁱ	1.19 ⁱ	--	--
9	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ^m	1.87 ⁱ	1.52 ⁱ	1.18 ⁱ	--	--
10	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.21 ⁱ	1.86 ⁱ	1.51 ⁱ	1.17 ⁱ	--	--
11	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.20 ⁱ	1.85 ⁱ	1.50 ⁱ	1.16 ⁱ	--	--
12	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.19 ⁱ	1.83 ⁱ	1.48 ⁱ	1.14 ⁱ	--	--
13	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.17 ⁱ	1.82 ⁱ	1.47 ⁱ	1.13 ⁱ	--	--
14	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.16 ⁱ	1.81 ⁱ	1.46 ⁱ	1.12 ⁱ	--	--
15	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.15 ⁱ	1.80 ⁱ	1.45 ⁱ	1.11 ^m	--	--
16	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.14 ⁱ	1.79 ⁱ	1.44 ⁱ	--	--	--
17	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.13 ⁱ	1.78 ⁱ	1.43 ⁱ	--	--	--
18	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.12 ⁱ	1.77 ⁱ	1.42 ⁱ	--	--	--
19	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.11 ⁱ	1.76 ⁱ	1.40 ⁱ	--	--	--
20	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.10 ⁱ	1.74 ⁱ	1.39 ⁱ	--	--	--
21	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.08 ⁱ	1.73 ⁱ	1.38 ⁱ	--	--	--
22	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.07 ⁱ	1.72 ⁱ	1.37 ⁱ	--	--	--
23	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.06 ⁱ	1.71 ⁱ	1.36 ⁱ	--	--	--
24	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.05 ⁱ	1.70 ⁱ	1.35 ⁱ	--	--	--
25	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.04 ⁱ	1.69 ⁱ	1.34 ⁱ	--	--	--
26	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.03 ⁱ	1.68 ⁱ	1.33 ⁱ	--	--	--
27	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.02 ⁱ	1.67 ⁱ	1.31 ⁱ	--	--	--
28	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.00 ⁱ	1.65 ⁱ	1.30 ⁱ	--	--	--
29	--	--	--	--	2.22 ⁱ	2.22 ⁱ	1.99 ⁱ	1.64 ⁱ	1.29 ⁱ	--	--	--
30	--	--	--	--	2.22 ⁱ	2.22 ⁱ	1.98 ⁱ	1.63 ⁱ	1.28 ⁱ	--	--	--
31	--	--	--	--	2.22 ⁱ	--	1.97 ⁱ	1.62 ⁱ	--	--	--	--
Total:	--	--	--	--	68.8	66.6	66.0	55.5	43.3	17.8	--	--
Mean:	--	--	--	--	2.22	2.22	2.13	1.79	1.44	1.19	--	--
Min:	--	--	--	--	2.22	2.22	1.97	1.62	1.28	1.11	--	--
Max:	--	--	--	--	2.22	2.22	2.22	1.96	1.61	1.27	--	--
AC-FT:	--	--	--	--	136.5	132.1	130.8	110.0	86.0	35.4	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 318.0

TOTAL AC-FT: 630.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130004 - D - HLCNL-04 - A0002709**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.19 ^m	1.19 ⁱ	0.77 ⁱ	0.43 ⁱ	0.33 ⁱ	0.26 ⁱ	--	--
2	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.75 ⁱ	0.42 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--
3	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.73 ⁱ	0.42 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--
4	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.70 ⁱ	0.41 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--
5	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.68 ⁱ	0.40 ^m	0.32 ⁱ	0.25 ⁱ	--	--
6	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.66 ⁱ	0.40 ^m	0.32 ⁱ	0.24 ⁱ	--	--
7	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.64 ⁱ	0.40 ⁱ	0.32 ⁱ	0.24 ⁱ	--	--
8	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.62 ^m	0.39 ⁱ	0.32 ⁱ	0.24 ⁱ	--	--
9	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.62 ^m	0.39 ⁱ	0.31 ⁱ	0.24 ⁱ	--	--
10	--	--	--	--	1.19 ⁱ	1.19 ^m	0.61 ⁱ	0.39 ⁱ	0.31 ⁱ	0.23 ⁱ	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ^m	0.60 ⁱ	0.39 ⁱ	0.31 ⁱ	0.23 ⁱ	--	--
12	--	--	--	--	1.19 ⁱ	1.17 ⁱ	0.60 ⁱ	0.38 ⁱ	0.30 ⁱ	0.23 ⁱ	--	--
13	--	--	--	--	1.19 ⁱ	1.15 ⁱ	0.59 ⁱ	0.38 ⁱ	0.30 ⁱ	0.23 ⁱ	--	--
14	--	--	--	--	1.19 ⁱ	1.13 ⁱ	0.58 ⁱ	0.38 ⁱ	0.30 ⁱ	0.22 ⁱ	--	--
15	--	--	--	--	1.19 ⁱ	1.11 ⁱ	0.57 ⁱ	0.38 ⁱ	0.30 ⁱ	0.22 ^m	--	--
16	--	--	--	--	1.19 ⁱ	1.08 ⁱ	0.56 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
17	--	--	--	--	1.19 ⁱ	1.06 ⁱ	0.55 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
18	--	--	--	--	1.19 ⁱ	1.04 ⁱ	0.55 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
19	--	--	--	--	1.19 ⁱ	1.02 ⁱ	0.54 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
20	--	--	--	--	1.19 ⁱ	1.00 ⁱ	0.53 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
21	--	--	--	--	1.19 ⁱ	0.98 ⁱ	0.52 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
22	--	--	--	--	1.19 ⁱ	0.96 ⁱ	0.51 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
23	--	--	--	--	1.19 ⁱ	0.94 ⁱ	0.51 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
24	--	--	--	--	1.19 ⁱ	0.92 ⁱ	0.50 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
25	--	--	--	--	1.19 ⁱ	0.89 ⁱ	0.49 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
26	--	--	--	--	1.19 ⁱ	0.87 ⁱ	0.48 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
27	--	--	--	--	1.19 ⁱ	0.85 ⁱ	0.47 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
28	--	--	--	--	1.19 ⁱ	0.83 ⁱ	0.47 ⁱ	0.34 ⁱ	0.26 ⁱ	--	--	--
29	--	--	--	--	1.19 ⁱ	0.81 ⁱ	0.46 ⁱ	0.34 ⁱ	0.26 ⁱ	--	--	--
30	--	--	--	--	1.19 ⁱ	0.79 ⁱ	0.45 ⁱ	0.34 ⁱ	0.26 ⁱ	--	--	--
31	--	--	--	--	1.19 ⁱ	--	0.44 ⁱ	0.34 ⁱ	--	--	--	--
Total:	--	--	--	--	36.9	31.7	17.8	11.6	8.87	3.58	--	--
Mean:	--	--	--	--	1.19	1.06	0.57	0.38	0.30	0.24	--	--
Min:	--	--	--	--	1.19	0.79	0.44	0.34	0.26	0.22	--	--
Max:	--	--	--	--	1.19	1.19	0.77	0.43	0.33	0.26	--	--
AC-FT:	--	--	--	--	73.2	62.9	35.2	23.1	17.6	7.10	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 110.4

TOTAL AC-FT: 219.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130007 - D - HLCNL-07 - A0002704**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.12 ^m	0.12 ⁱ	0.12 ⁱ	0.07 ⁱ	--	--	--	--
2	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.07 ⁱ	--	--	--	--
3	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.07 ⁱ	--	--	--	--
4	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.06 ⁱ	--	--	--	--
5	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.06 ^m	--	--	--	--
6	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
7	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
8	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
9	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
10	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
11	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
12	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
13	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
14	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
15	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--	--	--
16	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--	--	--
17	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
18	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.11 ⁱ	--	--	--	--	--
19	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.11 ⁱ	--	--	--	--	--
20	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.11 ⁱ	--	--	--	--	--
21	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
22	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
23	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
24	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
25	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.09 ⁱ	--	--	--	--	--
26	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.09 ⁱ	--	--	--	--	--
27	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.09 ⁱ	--	--	--	--	--
28	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.08 ⁱ	--	--	--	--	--
29	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.08 ⁱ	--	--	--	--	--
30	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.08 ⁱ	--	--	--	--	--
31	--	--	--	--	0.12 ⁱ	--	0.07 ⁱ	--	--	--	--	--
Total:	--	--	--	--	3.72	3.60	3.35	0.33	--	--	--	--
Mean:	--	--	--	--	0.12	0.12	0.11	0.07	--	--	--	--
Min:	--	--	--	--	0.12	0.12	0.07	0.06	--	--	--	--
Max:	--	--	--	--	0.12	0.12	0.12	0.07	--	--	--	--
AC-FT:	--	--	--	--	7.38	7.14	6.64	0.65	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 11.0

TOTAL AC-FT: 21.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	4.80 ^m	4.80 ⁱ	8.00 ⁱ	6.90 ⁱ	4.32 ⁱ	2.81 ⁱ	---	---
2	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.85 ⁱ	4.21 ⁱ	2.78 ⁱ	---	---
3	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.80 ⁱ	4.11 ⁱ	2.75 ⁱ	---	---
4	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.76 ⁱ	4.00 ⁱ	2.72 ⁱ	---	---
5	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.71 ⁱ	3.90 ⁱ	2.68 ⁱ	---	---
6	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.66 ⁱ	3.79 ⁱ	2.65 ⁱ	---	---
7	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.61 ⁱ	3.69 ⁱ	2.62 ^m	---	---
8	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ^m	6.56 ⁱ	3.58 ⁱ	2.48 ⁱ	---	---
9	---	---	---	---	4.80 ⁱ	4.80 ⁱ	8.00 ^m	6.52 ⁱ	3.48 ^m	2.34 ⁱ	---	---
10	---	---	---	---	4.80 ⁱ	4.80 ^m	7.95 ⁱ	6.47 ⁱ	3.48 ^m	2.21 ⁱ	---	---
11	---	---	---	---	4.80 ⁱ	8.00 ^m	7.90 ⁱ	6.42 ^m	3.45 ⁱ	2.07 ⁱ	---	---
12	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.86 ⁱ	6.42 ^m	3.42 ⁱ	1.93 ⁱ	---	---
13	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.81 ⁱ	6.31 ⁱ	3.38 ⁱ	1.79 ⁱ	---	---
14	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.76 ⁱ	6.21 ⁱ	3.35 ⁱ	1.66 ⁱ	---	---
15	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.71 ⁱ	6.10 ⁱ	3.32 ⁱ	1.52 ^m	---	---
16	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.66 ⁱ	6.00 ⁱ	3.29 ⁱ	---	---	---
17	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.62 ⁱ	5.89 ⁱ	3.26 ⁱ	---	---	---
18	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.57 ⁱ	5.79 ⁱ	3.23 ⁱ	---	---	---
19	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.52 ⁱ	5.68 ⁱ	3.19 ⁱ	---	---	---
20	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.47 ⁱ	5.58 ⁱ	3.16 ⁱ	---	---	---
21	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.43 ⁱ	5.47 ⁱ	3.13 ⁱ	---	---	---
22	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.38 ⁱ	5.37 ⁱ	3.10 ⁱ	---	---	---
23	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.33 ⁱ	5.26 ⁱ	3.07 ⁱ	---	---	---
24	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.28 ⁱ	5.16 ⁱ	3.03 ⁱ	---	---	---
25	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.23 ⁱ	5.05 ⁱ	3.00 ⁱ	---	---	---
26	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.19 ⁱ	4.95 ⁱ	2.97 ⁱ	---	---	---
27	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.14 ⁱ	4.84 ⁱ	2.94 ⁱ	---	---	---
28	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.09 ⁱ	4.74 ⁱ	2.91 ⁱ	---	---	---
29	---	---	---	---	4.80 ⁱ	8.00 ⁱ	7.04 ⁱ	4.63 ⁱ	2.87 ⁱ	---	---	---
30	---	---	---	---	4.80 ⁱ	8.00 ⁱ	6.99 ⁱ	4.53 ⁱ	2.84 ⁱ	---	---	---
31	---	---	---	---	4.80 ⁱ	---	6.95 ⁱ	4.42 ⁱ	---	---	---	---
Total:	---	---	---	---	148.8	208.0	235.9	181.7	101.5	35.0	---	---
Mean:	---	---	---	---	4.80	6.93	7.61	5.86	3.38	2.33	---	---
Min:	---	---	---	---	4.80	4.80	6.95	4.42	2.84	1.52	---	---
Max:	---	---	---	---	4.80	8.00	8.00	6.90	4.32	2.81	---	---
AC-FT:	---	---	---	---	295.1	412.6	467.9	360.3	201.3	69.4	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 910.8

TOTAL AC-FT: 1806

**Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.40 ^m	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.33 ⁱ	0.24 ⁱ	---	---
2	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.32 ⁱ	0.24 ⁱ	---	---
3	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.32 ⁱ	0.23 ⁱ	---	---
4	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.32 ⁱ	0.23 ⁱ	---	---
5	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.31 ⁱ	0.23 ⁱ	---	---
6	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.31 ⁱ	0.23 ⁱ	---	---
7	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.31 ⁱ	0.22 ⁱ	---	---
8	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.31 ⁱ	0.22 ⁱ	---	---
9	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.30 ⁱ	0.22 ⁱ	---	---
10	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.30 ⁱ	0.21 ⁱ	---	---
11	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.30 ⁱ	0.21 ⁱ	---	---
12	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.38 ⁱ	0.29 ⁱ	0.21 ⁱ	---	---
13	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.38 ⁱ	0.29 ⁱ	0.21 ⁱ	---	---
14	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.38 ⁱ	0.29 ⁱ	0.20 ⁱ	---	---
15	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.29 ⁱ	0.20 ^m	---	---
16	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.28 ⁱ	---	---	---
17	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.28 ⁱ	---	---	---
18	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.28 ⁱ	---	---	---
19	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.36 ⁱ	0.27 ⁱ	---	---	---
20	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.36 ⁱ	0.27 ⁱ	---	---	---
21	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.36 ⁱ	0.27 ⁱ	---	---	---
22	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.27 ⁱ	---	---	---
23	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.26 ⁱ	---	---	---
24	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.26 ⁱ	---	---	---
25	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.26 ⁱ	---	---	---
26	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.34 ⁱ	0.25 ⁱ	---	---	---
27	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.34 ⁱ	0.25 ⁱ	---	---	---
28	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.34 ⁱ	0.25 ⁱ	---	---	---
29	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.33 ⁱ	0.25 ⁱ	---	---	---
30	---	---	---	---	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.33 ⁱ	0.24 ⁱ	---	---	---
31	---	---	---	---	0.40 ⁱ	---	0.40 ⁱ	0.33 ⁱ	---	---	---	---
Total:	---	---	---	---	12.4	12.0	12.4	11.5	8.53	3.30	---	---
Mean:	---	---	---	---	0.40	0.40	0.40	0.37	0.28	0.22	---	---
Min:	---	---	---	---	0.40	0.40	0.40	0.33	0.24	0.20	---	---
Max:	---	---	---	---	0.40	0.40	0.40	0.40	0.33	0.24	---	---
AC-FT:	---	---	---	---	24.6	23.8	24.6	22.8	16.9	6.55	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 60.1

TOTAL AC-FT: 119.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130011 - D - HLCNL-11 - A0007585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.71 ⁱ	1.48 ⁱ	--	--
2	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.70 ⁱ	1.48 ⁱ	--	--
3	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.69 ⁱ	1.47 ⁱ	--	--
4	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.68 ⁱ	1.46 ⁱ	--	--
5	---	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.68 ⁱ	1.45 ⁱ	--	--
6	---	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.67 ⁱ	1.45 ⁱ	--	--
7	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.89 ⁱ	1.66 ⁱ	1.44 ⁱ	--	--
8	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.89 ⁱ	1.65 ⁱ	1.43 ⁱ	--	--
9	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.88 ⁱ	1.65 ⁱ	1.42 ⁱ	--	--
10	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.87 ⁱ	1.64 ⁱ	1.42 ⁱ	--	--
11	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.86 ⁱ	1.63 ⁱ	1.41 ⁱ	--	--
12	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.86 ⁱ	1.63 ⁱ	1.40 ⁱ	--	--
13	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.85 ⁱ	1.62 ⁱ	1.39 ⁱ	--	--
14	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.84 ⁱ	1.61 ⁱ	1.39 ⁱ	--	--
15	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.83 ⁱ	1.60 ⁱ	1.38 ^m	--	--
16	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.83 ⁱ	1.60 ⁱ	--	--	--
17	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.82 ⁱ	1.59 ⁱ	--	--	--
18	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.81 ⁱ	1.58 ⁱ	--	--	--
19	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.80 ⁱ	1.57 ⁱ	--	--	--
20	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.80 ⁱ	1.57 ⁱ	--	--	--
21	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.79 ⁱ	1.56 ⁱ	--	--	--
22	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.78 ⁱ	1.55 ⁱ	--	--	--
23	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.77 ⁱ	1.54 ⁱ	--	--	--
24	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.77 ⁱ	1.54 ⁱ	--	--	--
25	---	---	---	---	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.76 ⁱ	1.53 ⁱ	--	--	--
26	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.75 ⁱ	1.52 ⁱ	--	--	--
27	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.74 ⁱ	1.51 ⁱ	--	--	--
28	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.74 ⁱ	1.51 ⁱ	--	--	--
29	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.73 ⁱ	1.50 ⁱ	--	--	--
30	--	---	---	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.72 ⁱ	1.49 ⁱ	--	--	--
31	--	---	---	--	1.90 ⁱ	--	1.90 ⁱ	1.71 ⁱ	--	--	--	--
Total:	---	---	---	---	58.9	57.0	58.9	56.5	48.0	21.5	--	--
Mean:	---	---	---	---	1.90	1.90	1.90	1.82	1.60	1.43	--	--
Min:	---	---	---	---	1.90	1.90	1.90	1.71	1.49	1.38	--	--
Max:	---	---	---	---	1.90	1.90	1.90	1.90	1.71	1.48	--	--
AC-FT:	---	---	---	---	116.8	113.1	116.8	112.1	95.2	42.6	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 300.7

TOTAL AC-FT: 596.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72130013 - D - HLCNL-13 - A0002701**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.04 ⁱ	1.50 ⁱ	--	--
2	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.02 ⁱ	1.48 ⁱ	--	--
3	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.01 ⁱ	1.47 ⁱ	--	--
4	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.99 ⁱ	1.45 ⁱ	--	--
5	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	1.97 ⁱ	1.43 ⁱ	--	--
6	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	1.95 ⁱ	1.41 ⁱ	--	--
7	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.49 ⁱ	1.93 ⁱ	1.39 ⁱ	--	--
8	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.47 ⁱ	1.92 ⁱ	1.38 ⁱ	--	--
9	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.46 ⁱ	1.90 ⁱ	1.36 ⁱ	--	--
10	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.44 ⁱ	1.88 ⁱ	1.34 ⁱ	--	--
11	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.42 ⁱ	1.86 ⁱ	1.32 ⁱ	--	--
12	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.40 ⁱ	1.84 ⁱ	1.30 ⁱ	--	--
13	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.38 ⁱ	1.83 ⁱ	1.29 ⁱ	--	--
14	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.37 ⁱ	1.81 ⁱ	1.27 ⁱ	--	--
15	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.35 ⁱ	1.79 ⁱ	1.25 ^m	--	--
16	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.33 ⁱ	1.77 ⁱ	--	--	--
17	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.31 ⁱ	1.75 ⁱ	--	--	--
18	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.29 ⁱ	1.74 ⁱ	--	--	--
19	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.28 ⁱ	1.72 ⁱ	--	--	--
20	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.26 ⁱ	1.70 ⁱ	--	--	--
21	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.24 ⁱ	1.68 ⁱ	--	--	--
22	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.22 ⁱ	1.66 ⁱ	--	--	--
23	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.20 ⁱ	1.65 ⁱ	--	--	--
24	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.19 ⁱ	1.63 ⁱ	--	--	--
25	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.17 ⁱ	1.61 ⁱ	--	--	--
26	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.15 ⁱ	1.59 ⁱ	--	--	--
27	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.13 ⁱ	1.57 ⁱ	--	--	--
28	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.11 ⁱ	1.56 ⁱ	--	--	--
29	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.10 ⁱ	1.54 ⁱ	--	--	--
30	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.08 ⁱ	1.52 ⁱ	--	--	--
31	--	--	--	--	2.51 ⁱ	--	2.51 ⁱ	2.06 ⁱ	--	--	--	--
Total:	--	--	--	--	77.8	75.3	77.8	72.0	53.4	20.6	--	--
Mean:	--	--	--	--	2.51	2.51	2.51	2.32	1.78	1.38	--	--
Min:	--	--	--	--	2.51	2.51	2.51	2.06	1.52	1.25	--	--
Max:	--	--	--	--	2.51	2.51	2.51	2.51	2.04	1.50	--	--
AC-FT:	--	--	--	--	154.3	149.4	154.3	142.7	106.0	40.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 377.0

TOTAL AC-FT: 747.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ^m	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
17	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
18	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
19	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
20	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
21	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
22	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
23	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
24	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
25	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
26	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
27	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
28	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
29	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
30	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
31	--	--	--	--	0.05 ⁱ	--	0.03 ^m	--	--	--	--	--
Total:	--	--	--	--	1.71	1.35	1.08	--	--	--	--	--
Mean:	--	--	--	--	0.06	0.05	0.03	--	--	--	--	--
Min:	--	--	--	--	0.05	0.04	0.03	--	--	--	--	--
Max:	--	--	--	--	0.06	0.05	0.04	--	--	--	--	--
AC-FT:	--	--	--	--	3.39	2.68	2.14	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 4.14

TOTAL AC-FT: 8.21

**Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.64 ⁱ	0.57 ⁱ	0.51 ⁱ	0.44 ⁱ	0.38 ⁱ	--	--
2	--	--	--	--	0.70 ⁱ	0.63 ⁱ	0.57 ⁱ	0.51 ⁱ	0.44 ⁱ	0.38 ⁱ	--	--
3	--	--	--	--	0.70 ⁱ	0.63 ⁱ	0.57 ⁱ	0.50 ⁱ	0.44 ⁱ	0.38 ⁱ	--	--
4	--	--	--	--	0.69 ⁱ	0.63 ⁱ	0.57 ⁱ	0.50 ⁱ	0.44 ⁱ	0.37 ⁱ	--	--
5	--	--	--	--	0.69 ⁱ	0.63 ⁱ	0.56 ⁱ	0.50 ⁱ	0.43 ⁱ	0.37 ⁱ	--	--
6	--	--	--	--	0.69 ⁱ	0.62 ⁱ	0.56 ⁱ	0.50 ⁱ	0.43 ⁱ	0.37 ⁱ	--	--
7	--	--	--	--	0.69 ⁱ	0.62 ⁱ	0.56 ⁱ	0.49 ⁱ	0.43 ⁱ	0.37 ⁱ	--	--
8	--	--	--	--	0.69 ⁱ	0.62 ⁱ	0.56 ⁱ	0.49 ⁱ	0.43 ⁱ	0.36 ⁱ	--	--
9	--	--	--	--	0.68 ⁱ	0.62 ⁱ	0.56 ⁱ	0.49 ⁱ	0.43 ⁱ	0.36 ⁱ	--	--
10	--	--	--	--	0.68 ⁱ	0.62 ⁱ	0.55 ⁱ	0.49 ⁱ	0.42 ⁱ	0.36 ⁱ	--	--
11	--	--	--	--	0.68 ⁱ	0.61 ⁱ	0.55 ⁱ	0.49 ⁱ	0.42 ⁱ	0.36 ⁱ	--	--
12	--	--	--	--	0.68 ⁱ	0.61 ⁱ	0.55 ⁱ	0.48 ⁱ	0.42 ⁱ	0.36 ⁱ	--	--
13	--	--	--	--	0.67 ⁱ	0.61 ⁱ	0.55 ⁱ	0.48 ⁱ	0.42 ⁱ	0.35 ⁱ	--	--
14	--	--	--	--	0.67 ⁱ	0.61 ⁱ	0.54 ⁱ	0.48 ⁱ	0.41 ⁱ	0.35 ⁱ	--	--
15	--	--	--	--	0.67 ⁱ	0.61 ⁱ	0.54 ⁱ	0.48 ⁱ	0.41 ⁱ	0.35 ^m	--	--
16	--	--	--	--	0.67 ⁱ	0.60 ⁱ	0.54 ⁱ	0.48 ⁱ	0.41 ⁱ	--	--	--
17	--	--	--	--	0.67 ⁱ	0.60 ⁱ	0.54 ⁱ	0.47 ⁱ	0.41 ⁱ	--	--	--
18	--	--	--	--	0.66 ⁱ	0.60 ⁱ	0.54 ⁱ	0.47 ⁱ	0.41 ⁱ	--	--	--
19	--	--	--	--	0.66 ⁱ	0.60 ⁱ	0.53 ⁱ	0.47 ⁱ	0.40 ⁱ	--	--	--
20	--	--	--	--	0.66 ⁱ	0.60 ⁱ	0.53 ⁱ	0.47 ⁱ	0.40 ⁱ	--	--	--
21	--	--	--	--	0.66 ⁱ	0.59 ⁱ	0.53 ⁱ	0.47 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	--	0.66 ⁱ	0.59 ⁱ	0.53 ⁱ	0.46 ⁱ	0.40 ⁱ	--	--	--
23	--	--	--	--	0.65 ⁱ	0.59 ⁱ	0.53 ⁱ	0.46 ⁱ	0.40 ⁱ	--	--	--
24	--	--	--	--	0.65 ⁱ	0.59 ⁱ	0.52 ⁱ	0.46 ⁱ	0.39 ⁱ	--	--	--
25	--	--	--	--	0.65 ⁱ	0.58 ⁱ	0.52 ⁱ	0.46 ⁱ	0.39 ⁱ	--	--	--
26	--	--	--	--	0.65 ⁱ	0.58 ⁱ	0.52 ⁱ	0.45 ⁱ	0.39 ⁱ	--	--	--
27	--	--	--	--	0.65 ⁱ	0.58 ⁱ	0.52 ⁱ	0.45 ⁱ	0.39 ⁱ	--	--	--
28	--	--	--	--	0.64 ⁱ	0.58 ⁱ	0.52 ⁱ	0.45 ⁱ	0.39 ⁱ	--	--	--
29	--	--	--	--	0.64 ⁱ	0.58 ⁱ	0.51 ⁱ	0.45 ⁱ	0.38 ⁱ	--	--	--
30	--	--	--	--	0.64 ⁱ	0.57 ⁱ	0.51 ⁱ	0.45 ⁱ	0.38 ⁱ	--	--	--
31	--	--	--	--	0.64 ⁱ	--	0.51 ⁱ	0.44 ⁱ	--	--	--	--
Total:	--	--	--	--	20.7	18.1	16.8	14.8	12.4	5.47	--	--
Mean:	--	--	--	--	0.67	0.60	0.54	0.48	0.41	0.36	--	--
Min:	--	--	--	--	0.64	0.57	0.51	0.44	0.38	0.35	--	--
Max:	--	--	--	--	0.70	0.64	0.57	0.51	0.44	0.38	--	--
AC-FT:	--	--	--	--	41.1	36.0	33.2	29.3	24.5	10.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 88.2

TOTAL AC-FT: 175.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130018 - D - HLCNL-18 - A0002716**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	2.00 ^m	2.00 ⁱ	2.00 ⁱ	1.57 ⁱ	1.02 ⁱ	0.59 ⁱ	---	---
2	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.56 ⁱ	1.00 ^m	0.57 ⁱ	---	---
3	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.54 ⁱ	1.00 ^m	0.56 ⁱ	---	---
4	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.52 ⁱ	0.99 ⁱ	0.54 ⁱ	---	---
5	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.50 ^m	0.97 ⁱ	0.53 ⁱ	---	---
6	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.50 ^m	0.96 ⁱ	0.51 ⁱ	---	---
7	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.48 ⁱ	0.94 ⁱ	0.50 ^m	---	---
8	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ^m	1.46 ⁱ	0.93 ⁱ	---	---	---
9	---	---	---	---	2.00 ⁱ	2.00 ⁱ	2.00 ^m	1.44 ⁱ	0.91 ⁱ	---	---	---
10	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.98 ⁱ	1.43 ⁱ	0.90 ⁱ	---	---	---
11	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.96 ⁱ	1.41 ⁱ	0.88 ⁱ	---	---	---
12	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.94 ⁱ	1.39 ⁱ	0.87 ⁱ	---	---	---
13	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.93 ⁱ	1.37 ⁱ	0.85 ⁱ	---	---	---
14	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.91 ⁱ	1.35 ⁱ	0.84 ⁱ	---	---	---
15	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.89 ⁱ	1.33 ⁱ	0.82 ⁱ	---	---	---
16	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.87 ⁱ	1.31 ⁱ	0.81 ⁱ	---	---	---
17	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.85 ⁱ	1.30 ⁱ	0.79 ⁱ	---	---	---
18	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.83 ⁱ	1.28 ⁱ	0.78 ⁱ	---	---	---
19	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.81 ⁱ	1.26 ⁱ	0.76 ⁱ	---	---	---
20	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.80 ⁱ	1.24 ⁱ	0.75 ⁱ	---	---	---
21	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.78 ⁱ	1.22 ⁱ	0.74 ⁱ	---	---	---
22	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.76 ⁱ	1.20 ⁱ	0.72 ⁱ	---	---	---
23	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.74 ⁱ	1.19 ⁱ	0.71 ⁱ	---	---	---
24	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.72 ⁱ	1.17 ⁱ	0.69 ⁱ	---	---	---
25	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.70 ⁱ	1.15 ⁱ	0.68 ⁱ	---	---	---
26	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.69 ⁱ	1.13 ⁱ	0.66 ⁱ	---	---	---
27	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.67 ⁱ	1.11 ⁱ	0.65 ⁱ	---	---	---
28	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.65 ⁱ	1.09 ⁱ	0.63 ⁱ	---	---	---
29	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.63 ⁱ	1.07 ⁱ	0.62 ⁱ	---	---	---
30	---	---	---	---	2.00 ⁱ	2.00 ⁱ	1.61 ⁱ	1.06 ⁱ	0.60 ⁱ	---	---	---
31	---	---	---	---	2.00 ⁱ	---	1.59 ⁱ	1.04 ⁱ	---	---	---	---
Total:	---	---	---	---	62.0	60.0	57.3	40.7	24.5	3.80	---	---
Mean:	---	---	---	---	2.00	2.00	1.85	1.31	0.82	0.54	---	---
Min:	---	---	---	---	2.00	2.00	1.59	1.04	0.60	0.50	---	---
Max:	---	---	---	---	2.00	2.00	2.00	1.57	1.02	0.59	---	---
AC-FT:	---	---	---	---	123.0	119.0	113.7	80.7	48.5	7.54	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 248.3

TOTAL AC-FT: 492.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.54 ^m	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.40 ⁱ	--	--	--
2	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.40 ⁱ	--	--	--
3	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.39 ⁱ	--	--	--
4	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.39 ⁱ	--	--	--
5	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.38 ⁱ	--	--	--
6	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.38 ⁱ	--	--	--
7	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.53 ⁱ	0.37 ⁱ	--	--	--
8	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.53 ⁱ	0.37 ⁱ	--	--	--
9	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.52 ⁱ	0.36 ^m	--	--	--
10	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.52 ⁱ	0.36 ^m	--	--	--
11	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.51 ⁱ	0.36 ⁱ	--	--	--
12	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.51 ⁱ	0.35 ⁱ	--	--	--
13	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.50 ⁱ	0.35 ⁱ	--	--	--
14	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.50 ⁱ	0.34 ⁱ	--	--	--
15	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.49 ⁱ	0.34 ⁱ	--	--	--
16	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.49 ⁱ	0.33 ⁱ	--	--	--
17	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.48 ⁱ	0.33 ⁱ	--	--	--
18	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.48 ⁱ	0.32 ⁱ	--	--	--
19	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.47 ⁱ	0.32 ⁱ	--	--	--
20	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.47 ⁱ	0.31 ⁱ	--	--	--
21	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.46 ⁱ	0.31 ⁱ	--	--	--
22	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.46 ⁱ	0.31 ⁱ	--	--	--
23	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
24	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.44 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.44 ⁱ	0.29 ⁱ	--	--	--
26	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.43 ⁱ	0.29 ⁱ	--	--	--
27	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.43 ⁱ	0.28 ⁱ	--	--	--
28	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.42 ⁱ	0.28 ⁱ	--	--	--
29	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.42 ⁱ	0.27 ⁱ	--	--	--
30	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.41 ⁱ	0.27 ^m	--	--	--
31	--	--	--	--	0.54 ⁱ	--	0.54 ⁱ	0.41 ⁱ	--	--	--	--
Total:	--	--	--	--	16.7	16.2	16.7	15.0	10.1	--	--	--
Mean:	--	--	--	--	0.54	0.54	0.54	0.48	0.34	--	--	--
Min:	--	--	--	--	0.54	0.54	0.54	0.41	0.27	--	--	--
Max:	--	--	--	--	0.54	0.54	0.54	0.54	0.40	--	--	--
AC-FT:	--	--	--	--	33.2	32.1	33.2	29.8	19.9	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 74.7

TOTAL AC-FT: 148.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130021 - D - HLCNL-21 - A0002718**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	1.45 ^m	1.45 ⁱ	1.45 ⁱ	1.45 ^m	1.02 ⁱ	0.55 ⁱ	---	---
2	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.44 ⁱ	1.01 ⁱ	0.54 ⁱ	---	---
3	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.42 ⁱ	0.99 ⁱ	0.52 ⁱ	---	---
4	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.41 ⁱ	0.98 ⁱ	0.50 ⁱ	---	---
5	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.39 ⁱ	0.97 ⁱ	0.48 ⁱ	---	---
6	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.38 ⁱ	0.95 ⁱ	0.47 ⁱ	---	---
7	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.37 ⁱ	0.94 ⁱ	0.45 ^m	---	---
8	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.35 ⁱ	0.92 ⁱ	0.45 ^m	---	---
9	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.34 ⁱ	0.91 ^m	0.43 ⁱ	---	---
10	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.33 ⁱ	0.91 ^m	0.41 ⁱ	---	---
11	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.31 ⁱ	0.89 ⁱ	0.39 ⁱ	---	---
12	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.30 ⁱ	0.88 ⁱ	0.36 ⁱ	---	---
13	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.28 ⁱ	0.86 ⁱ	0.34 ⁱ	---	---
14	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.27 ⁱ	0.84 ⁱ	0.32 ⁱ	---	---
15	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.26 ⁱ	0.82 ⁱ	0.30 ^m	---	---
16	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.24 ⁱ	0.81 ⁱ	---	---	---
17	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.23 ⁱ	0.79 ⁱ	---	---	---
18	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.21 ⁱ	0.77 ⁱ	---	---	---
19	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.20 ⁱ	0.76 ⁱ	---	---	---
20	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.74 ⁱ	---	---	---
21	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.17 ⁱ	0.72 ⁱ	---	---	---
22	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.16 ⁱ	0.71 ⁱ	---	---	---
23	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.15 ⁱ	0.69 ⁱ	---	---	---
24	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.13 ⁱ	0.67 ⁱ	---	---	---
25	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.12 ⁱ	0.65 ⁱ	---	---	---
26	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.10 ⁱ	0.64 ⁱ	---	---	---
27	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.09 ⁱ	0.62 ⁱ	---	---	---
28	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.08 ⁱ	0.60 ⁱ	---	---	---
29	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.06 ⁱ	0.59 ⁱ	---	---	---
30	---	---	---	---	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.05 ⁱ	0.57 ⁱ	---	---	---
31	---	---	---	---	1.45 ⁱ	---	1.45 ^m	1.03 ⁱ	---	---	---	---
Total:	---	---	---	---	45.0	43.5	45.0	38.5	24.2	6.51	---	---
Mean:	---	---	---	---	1.45	1.45	1.45	1.24	0.81	0.43	---	---
Min:	---	---	---	---	1.45	1.45	1.45	1.03	0.57	0.30	---	---
Max:	---	---	---	---	1.45	1.45	1.45	1.45	1.02	0.55	---	---
AC-FT:	---	---	---	---	89.2	86.3	89.2	76.4	48.0	12.9	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 202.6

TOTAL AC-FT: 401.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130022 - D - HLCNL-22 - A0002719**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.11 ^m	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
2	---	---	---	---	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
3	---	---	---	---	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
4	---	---	---	---	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
5	---	---	---	---	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
6	---	---	---	---	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
7	---	---	---	---	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	---	---	---	---	---
8	---	---	---	---	0.11 ⁱ	0.08 ⁱ	0.07 ⁱ	---	---	---	---	---
9	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
10	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
11	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
12	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
13	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
14	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
15	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
16	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
17	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
18	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
19	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
20	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
21	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
22	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
23	---	---	---	---	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	---	---	---	---	---
24	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
25	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
26	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
27	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
28	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
29	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
30	---	---	---	---	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	---	---	---	---	---
31	---	---	---	---	0.09 ⁱ	---	0.05 ^m	---	---	---	---	---
Total:	---	---	---	---	3.10	2.40	1.86	---	---	---	---	---
Mean:	---	---	---	---	0.10	0.08	0.06	---	---	---	---	---
Min:	---	---	---	---	0.09	0.07	0.05	---	---	---	---	---
Max:	---	---	---	---	0.11	0.09	0.07	---	---	---	---	---
AC-FT:	---	---	---	---	6.15	4.76	3.69	---	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 7.36

TOTAL AC-FT: 14.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130023 - D - HLCNL-23 - A0007587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ^m	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
23	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
24	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
25	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
26	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
27	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
28	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
29	--	--	--	--	0.08 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
30	--	--	--	--	0.08 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
31	--	--	--	--	0.08 ⁱ	--	0.05 ^m	--	--	--	--	--
Total:	--	--	--	--	2.86	2.25	1.79	--	--	--	--	--
Mean:	--	--	--	--	0.09	0.08	0.06	--	--	--	--	--
Min:	--	--	--	--	0.08	0.07	0.05	--	--	--	--	--
Max:	--	--	--	--	0.10	0.08	0.07	--	--	--	--	--
AC-FT:	--	--	--	--	5.67	4.46	3.55	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 6.90

TOTAL AC-FT: 13.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72130024 - D - HLCNL-24 - A0007590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	0.62 ^m	0.51 ⁱ	0.41 ⁱ	---	---	---	---	---
2	---	---	---	---	0.62 ⁱ	0.51 ⁱ	0.41 ⁱ	---	---	---	---	---
3	---	---	---	---	0.61 ⁱ	0.51 ⁱ	0.41 ⁱ	---	---	---	---	---
4	---	---	---	---	0.61 ⁱ	0.50 ⁱ	0.40 ⁱ	---	---	---	---	---
5	---	---	---	---	0.61 ⁱ	0.50 ⁱ	0.40 ⁱ	---	---	---	---	---
6	---	---	---	---	0.60 ⁱ	0.50 ⁱ	0.40 ⁱ	---	---	---	---	---
7	---	---	---	---	0.60 ⁱ	0.49 ⁱ	0.39 ⁱ	---	---	---	---	---
8	---	---	---	---	0.60 ⁱ	0.49 ⁱ	0.39 ⁱ	---	---	---	---	---
9	---	---	---	---	0.59 ⁱ	0.49 ⁱ	0.38 ⁱ	---	---	---	---	---
10	---	---	---	---	0.59 ⁱ	0.48 ⁱ	0.38 ⁱ	---	---	---	---	---
11	---	---	---	---	0.59 ⁱ	0.48 ⁱ	0.38 ⁱ	---	---	---	---	---
12	---	---	---	---	0.58 ⁱ	0.48 ⁱ	0.37 ⁱ	---	---	---	---	---
13	---	---	---	---	0.58 ⁱ	0.47 ⁱ	0.37 ⁱ	---	---	---	---	---
14	---	---	---	---	0.58 ⁱ	0.47 ⁱ	0.37 ⁱ	---	---	---	---	---
15	---	---	---	---	0.57 ⁱ	0.47 ⁱ	0.36 ⁱ	---	---	---	---	---
16	---	---	---	---	0.57 ⁱ	0.46 ⁱ	0.36 ⁱ	---	---	---	---	---
17	---	---	---	---	0.57 ⁱ	0.46 ⁱ	0.36 ⁱ	---	---	---	---	---
18	---	---	---	---	0.56 ⁱ	0.46 ⁱ	0.35 ⁱ	---	---	---	---	---
19	---	---	---	---	0.56 ⁱ	0.45 ⁱ	0.35 ⁱ	---	---	---	---	---
20	---	---	---	---	0.56 ⁱ	0.45 ⁱ	0.35 ⁱ	---	---	---	---	---
21	---	---	---	---	0.55 ⁱ	0.45 ⁱ	0.34 ⁱ	---	---	---	---	---
22	---	---	---	---	0.55 ⁱ	0.44 ⁱ	0.34 ⁱ	---	---	---	---	---
23	---	---	---	---	0.55 ⁱ	0.44 ⁱ	0.34 ⁱ	---	---	---	---	---
24	---	---	---	---	0.54 ⁱ	0.44 ⁱ	0.33 ⁱ	---	---	---	---	---
25	---	---	---	---	0.54 ⁱ	0.43 ⁱ	0.33 ⁱ	---	---	---	---	---
26	---	---	---	---	0.53 ⁱ	0.43 ⁱ	0.33 ⁱ	---	---	---	---	---
27	---	---	---	---	0.53 ⁱ	0.43 ⁱ	0.32 ⁱ	---	---	---	---	---
28	---	---	---	---	0.53 ⁱ	0.42 ⁱ	0.32 ⁱ	---	---	---	---	---
29	---	---	---	---	0.52 ⁱ	0.42 ⁱ	0.32 ⁱ	---	---	---	---	---
30	---	---	---	---	0.52 ⁱ	0.42 ⁱ	0.31 ⁱ	---	---	---	---	---
31	---	---	---	---	0.52 ⁱ	---	0.31 ^m	---	---	---	---	---
Total:	---	---	---	---	17.7	14.0	11.2	---	---	---	---	---
Mean:	---	---	---	---	0.57	0.47	0.36	---	---	---	---	---
Min:	---	---	---	---	0.52	0.42	0.31	---	---	---	---	---
Max:	---	---	---	---	0.62	0.51	0.41	---	---	---	---	---
AC-FT:	---	---	---	---	35.0	27.7	22.2	---	---	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 42.8

TOTAL AC-FT: 84.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130025 - D - HLCNL-25 - A0007589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ^m	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.59 ⁱ	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.56 ⁱ	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.49 ⁱ	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ^m	1.46 ⁱ	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ^m	1.43 ⁱ	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.37 ⁱ	1.40 ⁱ	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.34 ⁱ	1.37 ⁱ	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.31 ⁱ	1.34 ⁱ	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.27 ⁱ	1.31 ⁱ	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.24 ⁱ	1.27 ⁱ	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.21 ⁱ	1.24 ⁱ	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.18 ⁱ	1.21 ⁱ	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.15 ⁱ	1.18 ⁱ	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.12 ⁱ	1.15 ^m	--	--	--
16	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.09 ⁱ	--	--	--	--
17	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.06 ⁱ	--	--	--	--
18	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.02 ⁱ	--	--	--	--
19	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.99 ⁱ	--	--	--	--
20	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.96 ⁱ	--	--	--	--
21	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.93 ⁱ	--	--	--	--
22	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.90 ⁱ	--	--	--	--
23	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.87 ⁱ	--	--	--	--
24	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.84 ⁱ	--	--	--	--
25	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.81 ⁱ	--	--	--	--
26	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.77 ⁱ	--	--	--	--
27	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.74 ⁱ	--	--	--	--
28	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.71 ⁱ	--	--	--	--
29	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.68 ⁱ	--	--	--	--
30	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.65 ⁱ	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	2.40 ⁱ	1.62 ⁱ	--	--	--	--
Total:	--	--	--	--	74.4	72.0	74.4	64.2	20.5	--	--	--
Mean:	--	--	--	--	2.40	2.40	2.40	2.07	1.37	--	--	--
Min:	--	--	--	--	2.40	2.40	2.40	1.62	1.15	--	--	--
Max:	--	--	--	--	2.40	2.40	2.40	2.40	1.59	--	--	--
AC-FT:	--	--	--	--	147.6	142.8	147.6	127.4	40.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 305.6

TOTAL AC-FT: 606.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
2	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
3	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
4	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
5	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
6	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
7	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
8	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
9	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
10	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
11	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
12	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
13	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
14	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
15	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ^m	--	--
16	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
21	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
22	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
23	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
24	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
25	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
26	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
27	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
28	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
29	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--
30	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--
31	--	--	--	--	0.10 ⁱ	--	0.08 ⁱ	0.07 ⁱ	--	--	--	--
Total:	--	--	--	--	3.27	2.90	2.71	2.42	2.08	0.90	--	--
Mean:	--	--	--	--	0.11	0.10	0.09	0.08	0.07	0.06	--	--
Min:	--	--	--	--	0.10	0.09	0.08	0.07	0.06	0.06	--	--
Max:	--	--	--	--	0.11	0.10	0.09	0.08	0.07	0.06	--	--
AC-FT:	--	--	--	--	6.49	5.75	5.38	4.80	4.13	1.79	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 14.3

TOTAL AC-FT: 28.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.63 ^m	1.54 ⁱ	1.45 ^m	0.86 ⁱ	0.48 ⁱ	--	--	--
2	--	--	--	--	1.63 ⁱ	1.53 ⁱ	1.43 ⁱ	0.84 ⁱ	0.48 ⁱ	--	--	--
3	--	--	--	--	1.62 ⁱ	1.53 ⁱ	1.41 ⁱ	0.82 ⁱ	0.47 ⁱ	--	--	--
4	--	--	--	--	1.62 ⁱ	1.53 ⁱ	1.39 ⁱ	0.80 ⁱ	0.46 ⁱ	--	--	--
5	--	--	--	--	1.62 ⁱ	1.53 ⁱ	1.37 ⁱ	0.78 ⁱ	0.46 ⁱ	--	--	--
6	--	--	--	--	1.62 ⁱ	1.52 ⁱ	1.35 ⁱ	0.76 ⁱ	0.45 ⁱ	--	--	--
7	--	--	--	--	1.61 ⁱ	1.52 ⁱ	1.34 ⁱ	0.74 ⁱ	0.44 ⁱ	--	--	--
8	--	--	--	--	1.61 ⁱ	1.52 ⁱ	1.32 ⁱ	0.72 ⁱ	0.44 ⁱ	--	--	--
9	--	--	--	--	1.61 ⁱ	1.51 ⁱ	1.30 ⁱ	0.70 ⁱ	0.43 ⁱ	--	--	--
10	--	--	--	--	1.60 ⁱ	1.51 ⁱ	1.28 ⁱ	0.69 ⁱ	0.42 ⁱ	--	--	--
11	--	--	--	--	1.60 ⁱ	1.51 ⁱ	1.26 ⁱ	0.67 ⁱ	0.42 ⁱ	--	--	--
12	--	--	--	--	1.60 ⁱ	1.50 ⁱ	1.24 ⁱ	0.65 ⁱ	0.41 ⁱ	--	--	--
13	--	--	--	--	1.59 ⁱ	1.50 ⁱ	1.22 ⁱ	0.63 ⁱ	0.40 ⁱ	--	--	--
14	--	--	--	--	1.59 ⁱ	1.50 ⁱ	1.20 ⁱ	0.61 ⁱ	0.40 ⁱ	--	--	--
15	--	--	--	--	1.59 ⁱ	1.50 ⁱ	1.18 ⁱ	0.59 ^m	0.39 ⁱ	--	--	--
16	--	--	--	--	1.59 ⁱ	1.49 ⁱ	1.16 ⁱ	0.59 ^m	0.38 ⁱ	--	--	--
17	--	--	--	--	1.58 ⁱ	1.49 ⁱ	1.14 ⁱ	0.58 ⁱ	0.38 ⁱ	--	--	--
18	--	--	--	--	1.58 ⁱ	1.49 ⁱ	1.13 ⁱ	0.58 ⁱ	0.37 ⁱ	--	--	--
19	--	--	--	--	1.58 ⁱ	1.48 ⁱ	1.11 ⁱ	0.57 ⁱ	0.36 ⁱ	--	--	--
20	--	--	--	--	1.57 ⁱ	1.48 ⁱ	1.09 ⁱ	0.56 ⁱ	0.36 ⁱ	--	--	--
21	--	--	--	--	1.57 ⁱ	1.48 ⁱ	1.07 ⁱ	0.56 ⁱ	0.35 ⁱ	--	--	--
22	--	--	--	--	1.57 ⁱ	1.47 ⁱ	1.05 ⁱ	0.55 ⁱ	0.34 ⁱ	--	--	--
23	--	--	--	--	1.56 ⁱ	1.47 ⁱ	1.03 ⁱ	0.54 ⁱ	0.34 ⁱ	--	--	--
24	--	--	--	--	1.56 ⁱ	1.47 ⁱ	1.01 ⁱ	0.54 ⁱ	0.33 ⁱ	--	--	--
25	--	--	--	--	1.56 ⁱ	1.47 ⁱ	0.99 ⁱ	0.53 ⁱ	0.32 ⁱ	--	--	--
26	--	--	--	--	1.56 ⁱ	1.46 ⁱ	0.97 ⁱ	0.52 ⁱ	0.32 ⁱ	--	--	--
27	--	--	--	--	1.55 ⁱ	1.46 ⁱ	0.95 ⁱ	0.52 ⁱ	0.31 ⁱ	--	--	--
28	--	--	--	--	1.55 ⁱ	1.46 ⁱ	0.93 ⁱ	0.51 ⁱ	0.30 ⁱ	--	--	--
29	--	--	--	--	1.55 ⁱ	1.45 ⁱ	0.91 ⁱ	0.50 ⁱ	0.30 ⁱ	--	--	--
30	--	--	--	--	1.54 ⁱ	1.45 ^m	0.90 ⁱ	0.50 ⁱ	0.29 ^m	--	--	--
31	--	--	--	--	1.54 ⁱ	--	0.88 ⁱ	0.49 ⁱ	--	--	--	--
Total:	--	--	--	--	49.2	44.8	36.1	19.5	11.6	--	--	--
Mean:	--	--	--	--	1.59	1.49	1.16	0.63	0.39	--	--	--
Min:	--	--	--	--	1.54	1.45	0.88	0.49	0.29	--	--	--
Max:	--	--	--	--	1.63	1.54	1.45	0.86	0.48	--	--	--
AC-FT:	--	--	--	--	97.5	88.9	71.5	38.7	23.0	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 161.1

TOTAL AC-FT: 319.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130028 - D - HLCNL-28 - A0002722**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.30 ^m	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	--	--	--
2	--	--	--	--	0.30 ⁱ	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	--	--	--
3	--	--	--	--	0.30 ⁱ	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	--	--	--
4	--	--	--	--	0.30 ⁱ	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.13 ⁱ	--	--	--
5	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
6	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
7	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
8	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
9	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
10	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
11	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
12	--	--	--	--	0.29 ⁱ	0.24 ⁱ	0.21 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
13	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
14	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
15	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
16	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
17	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
18	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
19	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.11 ⁱ	--	--	--
20	--	--	--	--	0.28 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
21	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
22	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
23	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
24	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
25	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
26	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
27	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
28	--	--	--	--	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
29	--	--	--	--	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
30	--	--	--	--	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	0.10 ^m	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.18 ⁱ	0.14 ⁱ	--	--	--	--
Total:	--	--	--	--	8.69	7.21	6.20	4.94	3.58	--	--	--
Mean:	--	--	--	--	0.28	0.24	0.20	0.16	0.12	--	--	--
Min:	--	--	--	--	0.26	0.22	0.18	0.14	0.10	--	--	--
Max:	--	--	--	--	0.30	0.26	0.22	0.18	0.14	--	--	--
AC-FT:	--	--	--	--	17.2	14.3	12.3	9.80	7.10	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 30.6

TOTAL AC-FT: 60.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.40 ^m	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.32 ⁱ	--	--
2	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.27 ⁱ	--	--
3	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.22 ⁱ	--	--
4	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.17 ⁱ	--	--
5	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.11 ⁱ	--	--
6	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.06 ⁱ	--	--
7	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.01 ⁱ	--	--
8	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.96 ⁱ	--	--
9	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ^m	1.91 ⁱ	--	--
10	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ^m	1.86 ⁱ	--	--
11	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.35 ⁱ	1.81 ⁱ	--	--
12	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.30 ⁱ	1.75 ⁱ	--	--
13	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.25 ⁱ	1.70 ⁱ	--	--
14	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.19 ⁱ	1.65 ⁱ	--	--
15	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.14 ⁱ	1.60 ^m	--	--
16	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.09 ⁱ	--	--	--
17	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.04 ⁱ	--	--	--
18	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.99 ⁱ	--	--	--
19	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.94 ⁱ	--	--	--
20	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.89 ⁱ	--	--	--
21	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.83 ⁱ	--	--	--
22	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.78 ⁱ	--	--	--
23	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.73 ⁱ	--	--	--
24	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.68 ⁱ	--	--	--
25	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.63 ⁱ	--	--	--
26	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.58 ⁱ	--	--	--
27	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.53 ⁱ	--	--	--
28	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.47 ⁱ	--	--	--
29	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.42 ⁱ	--	--	--
30	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.37 ⁱ	--	--	--
31	--	--	--	--	3.40 ⁱ	--	3.40 ⁱ	3.40 ⁱ	--	--	--	--
Total:	--	--	--	--	105.4	102.0	105.4	105.4	91.2	29.4	--	--
Mean:	--	--	--	--	3.40	3.40	3.40	3.40	3.04	1.96	--	--
Min:	--	--	--	--	3.40	3.40	3.40	3.40	2.37	1.60	--	--
Max:	--	--	--	--	3.40	3.40	3.40	3.40	3.40	2.32	--	--
AC-FT:	--	--	--	--	209.1	202.3	209.1	209.1	180.9	58.3	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 538.8

TOTAL AC-FT: 1068

**Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.04 ^m	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
2	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
3	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
4	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
5	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
6	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
7	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
8	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
9	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ^m	0.60 ⁱ	--	--
10	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ^m	0.60 ⁱ	--	--
11	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
12	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
13	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
14	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
15	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ^m	0.60 ⁱ	0.60 ^m	--	--
16	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ^m	0.60 ⁱ	--	--	--
17	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
18	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
19	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
20	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
21	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
22	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
23	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
24	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
25	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
26	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
27	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
28	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
29	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
30	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
31	--	--	--	--	1.03 ⁱ	--	1.01 ⁱ	1.00 ⁱ	--	--	--	--
Total:	--	--	--	--	32.1	30.7	31.4	31.0	21.6	9.00	--	--
Mean:	--	--	--	--	1.03	1.02	1.01	1.00	0.72	0.60	--	--
Min:	--	--	--	--	1.03	1.02	1.01	1.00	0.60	0.60	--	--
Max:	--	--	--	--	1.04	1.03	1.02	1.01	1.00	0.60	--	--
AC-FT:	--	--	--	--	63.6	60.9	62.2	61.5	42.8	17.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 155.7

TOTAL AC-FT: 308.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.36 ⁱ	--	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.34 ⁱ	--	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.32 ⁱ	--	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.29 ⁱ	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.27 ⁱ	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁿ	1.25 ⁱ	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.88 ⁱ	1.23 ⁱ	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.86 ⁱ	1.21 ⁱ	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.84 ⁱ	1.19 ^m	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.82 ⁱ	--	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.80 ⁱ	--	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.77 ⁱ	--	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.75 ⁱ	--	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.73 ⁱ	--	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.71 ⁱ	--	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.69 ⁱ	--	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.67 ⁱ	--	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.65 ⁱ	--	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.63 ⁱ	--	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.61 ⁱ	--	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.59 ⁱ	--	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.57 ⁱ	--	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.55 ⁱ	--	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.52 ⁱ	--	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.50 ⁱ	--	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.48 ⁱ	--	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.46 ⁱ	--	--	--	--
28	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.44 ⁱ	--	--	--	--
29	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.42 ⁱ	--	--	--	--
30	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.40 ⁱ	--	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ⁱ	1.38 ⁱ	--	--	--	--
Total:	--	--	--	--	58.9	57.0	58.9	52.1	11.5	--	--	--
Mean:	--	--	--	--	1.90	1.90	1.90	1.68	1.27	--	--	--
Min:	--	--	--	--	1.90	1.90	1.90	1.38	1.19	--	--	--
Max:	--	--	--	--	1.90	1.90	1.90	1.90	1.36	--	--	--
AC-FT:	--	--	--	--	116.8	113.1	116.8	103.4	22.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 238.4

TOTAL AC-FT: 472.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	---	---	---	---	2.16 ^m	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
2	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
3	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
4	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
5	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
6	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
7	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
8	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	---	---	---
9	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ^m	---	---	---
10	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ^m	---	---	---
11	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.11 ⁱ	---	---	---
12	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.05 ⁱ	---	---	---
13	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.00 ⁱ	---	---	---
14	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.94 ⁱ	---	---	---
15	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.89 ⁱ	---	---	---
16	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.84 ⁱ	---	---	---
17	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.78 ⁱ	---	---	---
18	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.73 ⁱ	---	---	---
19	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.67 ⁱ	---	---	---
20	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.62 ⁱ	---	---	---
21	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.57 ⁱ	---	---	---
22	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.51 ⁱ	---	---	---
23	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.46 ⁱ	---	---	---
24	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.40 ⁱ	---	---	---
25	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.35 ⁱ	---	---	---
26	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.30 ⁱ	---	---	---
27	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.24 ⁱ	---	---	---
28	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.19 ⁱ	---	---	---
29	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.13 ⁱ	---	---	---
30	---	---	---	---	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.08 ^m	---	---	---
31	---	---	---	---	2.16 ⁱ	---	2.16 ⁱ	2.16 ⁱ	---	---	---	---
Total:	---	---	---	---	67.0	64.8	67.0	67.0	53.5	---	---	---
Mean:	---	---	---	---	2.16	2.16	2.16	2.16	1.78	---	---	---
Min:	---	---	---	---	2.16	2.16	2.16	2.16	1.08	---	---	---
Max:	---	---	---	---	2.16	2.16	2.16	2.16	2.16	---	---	---
AC-FT:	---	---	---	---	132.8	128.5	132.8	132.8	106.0	---	---	---

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 319.1

TOTAL AC-FT: 633.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130039 - D - HLCNL-39 - A0002724**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.88 ^m	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ^m	--	--	--
2	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.87 ⁱ	--	--	--
3	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.85 ⁱ	--	--	--
4	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.84 ⁱ	--	--	--
5	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.83 ⁱ	--	--	--
6	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.81 ⁱ	--	--	--
7	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.80 ⁱ	--	--	--
8	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.79 ⁱ	--	--	--
9	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.78 ⁱ	--	--	--
10	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.76 ⁱ	--	--	--
11	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.75 ⁱ	--	--	--
12	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.74 ⁱ	--	--	--
13	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.72 ⁱ	--	--	--
14	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.71 ⁱ	--	--	--
15	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.70 ⁱ	--	--	--
16	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.68 ⁱ	--	--	--
17	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.67 ⁱ	--	--	--
18	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.66 ⁱ	--	--	--
19	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.64 ⁱ	--	--	--
20	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.63 ⁱ	--	--	--
21	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.62 ⁱ	--	--	--
22	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.60 ⁱ	--	--	--
23	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.59 ⁱ	--	--	--
24	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.58 ⁱ	--	--	--
25	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.57 ⁱ	--	--	--
26	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.55 ⁱ	--	--	--
27	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.54 ⁱ	--	--	--
28	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.53 ⁱ	--	--	--
29	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.51 ⁱ	--	--	--
30	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ^m	--	--	--
31	--	--	--	--	1.88 ⁱ	--	1.88 ⁱ	1.88 ^m	--	--	--	--
Total:	--	--	--	--	58.3	56.4	58.3	58.3	50.7	--	--	--
Mean:	--	--	--	--	1.88	1.88	1.88	1.88	1.69	--	--	--
Min:	--	--	--	--	1.88	1.88	1.88	1.88	1.50	--	--	--
Max:	--	--	--	--	1.88	1.88	1.88	1.88	1.88	--	--	--
AC-FT:	--	--	--	--	115.6	111.9	115.6	115.6	100.6	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 281.9

TOTAL AC-FT: 559.2