

WATERMASTER'S ANNUAL REPORT

RECEIVED
JUN 25 2021
DEPT. OF WATER RESOURCES
SOUTHERN REGION

From: April 15, 2020 To: October 15, 2020

Water District No. 72-A

Water District Name: Challis Creek & Garden Creek

Name of Watermaster: David Philps

Mailing Address: 25035 Highway 93, PO Box 910, Challis, ID 83226

AFFIDAVIT OF WATERMASTER

As the appointed watermaster of water district no. 72-A, I hereby certify that the information contained in this report is true and correct to the best of my knowledge.

David Philps
Watermaster signature

1-21-21
Date

Pursuant to Section 42-606 Idaho Code, this Watermaster's Annual Report shall be filed prior to the end of the watermaster's appointment for the current year, and kept in the office of the Idaho Department of Water Resources (IDWR). The Watermaster's Daily Diversion Records should be attached to this report if those records are not submitted electronically to IDWR.

**Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
2	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
3	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
4	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
5	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
6	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
7	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
8	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
9	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
10	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
11	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
12	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
13	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
14	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
15	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ^m	--	--
16	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
17	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
18	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
19	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
20	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
21	--	--	--	0.20 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
22	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
23	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
24	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
25	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
26	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
27	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
28	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
29	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
30	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
31	--	--	--	--	0.20 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--
Total:	--	--	--	2.00	6.20	6.00	5.60	3.10	3.00	1.50	--	--
Mean:	--	--	--	0.20	0.20	0.20	0.18	0.10	0.10	0.10	--	--
Min:	--	--	--	0.20	0.20	0.20	0.10	0.10	0.10	0.10	--	--
Max:	--	--	--	0.20	0.20	0.20	0.20	0.10	0.10	0.10	--	--
AC-FT:	--	--	--	3.97	12.3	11.9	11.1	6.15	5.95	2.98	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 27.4

TOTAL AC-FT: 54.4

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.20 ⁱ	3.27 ⁱ	3.45 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
2	--	--	--	--	3.20 ⁱ	3.28 ⁱ	3.46 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
3	--	--	--	--	3.20 ⁱ	3.28 ⁱ	3.47 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
4	--	--	--	--	3.20 ⁱ	3.29 ⁱ	3.47 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ^m	--	--
5	--	--	--	--	3.20 ⁱ	3.30 ⁱ	3.48 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
6	--	--	--	--	3.20 ⁱ	3.30 ⁱ	3.48 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
7	--	--	--	--	3.20 ⁱ	3.31 ⁱ	3.49 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
8	--	--	--	--	3.20 ⁱ	3.32 ⁱ	3.50 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
9	--	--	--	--	3.20 ⁱ	3.32 ⁱ	3.50 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
10	--	--	--	--	3.20 ⁱ	3.33 ⁱ	3.51 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
11	--	--	--	--	3.20 ⁱ	3.33 ⁱ	3.52 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
12	--	--	--	--	3.20 ⁱ	3.34 ⁱ	3.52 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
13	--	--	--	--	3.20 ⁱ	3.35 ⁱ	3.53 ⁱ	3.60 ⁱ	2.60 ⁱ	--	--	--
14	--	--	--	--	3.20 ⁱ	3.35 ⁱ	3.53 ⁱ	3.60 ^m	2.60 ⁱ	--	--	--
15	--	--	--	--	3.20 ⁱ	3.36 ⁱ	3.54 ⁱ	2.60 ^m	2.60 ⁱ	--	--	--
16	--	--	--	--	3.20 ⁱ	3.36 ⁱ	3.55 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
17	--	--	--	--	3.20 ⁱ	3.37 ⁱ	3.55 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
18	--	--	--	--	3.20 ⁱ	3.38 ⁱ	3.56 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
19	--	--	--	--	3.20 ⁱ	3.38 ⁱ	3.56 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
20	--	--	--	--	3.20 ^m	3.39 ⁱ	3.57 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
21	--	--	--	--	3.21 ⁱ	3.39 ⁱ	3.58 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
22	--	--	--	--	3.21 ⁱ	3.40 ⁱ	3.58 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
23	--	--	--	--	3.22 ⁱ	3.41 ⁱ	3.59 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
24	--	--	--	--	3.22 ⁱ	3.41 ⁱ	3.59 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
25	--	--	--	3.20 ^m	3.23 ⁱ	3.42 ⁱ	3.60 ^m	2.60 ⁱ	2.60 ⁱ	--	--	--
26	--	--	--	3.20 ⁱ	3.24 ⁱ	3.42 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
27	--	--	--	3.20 ⁱ	3.24 ⁱ	3.43 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
28	--	--	--	3.20 ⁱ	3.25 ⁱ	3.44 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
29	--	--	--	3.20 ⁱ	3.25 ⁱ	3.44 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
30	--	--	--	3.20 ⁱ	3.26 ⁱ	3.45 ⁱ	3.60 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
31	--	--	--	--	3.27 ⁱ	--	3.60 ⁱ	2.60 ⁱ	--	--	--	--
Total:	--	--	--	19.2	99.6	100.8	109.8	94.6	78.0	10.4	--	--
Mean:	--	--	--	3.20	3.21	3.36	3.54	3.05	2.60	2.60	--	--
Min:	--	--	--	3.20	3.20	3.27	3.45	2.60	2.60	2.60	--	--
Max:	--	--	--	3.20	3.27	3.45	3.60	3.60	2.60	2.60	--	--
AC-FT:	--	--	--	38.1	197.6	200.0	217.8	187.6	154.7	20.6	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 512.4

TOTAL AC-FT: 1016

**Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
2	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
3	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
4	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
5	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
6	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
7	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
8	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
9	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
10	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
11	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
12	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
13	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--
14	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ^m	--	--
15	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁿ	2.60 ⁱ	--	--	--
16	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ^m	2.60 ⁱ	--	--	--
17	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
18	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
19	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
20	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
21	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
22	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
23	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
24	--	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ^m	2.60 ⁱ	2.60 ⁱ	--	--	--
25	--	--	--	3.25 ^m	3.25 ^m	9.54 ⁱ	3.20 ^m	2.60 ⁱ	2.60 ⁱ	--	--	--
26	--	--	--	3.25 ⁱ	9.54 ^m	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
27	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
28	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
29	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
30	--	--	--	3.25 ⁱ	9.54 ⁱ	9.54 ⁱ	3.20 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--
31	--	--	--	--	9.54 ⁱ	--	3.20 ⁱ	2.60 ⁱ	--	--	--	--
Total:	--	--	--	19.5	138.5	286.2	251.4	89.6	78.0	36.4	--	--
Mean:	--	--	--	3.25	4.47	9.54	8.11	2.89	2.60	2.60	--	--
Min:	--	--	--	3.25	3.25	9.54	3.20	2.60	2.60	2.60	--	--
Max:	--	--	--	3.25	9.54	9.54	9.54	3.20	2.60	2.60	--	--
AC-FT:	--	--	--	38.7	274.7	567.7	498.6	177.7	154.7	72.2	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 899.6

TOTAL AC-FT: 1784

**Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
2	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
3	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
4	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
5	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
6	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
7	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
8	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
9	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
10	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
11	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
12	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
13	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
14	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	0.60 ^m	--	--
15	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
16	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
17	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
18	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
19	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
20	--	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
21	--	--	--	0.81 ^m	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
22	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
23	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
24	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
25	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.81 ^m	0.40 ⁱ	0.60 ⁱ	--	--	--
26	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ^m	0.40 ⁱ	0.60 ⁱ	--	--	--
27	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
28	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
29	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.40 ⁱ	0.60 ⁱ	--	--	--
30	--	--	--	0.81 ⁱ	0.81 ⁱ	0.81 ⁱ	0.40 ⁱ	0.40 ^m	0.60 ⁱ	--	--	--
31	--	--	--	--	0.81 ⁱ	--	0.40 ⁱ	0.60 ^m	--	--	--	--
Total:	--	--	--	8.10	25.1	24.3	22.7	12.6	18.0	8.40	--	--
Mean:	--	--	--	0.81	0.81	0.81	0.73	0.41	0.60	0.60	--	--
Min:	--	--	--	0.81	0.81	0.81	0.40	0.40	0.60	0.60	--	--
Max:	--	--	--	0.81	0.81	0.81	0.81	0.60	0.60	0.60	--	--
AC-FT:	--	--	--	16.1	49.8	48.2	44.9	25.0	35.7	16.7	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 119.2

TOTAL AC-FT: 236.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72110020 - D - GDN20 - A0003074**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--
2	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁿ	--	--
3	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
4	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
5	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
6	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
7	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
8	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
9	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
10	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
11	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
12	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
13	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
14	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
15	--	--	--	--	1.02 ^m	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	--	--	--
16	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ^m	0.80 ⁱ	--	--	--
17	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ^m	0.80 ⁱ	--	--	--
18	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
19	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
20	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
21	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
22	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
23	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
24	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
25	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
26	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
27	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
28	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
29	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
30	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--
31	--	--	--	--	1.02 ⁱ	--	1.02 ⁱ	0.80 ⁱ	--	--	--	--
Total:	--	--	--	--	17.3	30.6	31.6	28.3	24.0	1.60	--	--
Mean:	--	--	--	--	1.02	1.02	1.02	0.91	0.80	0.80	--	--
Min:	--	--	--	--	1.02	1.02	1.02	0.80	0.80	0.80	--	--
Max:	--	--	--	--	1.02	1.02	1.02	1.02	0.80	0.80	--	--
AC-FT:	--	--	--	--	34.4	60.7	62.7	56.2	47.6	3.17	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 133.5

TOTAL AC-FT: 264.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
2	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
3	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
4	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
5	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
6	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
7	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
8	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
9	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
10	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
11	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
12	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
13	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
14	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
15	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ^m	--	--
16	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
17	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
18	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
19	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
20	--	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
21	--	--	--	0.82 ^m	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
22	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
23	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
24	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
25	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.82 ^m	0.25 ⁱ	0.25 ⁱ	--	--	--
26	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ^m	0.25 ⁱ	0.25 ⁱ	--	--	--
27	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
28	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
29	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
30	--	--	--	0.82 ⁱ	0.82 ⁱ	0.82 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
31	--	--	--	--	0.82 ⁱ	--	0.25 ⁱ	0.25 ⁱ	--	--	--	--
Total:	--	--	--	8.20	25.4	24.6	22.0	7.75	7.50	3.75	--	--
Mean:	--	--	--	0.82	0.82	0.82	0.71	0.25	0.25	0.25	--	--
Min:	--	--	--	0.82	0.82	0.82	0.25	0.25	0.25	0.25	--	--
Max:	--	--	--	0.82	0.82	0.82	0.82	0.25	0.25	0.25	--	--
AC-FT:	--	--	--	16.3	50.4	48.8	43.6	15.4	14.9	7.44	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 99.2

TOTAL AC-FT: 196.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁿ	--	--
2	--	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
3	--	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ^m	0.30 ⁱ	0.30 ⁱ	--	--	--
4	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ^m	0.30 ⁱ	0.30 ⁱ	--	--	--
5	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
6	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
7	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
8	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
9	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
10	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
11	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
12	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
13	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
14	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
15	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
16	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
17	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
18	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
19	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
20	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
21	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
22	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
23	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
24	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	1.06 ^m	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
26	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
27	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
28	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
29	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
30	--	--	--	1.06 ⁱ	1.06 ⁱ	1.06 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
31	--	--	--	--	1.06 ⁱ	--	0.30 ⁱ	0.30 ⁱ	--	--	--	--
Total:	--	--	--	6.36	32.9	31.8	11.6	9.30	9.00	0.30	--	--
Mean:	--	--	--	1.06	1.06	1.06	0.37	0.30	0.30	0.30	--	--
Min:	--	--	--	1.06	1.06	1.06	0.30	0.30	0.30	0.30	--	--
Max:	--	--	--	1.06	1.06	1.06	1.06	0.30	0.30	0.30	--	--
AC-FT:	--	--	--	12.6	65.2	63.1	23.0	18.5	17.9	0.60	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 101.2

TOTAL AC-FT: 200.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.62 ⁿ	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ⁱ	--	--	--
2	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	2.62 ^m	0.47 ⁱ	--	--	--
3	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ^m	0.47 ⁱ	--	--	--
4	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
5	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
6	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
7	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
8	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
9	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
10	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
11	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
12	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
13	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
14	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
15	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
16	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
17	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
18	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
19	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
20	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
21	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
22	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
23	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ⁱ	0.47 ⁱ	--	--	--
24	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.93 ^m	0.47 ⁱ	--	--	--
25	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ^m	0.47 ⁱ	--	--	--
26	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ⁱ	0.47 ⁱ	--	--	--
27	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ⁱ	0.47 ⁱ	--	--	--
28	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ⁱ	0.47 ^m	--	--	--
29	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ⁱ	--	--	--	--
30	--	--	--	--	2.62 ⁱ	2.62 ⁱ	2.62 ⁱ	0.47 ⁱ	--	--	--	--
31	--	--	--	--	2.62 ⁱ	--	2.62 ⁱ	0.47 ⁱ	--	--	--	--
Total:	--	--	--	--	81.2	78.6	81.2	29.0	13.2	--	--	--
Mean:	--	--	--	--	2.62	2.62	2.62	0.94	0.47	--	--	--
Min:	--	--	--	--	2.62	2.62	2.62	0.47	0.47	--	--	--
Max:	--	--	--	--	2.62	2.62	2.62	2.62	0.47	--	--	--
AC-FT:	--	--	--	--	161.1	155.9	161.1	57.5	26.1	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 283.2

TOTAL AC-FT: 561.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
2	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ^m	1.66 ⁱ	1.66 ⁱ	--	--
3	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ^m	1.66 ⁱ	1.66 ⁱ	--	--
4	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
5	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
6	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
7	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
8	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
9	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ⁱ	--	--
10	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	1.66 ^m	--	--
11	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
12	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
13	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
14	--	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
15	--	--	--	5.95 ^m	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
16	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
17	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
18	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
19	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
20	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
21	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
22	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
23	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
24	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
25	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
26	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
27	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
28	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ⁱ	1.66 ⁱ	--	--	--
29	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	3.31 ^m	1.66 ⁱ	--	--	--
30	--	--	--	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	5.95 ⁱ	1.66 ^m	1.66 ⁱ	--	--	--
31	--	--	--	--	5.95 ⁱ	--	5.95 ⁱ	1.66 ⁱ	--	--	--	--
Total:	--	--	--	95.2	184.5	178.5	184.5	104.6	49.8	16.6	--	--
Mean:	--	--	--	5.95	5.95	5.95	5.95	3.37	1.66	1.66	--	--
Min:	--	--	--	5.95	5.95	5.95	5.95	1.66	1.66	1.66	--	--
Max:	--	--	--	5.95	5.95	5.95	5.95	5.95	1.66	1.66	--	--
AC-FT:	--	--	--	188.8	365.9	354.1	365.9	207.5	98.8	32.9	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 813.6

TOTAL AC-FT: 1613

**Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ^m	2.48 ⁱ	2.48 ^m	--	--
2	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ^m	2.48 ⁱ	--	--	--
3	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
4	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
5	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
6	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
7	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
8	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
9	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
10	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
11	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
12	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
13	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
14	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
15	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
16	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
17	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
18	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
19	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
20	--	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
21	--	--	--	7.03 ^m	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
22	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
23	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ⁱ	2.48 ⁱ	--	--	--
24	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	5.00 ^m	2.48 ⁱ	--	--	--
25	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	2.48 ^m	2.48 ⁱ	--	--	--
26	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	2.48 ⁱ	2.48 ⁱ	--	--	--
27	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	2.48 ⁱ	2.48 ⁱ	--	--	--
28	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	2.48 ⁱ	2.48 ⁱ	--	--	--
29	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	2.48 ⁱ	2.48 ⁱ	--	--	--
30	--	--	--	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	7.03 ⁱ	2.48 ⁱ	2.48 ⁱ	--	--	--
31	--	--	--	--	7.03 ⁱ	--	7.03 ⁱ	2.48 ⁱ	--	--	--	--
Total:	--	--	--	70.3	217.9	210.9	217.9	139.4	74.4	2.48	--	--
Mean:	--	--	--	7.03	7.03	7.03	7.03	4.50	2.48	2.48	--	--
Min:	--	--	--	7.03	7.03	7.03	7.03	2.48	2.48	2.48	--	--
Max:	--	--	--	7.03	7.03	7.03	7.03	7.03	2.48	2.48	--	--
AC-FT:	--	--	--	139.4	432.3	418.3	432.3	276.5	147.6	4.92	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 933.3

TOTAL AC-FT: 1851

**Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	0.91 ^m	--	--
2	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
3	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
4	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
5	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
6	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
7	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
8	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
9	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
10	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
11	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
12	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
13	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
14	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
15	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
16	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
17	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
18	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
19	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
20	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
21	--	--	--	1.82 ^m	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
22	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
23	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	--	--	--
24	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ^m	0.91 ⁱ	--	--	--
25	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ^m	0.91 ⁱ	--	--	--
26	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	0.91 ⁱ	--	--	--
27	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	0.91 ⁱ	--	--	--
28	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	0.91 ⁱ	--	--	--
29	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	0.91 ⁱ	--	--	--
30	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.91 ⁱ	0.91 ⁱ	--	--	--
31	--	--	--	--	1.82 ⁱ	--	1.82 ⁱ	0.91 ⁱ	--	--	--	--
Total:	--	--	--	18.2	56.4	54.6	56.4	50.1	27.3	0.91	--	--
Mean:	--	--	--	1.82	1.82	1.82	1.82	1.61	0.91	0.91	--	--
Min:	--	--	--	1.82	1.82	1.82	1.82	0.91	0.91	0.91	--	--
Max:	--	--	--	1.82	1.82	1.82	1.82	1.82	0.91	0.91	--	--
AC-FT:	--	--	--	36.1	111.9	108.3	111.9	99.3	54.2	1.80	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 263.9

TOTAL AC-FT: 523.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72120010 - D - CHLC07 - A0002599**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--
2	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁿ	0.13 ⁱ	0.13 ⁱ	--	--
3	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ^m	0.13 ⁱ	0.13 ⁱ	--	--
4	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	0.13 ^m	--	--
5	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
6	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
7	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
8	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
9	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
10	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
11	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
12	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
13	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
14	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
15	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
16	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
17	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
18	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
19	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
20	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
21	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
22	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
23	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
24	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
25	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
26	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
27	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
28	--	--	--	0.26 ^m	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
29	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
30	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	0.13 ⁱ	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.26 ⁱ	0.13 ⁱ	--	--	--	--
Total:	--	--	--	0.78	8.06	7.80	8.06	4.29	3.90	0.52	--	--
Mean:	--	--	--	0.26	0.26	0.26	0.26	0.14	0.13	0.13	--	--
Min:	--	--	--	0.26	0.26	0.26	0.26	0.13	0.13	0.13	--	--
Max:	--	--	--	0.26	0.26	0.26	0.26	0.26	0.13	0.13	--	--
AC-FT:	--	--	--	1.55	16.0	15.5	16.0	8.51	7.74	1.03	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 33.4

TOTAL AC-FT: 66.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ⁱ	0.07 ⁿ	--	--
2	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.47 ^m	0.07 ⁱ	--	--	--
3	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ^m	0.07 ⁱ	--	--	--
4	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
5	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
6	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
7	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
8	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
9	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
10	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
11	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
12	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
13	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
14	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
15	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
16	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
17	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
18	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
19	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
20	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
21	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
22	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
23	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ⁱ	0.07 ⁱ	--	--	--
24	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.13 ^m	0.07 ⁱ	--	--	--
25	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ^m	0.07 ⁱ	--	--	--
26	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
27	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
28	--	--	--	0.47 ^m	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
29	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
30	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
31	--	--	--	--	0.47 ⁱ	--	0.47 ⁱ	0.07 ⁱ	--	--	--	--
Total:	--	--	--	1.41	14.6	14.1	14.6	4.29	2.10	0.07	--	--
Mean:	--	--	--	0.47	0.47	0.47	0.47	0.14	0.07	0.07	--	--
Min:	--	--	--	0.47	0.47	0.47	0.47	0.07	0.07	0.07	--	--
Max:	--	--	--	0.47	0.47	0.47	0.47	0.47	0.07	0.07	--	--
AC-FT:	--	--	--	2.80	28.9	28.0	28.9	8.51	4.17	0.14	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 51.1

TOTAL AC-FT: 101.4

Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ⁱ	0.99 ^m	--	--
2	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	3.08 ^m	0.99 ⁱ	--	--	--
3	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ^m	0.99 ⁱ	--	--	--
4	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
5	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
6	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
7	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
8	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
9	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
10	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
11	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
12	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
13	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
14	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
15	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
16	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
17	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
18	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
19	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
20	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
21	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
22	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
23	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ⁱ	0.99 ⁱ	--	--	--
24	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	1.98 ^m	0.99 ⁱ	--	--	--
25	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ^m	0.99 ⁱ	--	--	--
26	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ⁱ	0.99 ⁱ	--	--	--
27	--	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ⁱ	0.99 ⁱ	--	--	--
28	--	--	--	3.08 ^m	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ⁱ	0.99 ⁱ	--	--	--
29	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ⁱ	0.99 ⁱ	--	--	--
30	--	--	--	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	3.08 ⁱ	0.99 ⁱ	0.99 ⁱ	--	--	--
31	--	--	--	--	3.08 ⁱ	--	3.08 ⁱ	0.99 ⁱ	--	--	--	--
Total:	--	--	--	9.24	95.5	92.4	95.5	56.7	29.7	0.99	--	--
Mean:	--	--	--	3.08	3.08	3.08	3.08	1.83	0.99	0.99	--	--
Min:	--	--	--	3.08	3.08	3.08	3.08	0.99	0.99	0.99	--	--
Max:	--	--	--	3.08	3.08	3.08	3.08	3.08	0.99	0.99	--	--
AC-FT:	--	--	--	18.3	189.4	183.3	189.4	112.4	58.9	1.96	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 379.9

TOTAL AC-FT: 753.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	0.03 ^m	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
16	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
17	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
18	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
19	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
20	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
21	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
22	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
23	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
24	--	--	--	0.06 ^m	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ^m	0.03 ⁱ	--	--	--
25	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ^m	0.03 ⁱ	--	--	--
26	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	0.03 ⁱ	--	--	--
27	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	0.03 ⁱ	--	--	--
28	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	0.03 ⁱ	--	--	--
29	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	0.03 ⁱ	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	0.03 ⁱ	--	--	--
31	--	--	--	--	0.06 ⁱ	--	0.06 ⁱ	0.03 ⁱ	--	--	--	--
Total:	--	--	--	0.42	1.86	1.80	1.86	1.65	0.90	0.03	--	--
Mean:	--	--	--	0.06	0.06	0.06	0.06	0.05	0.03	0.03	--	--
Min:	--	--	--	0.06	0.06	0.06	0.06	0.03	0.03	0.03	--	--
Max:	--	--	--	0.06	0.06	0.06	0.06	0.06	0.03	0.03	--	--
AC-FT:	--	--	--	0.83	3.69	3.57	3.69	3.27	1.79	0.06	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 8.52

TOTAL AC-FT: 16.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--
2	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ^m	--	--	--	--
3	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
4	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
5	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
6	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
7	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
8	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
9	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
10	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
11	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
12	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
13	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
14	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
15	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
16	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
17	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
18	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
19	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
20	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
21	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
22	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
23	--	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
24	--	--	--	0.24 ^m	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
25	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
26	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
27	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
28	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
29	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
30	--	--	--	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	0.24 ⁱ	--	--	--	--	--
31	--	--	--	--	0.24 ⁱ	--	0.24 ⁱ	--	--	--	--	--
Total:	--	--	--	1.68	7.44	7.20	7.44	0.48	--	--	--	--
Mean:	--	--	--	0.24	0.24	0.24	0.24	0.24	--	--	--	--
Min:	--	--	--	0.24	0.24	0.24	0.24	0.24	--	--	--	--
Max:	--	--	--	0.24	0.24	0.24	0.24	0.24	--	--	--	--
AC-FT:	--	--	--	3.33	14.8	14.3	14.8	0.95	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 24.2

TOTAL AC-FT: 48.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120022 - D - CHLC11 - A0002586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
2	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ^e	--	--	--	--
3	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
4	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
5	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
6	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
7	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
8	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
9	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
10	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
11	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
12	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
13	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
14	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
15	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
16	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
17	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
18	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
19	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
20	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
21	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
22	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
23	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
24	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
25	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
26	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
27	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
28	--	--	--	0.22 ^m	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
29	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
30	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--
31	--	--	--	--	0.22 ⁱ	--	0.22 ⁱ	--	--	--	--	--
Total:	--	--	--	0.66	6.82	6.60	6.82	0.44	--	--	--	--
Mean:	--	--	--	0.22	0.22	0.22	0.22	0.22	--	--	--	--
Min:	--	--	--	0.22	0.22	0.22	0.22	0.22	--	--	--	--
Max:	--	--	--	0.22	0.22	0.22	0.22	0.22	--	--	--	--
AC-FT:	--	--	--	1.31	13.5	13.1	13.5	0.87	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 21.3

TOTAL AC-FT: 42.3

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	1.86 ^m	--	--	--	--
2	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
3	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
4	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
5	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
6	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
7	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
8	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
9	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
10	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
11	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
12	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
13	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
14	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
15	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
16	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
17	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
18	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
19	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
20	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
21	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
22	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
23	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
24	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
25	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
26	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
27	--	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
28	--	--	--	1.86 ⁿ	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
29	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
30	--	--	--	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--
31	--	--	--	--	1.86 ⁱ	--	1.86 ⁱ	--	--	--	--	--
Total:	--	--	--	5.58	57.7	55.8	57.7	1.86	--	--	--	--
Mean:	--	--	--	1.86	1.86	1.86	1.86	1.86	--	--	--	--
Min:	--	--	--	1.86	1.86	1.86	1.86	1.86	--	--	--	--
Max:	--	--	--	1.86	1.86	1.86	1.86	1.86	--	--	--	--
AC-FT:	--	--	--	11.1	114.4	110.7	114.4	3.69	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 178.6

TOTAL AC-FT: 354.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARC1 - A0007596**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020,

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁿ	--	--
2	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁿ	0.40 ⁱ	--	--	--
3	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ^m	0.40 ⁱ	--	--	--
4	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
5	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
6	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
7	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
8	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
9	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
10	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
11	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
12	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
13	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
14	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
15	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
16	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
17	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
18	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
19	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
20	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
21	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	0.79 ⁿ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
23	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
24	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
25	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
26	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
27	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
28	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
29	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
30	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
31	--	--	--	--	0.79 ⁱ	--	0.79 ⁱ	0.40 ⁱ	--	--	--	--
Total:	--	--	--	7.11	24.5	23.7	24.5	13.2	12.0	0.40	--	--
Mean:	--	--	--	0.79	0.79	0.79	0.79	0.43	0.40	0.40	--	--
Min:	--	--	--	0.79	0.79	0.79	0.79	0.40	0.40	0.40	--	--
Max:	--	--	--	0.79	0.79	0.79	0.79	0.79	0.40	0.40	--	--
AC-FT:	--	--	--	14.1	48.6	47.0	48.6	26.1	23.8	0.79	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 105.4

TOTAL AC-FT: 209.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120105 - D - DARC5 - A0007595**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--
2	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--
3	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--
4	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ^e	--	--
5	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
6	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
7	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
8	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
9	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
10	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
11	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
12	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
13	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
14	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
15	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
16	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
17	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
18	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
19	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
20	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
21	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
22	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
23	--	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	--	--	--
24	--	--	--	3.18 ^m	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ^m	1.59 ⁱ	--	--	--
25	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ^m	1.59 ⁱ	--	--	--
26	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--	--
27	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--	--
28	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--	--
29	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--	--
30	--	--	--	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	3.18 ⁱ	1.59 ⁱ	1.59 ⁱ	--	--	--
31	--	--	--	--	3.18 ⁱ	--	3.18 ⁱ	1.59 ⁱ	--	--	--	--
Total:	--	--	--	22.3	98.6	95.4	98.6	87.5	47.7	6.36	--	--
Mean:	--	--	--	3.18	3.18	3.18	3.18	2.82	1.59	1.59	--	--
Min:	--	--	--	3.18	3.18	3.18	3.18	1.59	1.59	1.59	--	--
Max:	--	--	--	3.18	3.18	3.18	3.18	3.18	1.59	1.59	--	--
AC-FT:	--	--	--	44.2	195.5	189.2	195.5	173.5	94.6	12.6	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 456.3

TOTAL AC-FT: 905.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	0.90 ^m	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
25	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
26	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
27	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
28	--	--	--	0.90 ^m	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
29	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
30	--	--	--	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	0.90 ⁱ	--	--	--	--	--
Total:	--	--	--	2.70	27.9	27.0	27.9	1.80	--	--	--	--
Mean:	--	--	--	0.90	0.90	0.90	0.90	0.90	--	--	--	--
Min:	--	--	--	0.90	0.90	0.90	0.90	0.90	--	--	--	--
Max:	--	--	--	0.90	0.90	0.90	0.90	0.90	--	--	--	--
AC-FT:	--	--	--	5.36	55.3	53.6	55.3	3.57	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 87.3

TOTAL AC-FT: 173.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ⁱ	0.08 ^m	--	--
2	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	1.78 ^m	0.08 ⁱ	--	--	--
3	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ^m	0.08 ⁱ	--	--	--
4	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
5	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
6	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
7	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
8	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
9	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
10	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
11	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
12	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
13	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
14	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
15	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
16	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
17	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
18	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
19	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
20	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
21	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
22	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
23	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ⁱ	0.08 ⁱ	--	--	--
24	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.15 ^m	0.08 ⁱ	--	--	--
25	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ^m	0.08 ⁱ	--	--	--
26	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
27	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
28	--	--	--	1.78 ^m	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
29	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
30	--	--	--	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	1.78 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
31	--	--	--	--	1.78 ⁱ	--	1.78 ⁱ	0.08 ⁱ	--	--	--	--
Total:	--	--	--	5.34	55.2	53.4	55.2	7.42	2.40	0.08	--	--
Mean:	--	--	--	1.78	1.78	1.78	1.78	0.24	0.08	0.08	--	--
Min:	--	--	--	1.78	1.78	1.78	1.78	0.08	0.08	0.08	--	--
Max:	--	--	--	1.78	1.78	1.78	1.78	1.78	0.08	0.08	--	--
AC-FT:	--	--	--	10.6	109.5	105.9	109.5	14.7	4.76	0.16	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 179.0

TOTAL AC-FT: 355.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ^m	--	--	--	--
2	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
3	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
4	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
5	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
6	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
7	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
8	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
9	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
10	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
11	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
12	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
13	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
14	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
15	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
16	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
17	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
18	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
19	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
20	--	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
21	--	--	--	1.00 ^m	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
22	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
23	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
24	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
25	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
26	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
27	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
28	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
29	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
30	--	--	--	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--
31	--	--	--	--	1.00 ⁱ	--	1.00 ⁱ	--	--	--	--	--
Total:	--	--	--	10.0	31.0	30.0	31.0	1.00	--	--	--	--
Mean:	--	--	--	1.00	1.00	1.00	1.00	1.00	--	--	--	--
Min:	--	--	--	1.00	1.00	1.00	1.00	1.00	--	--	--	--
Max:	--	--	--	1.00	1.00	1.00	1.00	1.00	--	--	--	--
AC-FT:	--	--	--	19.8	61.5	59.5	61.5	1.98	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 103.0

TOTAL AC-FT: 204.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72120502 - D - BRC2 - A0002587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ^e	--	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
16	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
17	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
18	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
19	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
20	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
21	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
22	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
23	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
24	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
25	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
26	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
27	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
28	--	--	--	2.40 ^m	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
29	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
30	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	2.40 ⁱ	--	--	--	--	--
Total:	--	--	--	7.20	74.4	72.0	74.4	4.80	--	--	--	--
Mean:	--	--	--	2.40	2.40	2.40	2.40	2.40	--	--	--	--
Min:	--	--	--	2.40	2.40	2.40	2.40	2.40	--	--	--	--
Max:	--	--	--	2.40	2.40	2.40	2.40	2.40	--	--	--	--
AC-FT:	--	--	--	14.3	147.6	142.8	147.6	9.52	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 232.8

TOTAL AC-FT: 461.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ⁱ	0.17 ^m	--	--
2	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ^m	0.17 ⁱ	--	--	--
3	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁿ	0.17 ⁱ	--	--	--
4	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
5	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
6	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
7	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
8	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
9	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
10	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
11	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
12	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
13	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
14	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
15	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
16	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
17	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
18	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
19	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
20	--	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
21	--	--	--	4.35 ^m	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
22	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
23	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ⁱ	0.17 ⁱ	--	--	--
24	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.33 ^m	0.17 ⁱ	--	--	--
25	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ^m	0.17 ⁱ	--	--	--
26	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ⁱ	0.17 ⁱ	--	--	--
27	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ⁱ	0.17 ⁱ	--	--	--
28	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ⁱ	0.17 ⁱ	--	--	--
29	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ⁱ	0.17 ⁱ	--	--	--
30	--	--	--	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	4.35 ⁱ	0.17 ⁱ	0.17 ⁱ	--	--	--
31	--	--	--	--	4.35 ⁱ	--	4.35 ⁱ	0.17 ⁱ	--	--	--	--
Total:	--	--	--	43.5	134.9	130.5	134.9	17.2	5.10	0.17	--	--
Mean:	--	--	--	4.35	4.35	4.35	4.35	0.55	0.17	0.17	--	--
Min:	--	--	--	4.35	4.35	4.35	4.35	0.17	0.17	0.17	--	--
Max:	--	--	--	4.35	4.35	4.35	4.35	4.35	0.17	0.17	--	--
AC-FT:	--	--	--	86.3	267.5	258.9	267.5	34.0	10.1	0.34	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 466.1

TOTAL AC-FT: 924.6

Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ⁱ	0.23 ^m	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	0.23 ⁱ	--	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ^m	0.23 ⁱ	--	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
21	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
22	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
23	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ⁱ	0.23 ⁱ	--	--	--
24	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.50 ^m	0.23 ⁱ	--	--	--
25	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ^m	0.23 ⁱ	--	--	--
26	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
27	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
28	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
29	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
30	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ⁱ	0.23 ⁱ	--	--	--	--
Total:	--	--	--	19.0	58.9	57.0	58.9	16.4	6.90	0.23	--	--
Mean:	--	--	--	1.90	1.90	1.90	1.90	0.53	0.23	0.23	--	--
Min:	--	--	--	1.90	1.90	1.90	1.90	0.23	0.23	0.23	--	--
Max:	--	--	--	1.90	1.90	1.90	1.90	1.90	0.23	0.23	--	--
AC-FT:	--	--	--	37.7	116.8	113.1	116.8	32.6	13.7	0.46	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 217.3

TOTAL AC-FT: 431.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--
2	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	1.26 ^m	--	--	--	--
3	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
4	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
5	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
6	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
7	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
8	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
9	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
10	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
11	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
12	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
13	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
14	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
15	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
16	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
17	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
18	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
19	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
20	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
21	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
22	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
23	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
24	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
25	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
26	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
27	--	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
28	--	--	--	1.26 ^m	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
29	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
30	--	--	--	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--
31	--	--	--	--	1.26 ⁱ	--	1.26 ⁱ	--	--	--	--	--
Total:	--	--	--	3.78	39.1	37.8	39.1	2.52	--	--	--	--
Mean:	--	--	--	1.26	1.26	1.26	1.26	1.26	--	--	--	--
Min:	--	--	--	1.26	1.26	1.26	1.26	1.26	--	--	--	--
Max:	--	--	--	1.26	1.26	1.26	1.26	1.26	--	--	--	--
AC-FT:	--	--	--	7.50	77.5	75.0	77.5	5.00	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 122.2

TOTAL AC-FT: 242.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72120803 - D - CHLCUT03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.96 ^m	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--
2	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	0.96 ^m	--	--	--	--
3	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
4	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
5	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
6	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
7	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
8	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
9	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
10	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
11	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
12	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
13	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
14	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
15	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
16	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
17	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
18	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
19	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
20	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
21	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
22	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
23	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
24	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
25	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
26	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
27	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
28	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
29	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
30	--	--	--	--	0.96 ⁱ	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--
31	--	--	--	--	0.96 ⁱ	--	0.96 ⁱ	--	--	--	--	--
Total:	--	--	--	--	29.8	28.8	29.8	1.92	--	--	--	--
Mean:	--	--	--	--	0.96	0.96	0.96	0.96	--	--	--	--
Min:	--	--	--	--	0.96	0.96	0.96	0.96	--	--	--	--
Max:	--	--	--	--	0.96	0.96	0.96	0.96	--	--	--	--
AC-FT:	--	--	--	--	59.0	57.1	59.0	3.81	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 90.2

TOTAL AC-FT: 179.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ^m	--	--
2	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
3	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
4	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
5	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
6	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
7	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
8	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
9	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
10	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
11	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
12	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
13	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
14	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
15	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
16	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
17	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
18	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
19	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
20	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
21	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
22	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
23	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	--	--	--
24	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ^m	0.15 ⁱ	--	--	--
25	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ^m	0.15 ⁱ	--	--	--
26	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
27	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
28	--	--	--	0.29 ^m	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
29	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
30	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
31	--	--	--	--	0.29 ⁱ	--	0.29 ⁱ	0.15 ⁱ	--	--	--	--
Total:	--	--	--	0.87	8.99	8.70	8.99	8.01	4.50	0.15	--	--
Mean:	--	--	--	0.29	0.29	0.29	0.29	0.26	0.15	0.15	--	--
Min:	--	--	--	0.29	0.29	0.29	0.29	0.15	0.15	0.15	--	--
Max:	--	--	--	0.29	0.29	0.29	0.29	0.29	0.15	0.15	--	--
AC-FT:	--	--	--	1.73	17.8	17.3	17.8	15.9	8.93	0.30	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 40.2

TOTAL AC-FT: 79.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130003 - D - HLCNL-03 - A0002594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
2	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
3	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
4	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
5	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
6	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
7	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
8	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
9	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
10	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
11	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
12	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
13	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
14	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--
15	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ^m	--	--
16	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
17	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
18	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
19	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
20	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
21	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
22	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
23	--	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	--	--	--
24	--	--	--	5.61 ^m	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ^m	2.88 ⁱ	--	--	--
25	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ^m	2.88 ⁱ	--	--	--
26	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--	--
27	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--	--
28	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--	--
29	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--	--
30	--	--	--	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	5.61 ⁱ	2.88 ⁱ	2.88 ⁱ	--	--	--
31	--	--	--	--	5.61 ⁱ	--	5.61 ⁱ	2.88 ⁱ	--	--	--	--
Total:	--	--	--	39.3	173.9	168.3	173.9	154.8	86.4	43.2	--	--
Mean:	--	--	--	5.61	5.61	5.61	5.61	4.99	2.88	2.88	--	--
Min:	--	--	--	5.61	5.61	5.61	5.61	2.88	2.88	2.88	--	--
Max:	--	--	--	5.61	5.61	5.61	5.61	5.61	2.88	2.88	--	--
AC-FT:	--	--	--	77.9	345.0	333.8	345.0	307.1	171.4	85.7	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 839.8

TOTAL AC-FT: 1665

Annual Summary for Water District 72A Garden and Challis Creeks
72130004 - D - HLCNL-04 - A0002709

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.17 ⁱ	0.92 ⁱ	0.68 ⁱ	0.43 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--
2	--	--	--	--	1.16 ⁱ	0.91 ⁱ	0.67 ⁱ	0.42 ^m	0.42 ⁱ	0.42 ⁱ	--	--
3	--	--	--	--	1.15 ⁱ	0.90 ⁱ	0.66 ⁱ	0.42 ^m	0.42 ⁱ	0.42 ⁱ	--	--
4	--	--	--	--	1.14 ⁱ	0.89 ⁱ	0.65 ⁱ	0.42 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--
5	--	--	--	--	1.13 ⁱ	0.89 ⁱ	0.64 ⁱ	0.42 ⁱ	0.42 ⁱ	0.42 ^m	--	--
6	--	--	--	--	1.13 ⁱ	0.88 ⁱ	0.64 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
7	--	--	--	--	1.12 ⁱ	0.87 ⁱ	0.63 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
8	--	--	--	--	1.11 ⁱ	0.86 ⁱ	0.62 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
9	--	--	--	--	1.10 ⁱ	0.85 ⁱ	0.61 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
10	--	--	--	--	1.09 ⁱ	0.85 ⁱ	0.60 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
11	--	--	--	--	1.09 ⁱ	0.84 ⁱ	0.60 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
12	--	--	--	--	1.08 ⁱ	0.83 ⁱ	0.59 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
13	--	--	--	--	1.07 ⁱ	0.82 ⁱ	0.58 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
14	--	--	--	--	1.06 ⁱ	0.81 ⁱ	0.57 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
15	--	--	--	--	1.05 ⁱ	0.81 ⁱ	0.56 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
16	--	--	--	--	1.05 ⁱ	0.80 ⁱ	0.56 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
17	--	--	--	--	1.04 ⁱ	0.79 ⁱ	0.55 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
18	--	--	--	--	1.03 ⁱ	0.78 ⁱ	0.54 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
19	--	--	--	--	1.02 ⁱ	0.77 ⁱ	0.53 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
20	--	--	--	--	1.01 ⁱ	0.76 ⁱ	0.52 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
21	--	--	--	--	1.01 ⁱ	0.76 ⁱ	0.52 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
22	--	--	--	--	1.00 ⁱ	0.75 ⁱ	0.51 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
23	--	--	--	--	0.99 ⁱ	0.74 ⁱ	0.50 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
24	--	--	--	--	0.98 ⁱ	0.73 ⁱ	0.49 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
25	--	--	--	--	0.97 ⁱ	0.72 ⁱ	0.48 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
26	--	--	--	--	0.97 ⁱ	0.72 ⁱ	0.48 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
27	--	--	--	--	0.96 ⁱ	0.71 ⁱ	0.47 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
28	--	--	--	1.19 ^m	0.95 ⁱ	0.70 ⁱ	0.46 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
29	--	--	--	1.18 ⁱ	0.94 ⁱ	0.69 ⁱ	0.45 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
30	--	--	--	1.17 ⁱ	0.93 ⁱ	0.68 ⁱ	0.44 ⁱ	0.42 ⁱ	0.42 ⁱ	--	--	--
31	--	--	--	--	0.93 ⁱ	--	0.44 ⁱ	0.42 ⁱ	--	--	--	--
Total:	--	--	--	3.54	32.4	24.0	17.2	13.0	12.6	2.10	--	--
Mean:	--	--	--	1.18	1.05	0.80	0.56	0.42	0.42	0.42	--	--
Min:	--	--	--	1.17	0.93	0.68	0.44	0.42	0.42	0.42	--	--
Max:	--	--	--	1.19	1.17	0.92	0.68	0.43	0.42	0.42	--	--
AC-FT:	--	--	--	7.02	64.3	47.7	34.2	25.9	25.0	4.17	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 105.0

TOTAL AC-FT: 208.2

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ^m	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
23	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
24	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
25	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
26	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
27	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
28	--	--	--	0.06 ^m	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
29	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	0.06 ⁱ	--	--	--	--	--
Total:	--	--	--	0.18	1.86	1.80	1.86	0.12	--	--	--	--
Mean:	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--	--
Min:	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--	--
Max:	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--	--
AC-FT:	--	--	--	0.36	3.69	3.57	3.69	0.24	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 5.82

TOTAL AC-FT: 11.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--
2	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ^m	--	--
3	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
4	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
5	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
6	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
7	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
8	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
9	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
10	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
11	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
12	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
13	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
14	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
15	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
16	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
17	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
18	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
19	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
20	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
21	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	--	--	--
22	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ^m	3.40 ⁱ	--	--	--
23	--	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ^m	3.40 ⁱ	--	--	--
24	--	--	--	6.80 ^m	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ^m	3.40 ⁱ	--	--	--
25	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--	--
26	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--	--
27	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--	--
28	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--	--
29	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--	--
30	--	--	--	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	6.80 ⁱ	3.40 ⁱ	3.40 ⁱ	--	--	--
31	--	--	--	--	6.80 ⁱ	--	6.80 ⁱ	3.40 ⁱ	--	--	--	--
Total:	--	--	--	47.6	210.8	204.0	210.8	183.6	102.0	6.80	--	--
Mean:	--	--	--	6.80	6.80	6.80	6.80	5.92	3.40	3.40	--	--
Min:	--	--	--	6.80	6.80	6.80	6.80	3.40	3.40	3.40	--	--
Max:	--	--	--	6.80	6.80	6.80	6.80	6.80	3.40	3.40	--	--
AC-FT:	--	--	--	94.4	418.1	404.6	418.1	364.2	202.3	13.5	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 965.6

TOTAL AC-FT: 1915

**Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ^m	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ^m	--	--	--	--
24	--	--	--	0.40 ^m	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ^m	--	--	--	--
25	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--
26	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--
27	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--
28	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--
29	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--
30	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.40 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	2.80	12.4	12.0	12.4	10.8	1.60	--	--	--
Mean:	--	--	--	0.40	0.40	0.40	0.40	0.35	0.20	--	--	--
Min:	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--	--
Max:	--	--	--	0.40	0.40	0.40	0.40	0.40	0.20	--	--	--
AC-FT:	--	--	--	5.55	24.6	23.8	24.6	21.4	3.17	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 52.0

TOTAL AC-FT: 103.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130012 - D - HLCNL-12 - A0007586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	--	--	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
28	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
29	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
30	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ⁱ	--	--	--	--	--
Total:	--	--	--	5.70	58.9	57.0	58.9	3.80	--	--	--	--
Mean:	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--	--	--
Min:	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--	--	--
Max:	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--	--	--
AC-FT:	--	--	--	11.3	116.8	113.1	116.8	7.54	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 184.3

TOTAL AC-FT: 365.6

Annual Summary for Water District 72A Garden and Charlis Creeks
72130013 - D - HLCNL-13 - A0002701

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--
2	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--
3	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--
4	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--
5	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--
6	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ^m	--	--
7	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
8	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
9	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
10	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
11	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
12	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
13	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
14	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
15	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
16	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
17	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
18	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
19	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
20	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
21	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
22	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	--	--	--
23	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	1.26 ⁱ	--	--	--
24	--	--	--	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ^m	1.26 ⁱ	--	--	--
25	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--
26	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--
27	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--
28	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--
29	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--
30	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.26 ⁱ	1.26 ⁱ	--	--	--
31	--	--	--	--	2.51 ⁱ	--	2.51 ⁱ	1.26 ⁱ	--	--	--	--
Total:	--	--	--	17.6	77.8	75.3	77.8	67.8	37.8	7.56	--	--
Mean:	--	--	--	2.51	2.51	2.51	2.51	2.19	1.26	1.26	--	--
Min:	--	--	--	2.51	2.51	2.51	2.51	1.26	1.26	1.26	--	--
Max:	--	--	--	2.51	2.51	2.51	2.51	2.51	1.26	1.26	--	--
AC-FT:	--	--	--	34.9	154.3	149.4	154.3	134.5	75.0	15.0	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 361.7

TOTAL AC-FT: 717.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020
c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ^m	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
23	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
24	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
25	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
26	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
27	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
28	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
29	--	--	--	0.06 ^m	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	0.06 ⁱ	--	--	--	--	--
Total:	--	--	--	0.18	1.86	1.80	1.86	0.12	--	--	--	--
Mean:	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--	--
Min:	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--	--
Max:	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--	--
AC-FT:	--	--	--	0.36	3.69	3.57	3.69	0.24	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 5.82

TOTAL AC-FT: 11.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130016 - D - HLCNL-16 - A0002713**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--
2	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ^m	3.31 ⁱ	3.31 ^m	--	--
3	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁿ	3.31 ⁱ	--	--	--
4	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
5	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
6	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
7	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
8	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
9	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
10	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
11	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
12	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
13	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
14	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
15	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
16	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
17	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
18	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
19	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
20	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
21	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
22	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
23	--	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
24	--	--	--	7.19 ^m	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
25	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
26	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
27	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
28	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
29	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
30	--	--	--	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	7.19 ⁱ	3.31 ⁱ	3.31 ⁱ	--	--	--
31	--	--	--	--	7.19 ⁱ	--	7.19 ⁱ	3.31 ⁱ	--	--	--	--
Total:	--	--	--	50.3	222.9	215.7	222.9	110.4	99.3	6.62	--	--
Mean:	--	--	--	7.19	7.19	7.19	7.19	3.56	3.31	3.31	--	--
Min:	--	--	--	7.19	7.19	7.19	7.19	3.31	3.31	3.31	--	--
Max:	--	--	--	7.19	7.19	7.19	7.19	7.19	3.31	3.31	--	--
AC-FT:	--	--	--	99.8	442.1	427.8	442.1	218.9	197.0	13.1	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 928.1

TOTAL AC-FT: 1840

**Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
24	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
25	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
26	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
27	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
28	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
29	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
30	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.70 ⁱ	--	--	--	--	--
Total:	--	--	--	--	21.7	21.0	21.7	1.40	--	--	--	--
Mean:	--	--	--	--	0.70	0.70	0.70	0.70	--	--	--	--
Min:	--	--	--	--	0.70	0.70	0.70	0.70	--	--	--	--
Max:	--	--	--	--	0.70	0.70	0.70	0.70	--	--	--	--
AC-FT:	--	--	--	--	43.0	41.7	43.0	2.78	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 65.8

TOTAL AC-FT: 130.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72130018 - D - HLCNL-18 - A0002716**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.65 ^m	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--
2	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.65 ^m	--	--	--	--
3	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ^m	--	--	--	--
4	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
5	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
6	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
7	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
8	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
9	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
10	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
11	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
12	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
13	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
14	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
15	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
16	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
17	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
18	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
19	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
20	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
21	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
22	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
23	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ⁱ	--	--	--	--
24	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	0.17 ^m	--	--	--	--
25	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--	--
26	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--	--
27	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--	--
28	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--	--
29	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--	--
30	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.65 ⁱ	--	--	--	--	--
31	--	--	--	--	0.65 ⁱ	--	0.65 ⁱ	--	--	--	--	--
Total:	--	--	--	--	20.2	19.5	20.2	5.04	--	--	--	--
Mean:	--	--	--	--	0.65	0.65	0.65	0.21	--	--	--	--
Min:	--	--	--	--	0.65	0.65	0.65	0.17	--	--	--	--
Max:	--	--	--	--	0.65	0.65	0.65	0.65	--	--	--	--
AC-FT:	--	--	--	--	40.0	38.7	40.0	10.0	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 64.8

TOTAL AC-FT: 128.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.54 ^m	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ^m	--	--
2	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
3	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
4	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
5	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
6	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
7	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
8	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
9	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
10	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
11	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
12	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
13	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
14	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
15	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
16	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
17	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
18	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
19	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
20	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
21	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
22	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
23	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.27 ⁱ	--	--	--
24	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ^m	0.27 ⁱ	--	--	--
25	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ⁱ	--	--	--
26	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ⁱ	--	--	--
27	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ⁱ	--	--	--
28	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ⁱ	--	--	--
29	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ⁱ	--	--	--
30	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	0.27 ⁱ	--	--	--
31	--	--	--	--	0.54 ⁱ	--	0.54 ⁱ	0.27 ⁱ	--	--	--	--
Total:	--	--	--	--	16.7	16.2	16.7	14.6	8.10	0.27	--	--
Mean:	--	--	--	--	0.54	0.54	0.54	0.47	0.27	0.27	--	--
Min:	--	--	--	--	0.54	0.54	0.54	0.27	0.27	0.27	--	--
Max:	--	--	--	--	0.54	0.54	0.54	0.54	0.27	0.27	--	--
AC-FT:	--	--	--	--	33.2	32.1	33.2	28.9	16.1	0.54	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 72.6

TOTAL AC-FT: 144.1

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
2	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ^m	--	--
3	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
4	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
5	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
6	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
7	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
8	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
9	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
10	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
11	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
12	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
13	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
14	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
15	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
16	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
17	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
18	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
19	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
20	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
21	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
22	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	--	--	--
23	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ^m	0.46 ⁱ	--	--	--
24	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ^m	0.46 ⁱ	--	--	--
25	--	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
26	--	--	--	0.91 ^m	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
27	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
28	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
29	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
30	--	--	--	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.91 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
31	--	--	--	--	0.91 ⁱ	--	0.91 ⁱ	0.46 ⁱ	--	--	--	--
Total:	--	--	--	4.55	28.2	27.3	28.2	24.6	13.8	0.92	--	--
Mean:	--	--	--	0.91	0.91	0.91	0.91	0.79	0.46	0.46	--	--
Min:	--	--	--	0.91	0.91	0.91	0.91	0.46	0.46	0.46	--	--
Max:	--	--	--	0.91	0.91	0.91	0.91	0.91	0.46	0.46	--	--
AC-FT:	--	--	--	9.02	56.0	54.2	56.0	48.8	27.4	1.82	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 127.6

TOTAL AC-FT: 253.1

Annual Summary For Water District 72A Garden and Charlis Creeks
72130022 - D - HLCNL-22 - A0002719

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ^m	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
28	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.11 ⁱ	--	--	--	--	--
Total:	--	--	--	0.33	3.41	3.30	3.41	0.22	--	--	--	--
Mean:	--	--	--	0.11	0.11	0.11	0.11	0.11	--	--	--	--
Min:	--	--	--	0.11	0.11	0.11	0.11	0.11	--	--	--	--
Max:	--	--	--	0.11	0.11	0.11	0.11	0.11	--	--	--	--
AC-FT:	--	--	--	0.65	6.76	6.55	6.76	0.44	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 10.7

TOTAL AC-FT: 21.2

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁿ	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
16	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
17	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
21	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
22	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
23	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
24	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
25	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
26	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
27	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
28	--	--	--	0.10 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
29	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
30	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	0.10 ⁱ	--	--	--	--	--
Total:	--	--	--	0.30	3.10	3.00	3.10	0.20	--	--	--	--
Mean:	--	--	--	0.10	0.10	0.10	0.10	0.10	--	--	--	--
Min:	--	--	--	0.10	0.10	0.10	0.10	0.10	--	--	--	--
Max:	--	--	--	0.10	0.10	0.10	0.10	0.10	--	--	--	--
AC-FT:	--	--	--	0.60	6.15	5.95	6.15	0.40	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 9.70

TOTAL AC-FT: 19.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130024 - D - HLCNL-24 - A0007590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--
2	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	0.62 ^m	--	--	--	--
3	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
4	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
5	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
6	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
7	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
8	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
9	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
10	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
11	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
12	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
13	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
14	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
15	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
16	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
17	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
18	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
19	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
20	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
21	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
22	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
23	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
24	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
25	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
26	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
27	--	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
28	--	--	--	0.62 ^m	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
29	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
30	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--
31	--	--	--	--	0.62 ⁱ	--	0.62 ⁱ	--	--	--	--	--
Total:	--	--	--	1.86	19.2	18.6	19.2	1.24	--	--	--	--
Mean:	--	--	--	0.62	0.62	0.62	0.62	0.62	--	--	--	--
Min:	--	--	--	0.62	0.62	0.62	0.62	0.62	--	--	--	--
Max:	--	--	--	0.62	0.62	0.62	0.62	0.62	--	--	--	--
AC-FT:	--	--	--	3.69	38.1	36.9	38.1	2.46	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 60.1

TOTAL AC-FT: 119.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁿ	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ^m	0.06 ⁱ	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ^m	0.06 ⁱ	--	--	--
26	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.11 ⁱ	0.06 ⁱ	--	--	--	--
Total:	--	--	--	0.55	3.41	3.30	3.41	3.06	1.80	0.60	--	--
Mean:	--	--	--	0.11	0.11	0.11	0.11	0.10	0.06	0.06	--	--
Min:	--	--	--	0.11	0.11	0.11	0.11	0.06	0.06	0.06	--	--
Max:	--	--	--	0.11	0.11	0.11	0.11	0.11	0.06	0.06	--	--
AC-FT:	--	--	--	1.09	6.76	6.55	6.76	6.07	3.57	1.19	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 16.1

TOTAL AC-FT: 32.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
2	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	1.63 ^m	0.29 ⁱ	0.29 ⁱ	--	--
3	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ^m	0.29 ⁱ	0.29 ⁱ	--	--
4	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
5	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
6	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
7	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
8	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
9	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
10	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--
11	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	0.29 ^m	--	--
12	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
13	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
14	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
15	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
16	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
17	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
18	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
19	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
20	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
21	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
22	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
23	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
24	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
25	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.59 ^m	0.29 ⁱ	--	--	--
26	--	--	--	1.63 ⁿ	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.29 ^m	0.29 ⁱ	--	--	--
27	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--
28	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--
29	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--
30	--	--	--	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	1.63 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--
31	--	--	--	--	1.63 ⁱ	--	1.63 ⁱ	0.29 ⁱ	--	--	--	--
Total:	--	--	--	8.15	50.5	48.9	50.5	18.3	8.70	2.90	--	--
Mean:	--	--	--	1.63	1.63	1.63	1.63	0.59	0.29	0.29	--	--
Min:	--	--	--	1.63	1.63	1.63	1.63	0.29	0.29	0.29	--	--
Max:	--	--	--	1.63	1.63	1.63	1.63	0.29	0.29	0.29	--	--
AC-FT:	--	--	--	16.2	100.2	97.0	100.2	36.2	17.3	5.75	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 188.0

TOTAL AC-FT: 372.9

Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020
c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
2	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ^m	2.98 ⁱ	2.98 ⁱ	--	--
3	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ^m	2.98 ⁱ	2.98 ⁱ	--	--
4	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
5	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
6	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
7	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
8	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
9	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
10	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
11	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
12	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	2.98 ^m	--	--
13	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
14	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
15	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
16	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
17	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
18	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
19	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
20	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
21	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
22	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
23	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
24	--	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ⁱ	2.98 ⁱ	--	--	--
25	--	--	--	11.3 ^m	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	5.80 ^m	2.98 ⁱ	--	--	--
26	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	2.98 ^m	2.98 ⁱ	--	--	--
27	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
28	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
29	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
30	--	--	--	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	11.3 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
31	--	--	--	11.3 ⁱ	--	11.3 ⁱ	2.98 ⁱ	--	--	--	--	--
Total:	--	--	--	79.2	350.9	339.6	350.9	171.1	89.4	29.8	--	--
Mean:	--	--	--	11.3	11.3	11.3	11.3	5.52	2.98	2.98	--	--
Min:	--	--	--	11.3	11.3	11.3	11.3	2.98	2.98	2.98	--	--
Max:	--	--	--	11.3	11.3	11.3	11.3	11.3	2.98	2.98	--	--
AC-FT:	--	--	--	157.2	696.1	673.6	696.1	339.4	177.3	59.1	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 1410

TOTAL AC-FT: 2798

**Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
2	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
3	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
4	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
5	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
6	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
7	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
8	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
9	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
10	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--
11	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁿ	--	--
12	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
13	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
14	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
15	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
16	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
17	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
18	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
19	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
20	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
21	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
22	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
23	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
24	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	--	--	--
25	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁿ	0.52 ⁱ	--	--	--
26	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ^m	0.52 ⁱ	--	--	--
27	--	--	--	1.04 ⁿ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--	--
28	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--	--
29	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--	--
30	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--	--
31	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.52 ⁱ	0.52 ⁱ	--	--	--
Total:	--	--	--	1.04 ⁱ	--	1.04 ⁱ	0.52 ⁱ	--	--	--	--	--
Mean:	--	--	5.20	32.2	31.2	32.2	28.6	15.6	5.20	--	--	--
Min:	--	--	1.04	1.04	1.04	1.04	0.92	0.52	0.52	--	--	--
Max:	--	--	1.04	1.04	1.04	1.04	0.52	0.52	0.52	--	--	--
AC-FT:	--	--	10.3	64.0	61.9	64.0	56.7	30.9	10.3	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 150.3

TOTAL AC-FT: 298.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
2	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
3	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
4	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
5	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
6	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
7	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
8	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
9	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
10	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
11	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
12	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
13	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
14	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
15	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
16	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
17	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
18	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
19	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
20	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
21	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
22	--	--	--	--	--	--	--	--	1.19 ⁱ	--	--	--
23	--	--	--	--	--	--	--	--	1.19 ^m	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	1.19 ^m	--	--	--	--	--
26	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
27	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
28	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
29	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
30	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
31	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
Total:	--	--	--	--	--	--	1.19 ⁱ	--	--	--	--	--
Mean:	--	--	--	--	--	--	9.52	26.2	--	--	--	--
Min:	--	--	--	--	--	--	1.19	1.19	--	--	--	--
Max:	--	--	--	--	--	--	1.19	1.19	--	--	--	--
AC-FT:	--	--	--	--	--	--	1.19	1.19	--	--	--	--
							18.9	51.9	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 35.7

TOTAL AC-FT: 70.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020
c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
2	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ^m	2.98 ⁱ	2.98 ⁱ	--	--
3	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ^m	2.98 ⁱ	2.98 ⁱ	--	--
4	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
5	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
6	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
7	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
8	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
9	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
10	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--
11	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	2.98 ^m	--	--
12	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
13	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
14	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
15	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
16	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
17	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
18	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
19	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
20	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
21	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
22	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
23	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
24	--	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ⁱ	2.98 ⁱ	--	--	--
25	--	--	--	11.5 ⁿ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	5.96 ^m	2.98 ⁱ	--	--	--
26	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ^m	2.98 ⁱ	--	--	--
27	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
28	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
29	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
30	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
31	--	--	--	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	11.5 ⁱ	2.98 ⁱ	2.98 ⁱ	--	--	--
Total:	--	--	--	--	11.5 ⁱ	--	11.5 ⁱ	2.98 ⁱ	--	--	--	--
Mean:	--	--	--	80.4	355.9	344.4	355.9	174.9	89.4	29.8	--	--
Min:	--	--	--	11.5	11.5	11.5	11.5	5.64	2.98	2.98	--	--
Max:	--	--	--	11.5	11.5	11.5	11.5	2.98	2.98	2.98	--	--
AC-FT:	--	--	--	159.4	705.9	683.1	705.9	347.0	177.3	59.1	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 1430

TOTAL AC-FT: 2837

**Annual Summary for Water District 72A Garden and Challis Creeks
72130039 - D - HLCNL-39 - A0002724**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2020 - 12/31/2020
c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--
2	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ^m	--	--	--	--
3	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
4	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
5	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
6	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
7	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
8	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
9	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
10	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
11	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
12	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
13	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
14	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
15	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
16	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
17	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
18	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
19	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
20	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
21	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
22	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
23	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
24	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
25	--	--	--	4.00 ^m	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
26	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
27	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
28	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
29	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
30	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
31	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	--	--	--	--	--
Total:	--	--	--	28.0	124.0	120.0	124.0	8.00	--	--	--	--
Mean:	--	--	--	4.00	4.00	4.00	4.00	4.00	--	--	--	--
Min:	--	--	--	4.00	4.00	4.00	4.00	4.00	--	--	--	--
Max:	--	--	--	4.00	4.00	4.00	4.00	4.00	--	--	--	--
AC-FT:	--	--	--	55.5	246.0	238.0	246.0	15.9	--	--	--	--

CALENDAR YEAR 01/01/2020 - 12/31/2020

TOTAL CFS: 404.0

TOTAL AC-FT: 801.3