

RECEIVED
AUG 01 2022
DEPT OF WATER RESOURCES
SOUTHERN REGION

WATERMASTER'S ANNUAL REPORT

From: April 15 . 20 21 To: October 15 . 20 21

Water District No. 72-A

Water District Name: Challis Creek & Garden Creek

Name of Watermaster: David Philps

Mailing Address: 25035 Highway 93, PO Box 910, Challis, ID 83226

AFFIDAVIT OF WATERMASTER

As the appointed watermaster of water district no. 72-A . I hereby certify that the information contained in this report is true and correct to the best of my knowledge.

David Philps
Watermaster signature

3-14-22
Date

Pursuant to Section 42-606 Idaho Code, this Watermaster's Annual Report shall be filed prior to the end of the watermaster's appointment for the current year, and kept in the office of the Idaho Department of Water Resources (IDWR). The Watermaster's Daily Diversion Records should be attached to this report if those records are not submitted electronically to IDWR.

**Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ^m	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
16	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
17	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
21	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
22	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
23	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
24	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
25	--	--	--	0.10 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
26	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
27	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
28	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
29	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
30	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	0.10 ⁱ	--	--	--	--	--
Total:	--	--	--	0.60	3.10	3.00	3.10	1.20	--	--	--	--
Mean:	--	--	--	0.10	0.10	0.10	0.10	0.10	--	--	--	--
Min:	--	--	--	0.10	0.10	0.10	0.10	0.10	--	--	--	--
Max:	--	--	--	0.10	0.10	0.10	0.10	0.10	--	--	--	--
AC-FT:	--	--	--	1.19	6.15	5.95	6.15	2.38	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 11.0

TOTAL AC-FT: 21.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72110012 - D - GDN12 - A0002509**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--
2	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ^m	--	--
3	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	0.00 ^m	--	--
4	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
5	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
6	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
7	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
8	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
9	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
10	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
11	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
12	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
13	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
14	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	--	--	--
15	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ^m	1.50 ^m	--	--	--
16	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	1.50 ^m	1.00 ^m	--	--	--
17	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
18	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
19	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
20	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ^m	1.50 ⁱ	1.00 ⁱ	--	--	--
21	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.00 ^m	1.50 ⁱ	1.00 ⁱ	--	--	--
22	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
23	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
24	--	--	--	--	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
25	--	--	--	3.80 ^m	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
26	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
27	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
28	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
29	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
30	--	--	--	3.80 ⁱ	3.80 ⁱ	3.80 ⁱ	3.00 ⁱ	1.50 ⁱ	1.00 ⁱ	--	--	--
31	--	--	--	--	3.80 ⁱ	--	3.00 ⁱ	1.50 ⁱ	--	--	--	--
Total:	--	--	--	22.8	117.8	114.0	109.0	69.0	37.5	2.00	--	--
Mean:	--	--	--	3.80	3.80	3.80	3.52	2.23	1.25	0.67	--	--
Min:	--	--	--	3.80	3.80	3.80	3.00	1.50	1.00	0.00	--	--
Max:	--	--	--	3.80	3.80	3.80	3.80	3.00	1.50	1.00	--	--
AC-FT:	--	--	--	45.2	233.7	226.1	216.2	136.9	74.4	3.97	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 472.1

TOTAL AC-FT: 936.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ^m	--	--	--	--	--	--
11	--	--	--	--	2.40 ⁱ	0.00 ^m	--	--	--	--	--	--
12	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
25	--	--	--	2.40 ⁿ	2.40 ⁱ	--	--	--	--	--	--	--
26	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
27	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
28	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
29	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
30	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	14.4	74.4	24.0	--	--	--	--	--	--
Mean:	--	--	--	2.40	2.40	2.18	--	--	--	--	--	--
Min:	--	--	--	2.40	2.40	0.00	--	--	--	--	--	--
Max:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
AC-FT:	--	--	--	28.6	147.6	47.6	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 112.8

TOTAL AC-FT: 223.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ^m	--	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.00 ⁿ	--	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.00 ⁿ	--	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.00 ^m	--	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.00 ^m	--	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.00 ^m	--	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	0.00 ⁿ	--	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.90 ^m	0.90 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.40	27.9	9.00	--	--	--	--	--	--
Mean:	--	--	--	0.90	0.90	0.56	--	--	--	--	--	--
Min:	--	--	--	0.90	0.90	0.00	--	--	--	--	--	--
Max:	--	--	--	0.90	0.90	0.90	--	--	--	--	--	--
AC-FT:	--	--	--	10.7	55.3	17.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 42.3

TOTAL AC-FT: 83.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72110020 - D - GDN20 - A0003074**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
2	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
3	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
4	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
5	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
6	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
7	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
8	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
9	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--
10	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ^m	0.60 ⁱ	0.30 ⁱ	--	--	--
11	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ^m	0.60 ⁱ	0.30 ⁱ	--	--	--
12	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.60 ⁱ	0.30 ^m	--	--	--
13	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.60 ⁱ	0.00 ^m	--	--	--
14	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--	--
15	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.60 ^m	--	--	--	--
16	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ^m	--	--	--	--
17	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
18	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
19	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
20	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
21	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
22	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
23	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
24	--	--	--	--	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
25	--	--	--	1.02 ^m	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
26	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
27	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
28	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
29	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
30	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--
31	--	--	--	--	1.02 ⁱ	--	0.60 ⁱ	0.30 ⁱ	--	--	--	--
Total:	--	--	--	6.12	31.6	30.6	22.8	13.8	3.60	--	--	--
Mean:	--	--	--	1.02	1.02	1.02	0.74	0.45	0.28	--	--	--
Min:	--	--	--	1.02	1.02	1.02	0.60	0.30	0.00	--	--	--
Max:	--	--	--	1.02	1.02	1.02	1.02	0.60	0.30	--	--	--
AC-FT:	--	--	--	12.1	62.7	60.7	45.2	27.4	7.14	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 108.5

TOTAL AC-FT: 215.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.78 ⁱ	0.78 ^m	--	--	--	--	--	--
11	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.78 ^m	0.78 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	4.68	24.2	7.80	--	--	--	--	--	--
Mean:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
Min:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
Max:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
AC-FT:	--	--	--	9.28	48.0	15.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 36.7

TOTAL AC-FT: 72.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.10 ⁱ	1.10 ^m	--	--	--	--	--	--
11	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
25	--	--	--	1.10 ^m	1.10 ⁱ	--	--	--	--	--	--	--
26	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--	--
27	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--	--
28	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--	--
29	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--	--
30	--	--	--	1.10 ⁱ	1.10 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	1.10 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	6.60	34.1	11.0	--	--	--	--	--	--
Mean:	--	--	--	1.10	1.10	1.10	--	--	--	--	--	--
Min:	--	--	--	1.10	1.10	1.10	--	--	--	--	--	--
Max:	--	--	--	1.10	1.10	1.10	--	--	--	--	--	--
AC-FT:	--	--	--	13.1	67.6	21.8	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 51.7

TOTAL AC-FT: 102.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.57 ⁱ	2.29 ⁱ	2.02 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
2	--	--	--	--	2.56 ⁱ	2.28 ⁱ	2.01 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
3	--	--	--	--	2.55 ⁱ	2.27 ⁱ	2.00 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
4	--	--	--	--	2.54 ⁱ	2.26 ⁱ	2.00 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
5	--	--	--	--	2.53 ⁱ	2.25 ⁱ	1.99 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
6	--	--	--	--	2.52 ⁱ	2.25 ⁱ	1.98 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
7	--	--	--	--	2.51 ⁱ	2.24 ⁱ	1.97 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
8	--	--	--	--	2.50 ⁱ	2.23 ⁱ	1.96 ^m	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
9	--	--	--	--	2.50 ⁱ	2.22 ⁱ	0.98 ^m	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
10	--	--	--	--	2.49 ⁱ	2.21 ⁱ	0.90 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
11	--	--	--	--	2.48 ⁱ	2.20 ⁱ	0.82 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
12	--	--	--	--	2.47 ⁱ	2.19 ⁱ	0.74 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
13	--	--	--	--	2.46 ⁱ	2.18 ⁱ	0.65 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
14	--	--	--	--	2.45 ⁱ	2.17 ⁱ	0.57 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--
15	--	--	--	--	2.44 ⁱ	2.17 ⁱ	0.49 ⁿ	0.49 ⁱ	0.49 ⁱ	0.49 ^m	--	--
16	--	--	--	--	2.43 ⁱ	2.16 ⁱ	0.49 ^m	0.49 ⁱ	0.49 ⁱ	0.00 ^m	--	--
17	--	--	--	--	2.42 ⁱ	2.15 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	0.00 ^m	--	--
18	--	--	--	--	2.41 ⁱ	2.14 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
19	--	--	--	--	2.41 ⁱ	2.13 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
20	--	--	--	--	2.40 ⁱ	2.12 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
21	--	--	--	--	2.39 ⁱ	2.11 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
22	--	--	--	--	2.38 ⁱ	2.10 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
23	--	--	--	--	2.37 ⁱ	2.09 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
24	--	--	--	--	2.36 ⁱ	2.08 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
25	--	--	--	2.62 ^m	2.35 ⁱ	2.08 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
26	--	--	--	2.61 ⁱ	2.34 ⁱ	2.07 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
27	--	--	--	2.60 ⁱ	2.33 ⁱ	2.06 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
28	--	--	--	2.59 ⁱ	2.33 ⁱ	2.05 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
29	--	--	--	2.58 ⁱ	2.32 ⁱ	2.04 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
30	--	--	--	2.58 ⁱ	2.31 ⁱ	2.03 ⁱ	0.49 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
31	--	--	--	--	2.30 ⁱ	--	0.49 ⁱ	0.49 ⁱ	--	--	--	--
Total:	--	--	--	15.6	75.4	64.8	28.9	15.2	14.7	7.35	--	--
Mean:	--	--	--	2.60	2.43	2.16	0.93	0.49	0.49	0.43	--	--
Min:	--	--	--	2.58	2.30	2.03	0.49	0.49	0.49	0.00	--	--
Max:	--	--	--	2.62	2.57	2.29	2.02	0.49	0.49	0.49	--	--
AC-FT:	--	--	--	30.9	149.6	128.6	57.4	30.1	29.2	14.6	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 222.0

TOTAL AC-FT: 440.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
2	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
3	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
4	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
5	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
6	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
7	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
8	--	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ^m	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
9	--	--	--	--	5.95 ⁱ	5.95 ⁱ	4.46 ^m	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
10	--	--	--	--	5.95 ⁱ	5.95 ⁱ	4.46 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
11	--	--	--	--	5.95 ⁱ	5.95 ⁱ	4.46 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--
12	--	--	--	--	5.95 ⁱ	5.95 ⁱ	4.46 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ^m	--	--
13	--	--	--	--	5.95 ⁱ	5.95 ⁱ	4.46 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
14	--	--	--	--	5.95 ⁱ	5.95 ⁱ	4.46 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
15	--	--	--	--	5.95 ⁱ	5.95 ⁿ	4.46 ^m	1.11 ⁱ	1.11 ⁱ	--	--	--
16	--	--	--	--	5.95 ⁱ	0.00 ^m	2.23 ^m	1.11 ⁱ	1.11 ⁱ	--	--	--
17	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
18	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
19	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
20	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
21	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
22	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
23	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
24	--	--	--	--	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
25	--	--	--	5.95 ⁿ	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
26	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	2.23 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
27	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	2.23 ^m	1.11 ⁱ	1.11 ⁱ	--	--	--
28	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ^m	1.11 ⁱ	1.11 ⁱ	--	--	--
29	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
30	--	--	--	5.95 ⁱ	5.95 ⁱ	0.00 ⁱ	1.11 ⁱ	1.11 ⁱ	1.11 ⁱ	--	--	--
31	--	--	--	--	5.95 ⁱ	--	1.11 ⁱ	1.11 ⁱ	--	--	--	--
Total:	--	--	--	35.7	184.5	89.3	62.4	34.4	33.3	13.3	--	--
Mean:	--	--	--	5.95	5.95	2.98	2.01	1.11	1.11	1.11	--	--
Min:	--	--	--	5.95	5.95	0.00	0.00	1.11	1.11	1.11	--	--
Max:	--	--	--	5.95	5.95	5.95	4.46	1.11	1.11	1.11	--	--
AC-FT:	--	--	--	70.8	365.9	177.0	123.8	68.3	66.1	26.4	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 452.9

TOTAL AC-FT: 898.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.96 ⁱ	0.96 ^m	--	--	--	--	--	--
16	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.96 ^m	0.96 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.96 ⁱ	0.96 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.96 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.76	29.8	14.4	--	--	--	--	--	--
Mean:	--	--	--	0.96	0.96	0.96	--	--	--	--	--	--
Min:	--	--	--	0.96	0.96	0.96	--	--	--	--	--	--
Max:	--	--	--	0.96	0.96	0.96	--	--	--	--	--	--
AC-FT:	--	--	--	11.4	59.0	28.6	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 49.9

TOTAL AC-FT: 99.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
2	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
3	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
4	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
5	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
6	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
7	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
8	--	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ^m	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
9	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.37 ^m	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
10	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.37 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
11	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.37 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--
12	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.37 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ^m	--	--
13	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.37 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
14	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.37 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
15	--	--	--	--	1.82 ⁱ	1.82 ^m	1.37 ^m	0.34 ⁱ	0.34 ⁱ	--	--	--
16	--	--	--	--	1.82 ⁱ	0.00 ^m	0.68 ^m	0.34 ⁱ	0.34 ⁱ	--	--	--
17	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
18	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
19	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
20	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
21	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
22	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
23	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
24	--	--	--	--	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
25	--	--	--	1.82 ^m	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
26	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.68 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
27	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.68 ^m	0.34 ⁱ	0.34 ⁱ	--	--	--
28	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ^m	0.34 ⁱ	0.34 ⁱ	--	--	--
29	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
30	--	--	--	1.82 ⁱ	1.82 ⁱ	0.00 ⁱ	0.34 ⁱ	0.34 ⁱ	0.34 ⁱ	--	--	--
31	--	--	--	--	1.82 ⁱ	--	0.34 ⁱ	0.34 ⁱ	--	--	--	--
Total:	--	--	--	10.9	56.4	27.3	19.1	10.5	10.2	4.08	--	--
Mean:	--	--	--	1.82	1.82	0.91	0.62	0.34	0.34	0.34	--	--
Min:	--	--	--	1.82	1.82	0.00	0.00	0.34	0.34	0.34	--	--
Max:	--	--	--	1.82	1.82	1.82	1.37	0.34	0.34	0.34	--	--
AC-FT:	--	--	--	21.7	111.9	54.2	37.9	20.9	20.2	8.09	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 138.6

TOTAL AC-FT: 274.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120010 - D - CHLC07 - A0002599**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
2	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
3	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
4	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
5	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
6	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
7	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
8	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ^m	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
9	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.19 ^m	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
10	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
11	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
12	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ^m	--	--
13	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
14	--	--	--	--	0.26 ⁱ	0.26 ^m	0.19 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
15	--	--	--	--	0.26 ⁱ	0.00 ^m	0.19 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
16	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
17	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
18	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
19	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
20	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
21	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
22	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
23	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
24	--	--	--	--	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
25	--	--	--	0.26 ^m	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
26	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.13 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
27	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.13 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
28	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
29	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
30	--	--	--	0.26 ⁱ	0.26 ⁱ	0.00 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.07 ⁱ	0.07 ⁱ	--	--	--	--
Total:	--	--	--	1.56	8.06	3.64	3.17	2.17	2.10	0.84	--	--
Mean:	--	--	--	0.26	0.26	0.12	0.10	0.07	0.07	0.07	--	--
Min:	--	--	--	0.26	0.26	0.00	0.00	0.07	0.07	0.07	--	--
Max:	--	--	--	0.26	0.26	0.26	0.19	0.07	0.07	0.07	--	--
AC-FT:	--	--	--	3.09	16.0	7.22	6.29	4.30	4.17	1.67	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 21.5

TOTAL AC-FT: 42.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
2	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
3	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
4	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
5	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
6	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
7	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ^m	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
8	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.35 ^m	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
9	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.35 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
10	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.35 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
11	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.35 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
12	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.35 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
13	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.35 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
14	--	--	--	--	0.47 ⁱ	0.47 ^m	0.35 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--
15	--	--	--	--	0.47 ⁱ	0.00 ^m	0.35 ^m	0.09 ⁱ	0.09 ⁱ	0.09 ^m	--	--
16	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ^m	0.09 ⁱ	0.09 ⁱ	--	--	--
17	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
18	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
19	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
20	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
21	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
22	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
23	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
24	--	--	--	--	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
25	--	--	--	0.47 ^m	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
26	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.17 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
27	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.17 ^m	0.09 ⁱ	0.09 ⁱ	--	--	--
28	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ^m	0.09 ⁱ	0.09 ⁱ	--	--	--
29	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
30	--	--	--	0.47 ⁱ	0.47 ⁱ	0.00 ⁱ	0.09 ⁱ	0.09 ⁱ	0.09 ⁱ	--	--	--
31	--	--	--	--	0.47 ⁱ	--	0.09 ⁱ	0.09 ⁱ	--	--	--	--
Total:	--	--	--	2.82	14.6	6.58	5.20	2.79	2.70	1.35	--	--
Mean:	--	--	--	0.47	0.47	0.22	0.17	0.09	0.09	0.09	--	--
Min:	--	--	--	0.47	0.47	0.00	0.00	0.09	0.09	0.09	--	--
Max:	--	--	--	0.47	0.47	0.47	0.35	0.09	0.09	0.09	--	--
AC-FT:	--	--	--	5.59	28.9	13.1	10.3	5.53	5.36	2.68	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 36.0

TOTAL AC-FT: 71.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
2	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
3	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
4	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
5	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
6	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
7	--	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ^m	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
8	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ^m	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
9	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
10	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
11	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--
12	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ^m	--	--
13	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
14	--	--	--	--	3.08 ⁱ	3.08 ⁱ	2.31 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
15	--	--	--	--	3.08 ⁱ	3.08 ^m	2.31 ^m	0.57 ⁱ	0.57 ⁱ	--	--	--
16	--	--	--	--	3.08 ⁱ	0.00 ^m	1.15 ^m	0.57 ⁱ	0.57 ⁱ	--	--	--
17	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
18	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
19	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
20	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
21	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
22	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
23	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
24	--	--	--	--	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
25	--	--	--	3.08 ^m	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
26	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	1.15 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
27	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	1.15 ^m	0.57 ⁱ	0.57 ⁱ	--	--	--
28	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ^m	0.57 ⁱ	0.57 ⁱ	--	--	--
29	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
30	--	--	--	3.08 ⁱ	3.08 ⁱ	0.00 ⁱ	0.57 ⁱ	0.57 ⁱ	0.57 ⁱ	--	--	--
31	--	--	--	--	3.08 ⁱ	--	0.57 ⁱ	0.57 ⁱ	--	--	--	--
Total:	--	--	--	18.5	95.5	46.2	34.6	17.7	17.1	6.84	--	--
Mean:	--	--	--	3.08	3.08	1.54	1.11	0.57	0.57	0.57	--	--
Min:	--	--	--	3.08	3.08	0.00	0.00	0.57	0.57	0.57	--	--
Max:	--	--	--	3.08	3.08	3.08	2.31	0.57	0.57	0.57	--	--
AC-FT:	--	--	--	36.7	189.4	91.6	68.6	35.1	33.9	13.6	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 236.3

TOTAL AC-FT: 468.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ^m	--	--	--	--	--	--
16	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
25	--	--	--	2.40 ^m	2.40 ⁱ	--	--	--	--	--	--	--
26	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
27	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
28	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
29	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
30	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	14.4	74.4	36.0	--	--	--	--	--	--
Mean:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
Min:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
Max:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
AC-FT:	--	--	--	28.6	147.6	71.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 124.8

TOTAL AC-FT: 247.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ^m	--	--	--	--	--	--
16	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
25	--	--	--	2.40 ^m	2.40 ⁱ	--	--	--	--	--	--	--
26	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
27	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
28	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
29	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
30	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	14.4	74.4	36.0	--	--	--	--	--	--
Mean:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
Min:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
Max:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
AC-FT:	--	--	--	28.6	147.6	71.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 124.8

TOTAL AC-FT: 247.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120022 - D - CHLC11 - A0002586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.22 ⁱ	0.22 ^m	--	--	--	--	--	--
16	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.22 ^m	0.22 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.22 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	1.32	6.82	3.30	--	--	--	--	--	--
Mean:	--	--	--	0.22	0.22	0.22	--	--	--	--	--	--
Min:	--	--	--	0.22	0.22	0.22	--	--	--	--	--	--
Max:	--	--	--	0.22	0.22	0.22	--	--	--	--	--	--
AC-FT:	--	--	--	2.62	13.5	6.55	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 11.4

TOTAL AC-FT: 22.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72120023 - D - CHLC11A - A0002585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.86 ⁱ	1.86 ^m	--	--	--	--	--	--
16	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
25	--	--	--	1.86 ^m	1.86 ⁱ	--	--	--	--	--	--	--
26	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--	--
27	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--	--
28	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--	--
29	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--	--
30	--	--	--	1.86 ⁱ	1.86 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	1.86 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	11.2	57.7	27.9	--	--	--	--	--	--
Mean:	--	--	--	1.86	1.86	1.86	--	--	--	--	--	--
Min:	--	--	--	1.86	1.86	1.86	--	--	--	--	--	--
Max:	--	--	--	1.86	1.86	1.86	--	--	--	--	--	--
AC-FT:	--	--	--	22.1	114.4	55.3	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 96.7

TOTAL AC-FT: 191.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72120024 - D - CHLC12 - A0007594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.76 ⁱ	0.76 ^m	--	--	--	--	--	--
16	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.76 ^m	0.76 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.76 ⁱ	0.76 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.76 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	4.56	23.6	11.4	--	--	--	--	--	--
Mean:	--	--	--	0.76	0.76	0.76	--	--	--	--	--	--
Min:	--	--	--	0.76	0.76	0.76	--	--	--	--	--	--
Max:	--	--	--	0.76	0.76	0.76	--	--	--	--	--	--
AC-FT:	--	--	--	9.04	46.7	22.6	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 39.5

TOTAL AC-FT: 78.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72120025 - D - CHLC13 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.26 ⁱ	1.26 ^m	--	--	--	--	--	--
16	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
25	--	--	--	1.26 ⁿ	1.26 ⁱ	--	--	--	--	--	--	--
26	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--	--
27	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--	--
28	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--	--
29	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--	--
30	--	--	--	1.26 ⁱ	1.26 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	1.26 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	7.56	39.1	18.9	--	--	--	--	--	--
Mean:	--	--	--	1.26	1.26	1.26	--	--	--	--	--	--
Min:	--	--	--	1.26	1.26	1.26	--	--	--	--	--	--
Max:	--	--	--	1.26	1.26	1.26	--	--	--	--	--	--
AC-FT:	--	--	--	15.0	77.5	37.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 65.5

TOTAL AC-FT: 130.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARCl - A0007596**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
2	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
3	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
4	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
5	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
6	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
7	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
8	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ^m	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
9	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.59 ^m	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
10	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.59 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
11	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.59 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
12	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.59 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ^m	--	--
13	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.59 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
14	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.59 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
15	--	--	--	--	0.79 ⁱ	0.79 ^m	0.59 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--
16	--	--	--	--	0.79 ⁱ	0.00 ^m	0.29 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--
17	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
18	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
19	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
20	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
21	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
22	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
23	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
24	--	--	--	--	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
25	--	--	--	0.79 ^m	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
26	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.29 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
27	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.29 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--
28	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--
29	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
30	--	--	--	0.79 ⁱ	0.79 ⁱ	0.00 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
31	--	--	--	--	0.79 ⁱ	--	0.15 ⁱ	0.15 ⁱ	--	--	--	--
Total:	--	--	--	4.74	24.5	11.9	8.21	4.65	4.50	1.80	--	--
Mean:	--	--	--	0.79	0.79	0.40	0.26	0.15	0.15	0.15	--	--
Min:	--	--	--	0.79	0.79	0.00	0.00	0.15	0.15	0.15	--	--
Max:	--	--	--	0.79	0.79	0.79	0.59	0.15	0.15	0.15	--	--
AC-FT:	--	--	--	9.40	48.6	23.5	16.3	9.22	8.93	3.57	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 60.2

TOTAL AC-FT: 119.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.90 ^m	--	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.90 ^m	0.90 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.40	27.9	13.5	--	--	--	--	--	--
Mean:	--	--	--	0.90	0.90	0.90	--	--	--	--	--	--
Min:	--	--	--	0.90	0.90	0.90	--	--	--	--	--	--
Max:	--	--	--	0.90	0.90	0.90	--	--	--	--	--	--
AC-FT:	--	--	--	10.7	55.3	26.8	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 46.8

TOTAL AC-FT: 92.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
2	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
3	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
4	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
5	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
6	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
7	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
8	--	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ^m	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
9	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.33 ^m	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
10	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.33 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
11	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.33 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--
12	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.33 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ^m	--	--
13	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
14	--	--	--	--	1.78 ⁱ	1.78 ⁱ	1.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
15	--	--	--	--	1.78 ⁱ	1.78 ^m	1.33 ^m	0.33 ⁱ	0.33 ⁱ	--	--	--
16	--	--	--	--	1.78 ⁱ	0.00 ^m	0.66 ^m	0.33 ⁱ	0.33 ⁱ	--	--	--
17	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
18	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
19	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
20	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
21	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
22	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
23	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
24	--	--	--	--	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
25	--	--	--	1.78 ^m	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
26	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.66 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
27	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.66 ^m	0.33 ⁱ	0.33 ⁱ	--	--	--
28	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ^m	0.33 ⁱ	0.33 ⁱ	--	--	--
29	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
30	--	--	--	1.78 ⁱ	1.78 ⁱ	0.00 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
31	--	--	--	--	1.78 ⁱ	--	0.33 ⁱ	0.33 ⁱ	--	--	--	--
Total:	--	--	--	10.7	55.2	26.7	18.6	10.2	9.90	3.96	--	--
Mean:	--	--	--	1.78	1.78	0.89	0.60	0.33	0.33	0.33	--	--
Min:	--	--	--	1.78	1.78	0.00	0.00	0.33	0.33	0.33	--	--
Max:	--	--	--	1.78	1.78	1.78	1.33	0.33	0.33	0.33	--	--
AC-FT:	--	--	--	21.2	109.5	53.0	36.8	20.3	19.6	7.85	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 135.2

TOTAL AC-FT: 268.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.00 ⁱ	1.00 ^m	--	--	--	--	--	--
16	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
25	--	--	--	1.00 ^m	1.00 ⁱ	--	--	--	--	--	--	--
26	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--	--
27	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--	--
28	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--	--
29	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--	--
30	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	6.00	31.0	15.0	--	--	--	--	--	--
Mean:	--	--	--	1.00	1.00	1.00	--	--	--	--	--	--
Min:	--	--	--	1.00	1.00	1.00	--	--	--	--	--	--
Max:	--	--	--	1.00	1.00	1.00	--	--	--	--	--	--
AC-FT:	--	--	--	11.9	61.5	29.8	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 52.0

TOTAL AC-FT: 103.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72120502 - D - BRC2 - A0002587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ^m	--	--	--	--	--	--
16	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
25	--	--	--	2.40 ^m	2.40 ⁱ	--	--	--	--	--	--	--
26	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
27	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
28	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
29	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
30	--	--	--	2.40 ⁱ	2.40 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	14.4	74.4	36.0	--	--	--	--	--	--
Mean:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
Min:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
Max:	--	--	--	2.40	2.40	2.40	--	--	--	--	--	--
AC-FT:	--	--	--	28.6	147.6	71.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 124.8

TOTAL AC-FT: 247.5

**Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
2	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
3	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
4	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
5	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
6	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
7	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
8	--	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ^m	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
9	--	--	--	--	4.35 ⁱ	4.35 ⁱ	1.00 ^m	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
10	--	--	--	--	4.35 ⁱ	4.35 ⁱ	1.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
11	--	--	--	--	4.35 ⁱ	4.35 ⁱ	1.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
12	--	--	--	--	4.35 ⁱ	4.35 ⁱ	1.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ^m	--	--
13	--	--	--	--	4.35 ⁱ	4.35 ⁱ	1.00 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
14	--	--	--	--	4.35 ⁱ	4.35 ⁱ	1.00 ^m	0.25 ⁱ	0.25 ⁱ	--	--	--
15	--	--	--	--	4.35 ⁱ	4.35 ^m	0.50 ^m	0.25 ⁱ	0.25 ⁱ	--	--	--
16	--	--	--	--	4.35 ⁱ	0.00 ^m	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
17	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
18	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
19	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
20	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
21	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
22	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
23	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
24	--	--	--	--	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
25	--	--	--	4.35 ^m	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
26	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
27	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.50 ^m	0.25 ⁱ	0.25 ⁱ	--	--	--
28	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ^m	0.25 ⁱ	0.25 ⁱ	--	--	--
29	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
30	--	--	--	4.35 ⁱ	4.35 ⁱ	0.00 ⁱ	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--
31	--	--	--	--	4.35 ⁱ	--	0.25 ⁱ	0.25 ⁱ	--	--	--	--
Total:	--	--	--	26.1	134.9	65.3	13.5	7.75	7.50	3.00	--	--
Mean:	--	--	--	4.35	4.35	2.18	0.44	0.25	0.25	0.25	--	--
Min:	--	--	--	4.35	4.35	0.00	0.00	0.25	0.25	0.25	--	--
Max:	--	--	--	4.35	4.35	4.35	1.00	0.25	0.25	0.25	--	--
AC-FT:	--	--	--	51.8	267.5	129.4	26.8	15.4	14.9	5.95	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 258.0

TOTAL AC-FT: 511.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ^m	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.42 ^m	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.42 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.42 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.42 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ^m	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.42 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁿ	1.42 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
15	--	--	--	--	1.90 ⁱ	0.00 ^m	1.42 ^m	0.36 ⁱ	0.36 ⁱ	--	--	--
16	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ^m	0.36 ⁱ	0.36 ⁱ	--	--	--
17	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
18	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
19	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
20	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
21	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
22	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
23	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
24	--	--	--	--	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
25	--	--	--	1.90 ^m	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
26	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.71 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
27	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.71 ^m	0.36 ⁱ	0.36 ⁱ	--	--	--
28	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ^m	0.36 ⁱ	0.36 ⁱ	--	--	--
29	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
30	--	--	--	1.90 ⁱ	1.90 ⁱ	0.00 ⁱ	0.36 ⁱ	0.36 ⁱ	0.36 ⁱ	--	--	--
31	--	--	--	--	1.90 ⁱ	--	0.36 ⁱ	0.36 ⁱ	--	--	--	--
Total:	--	--	--	11.4	58.9	26.6	19.9	11.2	10.8	4.32	--	--
Mean:	--	--	--	1.90	1.90	0.89	0.64	0.36	0.36	0.36	--	--
Min:	--	--	--	1.90	1.90	0.00	0.00	0.36	0.36	0.36	--	--
Max:	--	--	--	1.90	1.90	1.90	1.42	0.36	0.36	0.36	--	--
AC-FT:	--	--	--	22.6	116.8	52.8	39.5	22.1	21.4	8.57	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 143.1

TOTAL AC-FT: 283.8

**Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
2	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
3	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
4	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
5	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
6	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
7	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
8	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
9	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
10	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
11	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
12	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
13	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
14	--	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
15	--	--	--	--	1.26 ⁱ	1.26 ^m	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ^m	--	--
16	--	--	--	--	1.26 ⁱ	0.00 ^m	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
17	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
18	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
19	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
20	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
21	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
22	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
23	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
24	--	--	--	--	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
25	--	--	--	1.26 ^m	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
26	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
27	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
28	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
29	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
30	--	--	--	1.26 ⁱ	1.26 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--
31	--	--	--	--	1.26 ⁱ	--	0.00 ⁱ	0.00 ⁱ	--	--	--	--
Total:	--	--	--	7.56	39.1	18.9	0.00	0.00	0.00	0.00	--	--
Mean:	--	--	--	1.26	1.26	0.63	0.00	0.00	0.00	0.00	--	--
Min:	--	--	--	1.26	1.26	0.00	0.00	0.00	0.00	0.00	--	--
Max:	--	--	--	1.26	1.26	1.26	0.00	0.00	0.00	0.00	--	--
AC-FT:	--	--	--	15.0	77.5	37.5	0.00	0.00	0.00	0.00	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 65.5

TOTAL AC-FT: 130.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.14 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
2	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.15 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
3	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.16 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
4	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.17 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
5	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.18 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
6	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.19 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
7	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.20 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
8	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ^m	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
9	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ^m	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
10	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
11	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
12	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
13	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
14	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.21 ⁿ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--
15	--	--	--	--	0.29 ⁱ	0.29 ^m	0.10 ⁿ	0.05 ⁱ	0.05 ⁱ	0.05 ^m	--	--
16	--	--	--	--	0.29 ⁱ	0.00 ^m	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
17	--	--	--	--	0.29 ⁱ	0.01 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
18	--	--	--	--	0.29 ⁱ	0.02 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
19	--	--	--	--	0.29 ⁱ	0.03 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
20	--	--	--	--	0.29 ⁱ	0.04 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
21	--	--	--	--	0.29 ⁱ	0.05 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
22	--	--	--	--	0.29 ⁱ	0.06 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
23	--	--	--	--	0.29 ⁱ	0.07 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
24	--	--	--	--	0.29 ⁱ	0.08 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
25	--	--	--	0.29 ^m	0.29 ⁱ	0.09 ⁱ	0.10 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
26	--	--	--	0.29 ⁱ	0.29 ⁱ	0.10 ⁱ	0.10 ^m	0.05 ⁱ	0.05 ⁱ	--	--	--
27	--	--	--	0.29 ⁱ	0.29 ⁱ	0.11 ⁱ	0.05 ^m	0.05 ⁱ	0.05 ⁱ	--	--	--
28	--	--	--	0.29 ⁱ	0.29 ⁱ	0.11 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
29	--	--	--	0.29 ⁱ	0.29 ⁱ	0.12 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
30	--	--	--	0.29 ⁱ	0.29 ⁱ	0.13 ⁱ	0.05 ⁱ	0.05 ⁱ	0.05 ⁱ	--	--	--
31	--	--	--	--	0.29 ⁱ	--	0.05 ⁱ	0.05 ⁱ	--	--	--	--
Total:	--	--	--	1.74	8.99	5.37	4.11	1.55	1.50	0.75	--	--
Mean:	--	--	--	0.29	0.29	0.18	0.13	0.05	0.05	0.05	--	--
Min:	--	--	--	0.29	0.29	0.00	0.05	0.05	0.05	0.05	--	--
Max:	--	--	--	0.29	0.29	0.29	0.21	0.05	0.05	0.05	--	--
AC-FT:	--	--	--	3.45	17.8	10.7	8.15	3.07	2.98	1.49	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 24.0

TOTAL AC-FT: 47.6

**Annual Summary for Water District 72A Garden and Challis Creeks
72130007 - D - HLCNL-07 - A0002704**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ^m	--	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.06 ^m	0.06 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.36	1.86	0.90	--	--	--	--	--	--
Mean:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Min:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Max:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
AC-FT:	--	--	--	0.71	3.69	1.79	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 3.12

TOTAL AC-FT: 6.19

**Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--
2	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	1.70 ^m	--	--
3	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	--	--	--
4	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	--	--	--
5	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	--	--	--
6	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	--	--	--
7	--	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	--	--	--
8	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ^m	1.70 ⁱ	1.70 ⁱ	--	--	--
9	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
10	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
11	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
12	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
13	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
14	--	--	--	--	6.80 ⁱ	6.80 ⁱ	5.10 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
15	--	--	--	--	6.80 ⁱ	6.80 ^m	5.10 ^m	1.70 ⁱ	1.70 ⁱ	--	--	--
16	--	--	--	--	6.80 ⁱ	--	3.40 ⁿ	1.70 ⁱ	1.70 ⁱ	--	--	--
17	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
18	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
19	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
20	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
21	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
22	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
23	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
24	--	--	--	--	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
25	--	--	--	6.80 ^m	6.80 ⁱ	--	3.40 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
26	--	--	--	6.80 ⁱ	6.80 ⁱ	--	3.40 ^m	1.70 ⁱ	1.70 ⁱ	--	--	--
27	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ^m	1.70 ⁱ	1.70 ⁱ	--	--	--
28	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
29	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
30	--	--	--	6.80 ⁱ	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	1.70 ⁱ	--	--	--
31	--	--	--	--	6.80 ⁱ	--	1.70 ⁱ	1.70 ⁱ	--	--	--	--
Total:	--	--	--	40.8	210.8	102.0	86.7	52.7	51.0	3.40	--	--
Mean:	--	--	--	6.80	6.80	6.80	3.61	1.70	1.70	1.70	--	--
Min:	--	--	--	6.80	6.80	6.80	1.70	1.70	1.70	1.70	--	--
Max:	--	--	--	6.80	6.80	6.80	5.10	1.70	1.70	1.70	--	--
AC-FT:	--	--	--	80.9	418.1	202.3	172.0	104.5	101.2	6.74	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 547.4

TOTAL AC-FT: 1085

**Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.30 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ^m	0.30 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
15	--	--	--	--	0.40 ⁱ	--	0.20 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
16	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
17	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
18	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
19	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
20	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
21	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
22	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
23	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
24	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
25	--	--	--	0.40 ^m	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
26	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.20 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
27	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.20 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
28	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
29	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
30	--	--	--	0.40 ⁱ	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	0.10 ^m	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--
Total:	--	--	--	2.40	12.4	5.60	5.10	3.10	3.00	--	--	--
Mean:	--	--	--	0.40	0.40	0.40	0.21	0.10	0.10	--	--	--
Min:	--	--	--	0.40	0.40	0.40	0.10	0.10	0.10	--	--	--
Max:	--	--	--	0.40	0.40	0.40	0.30	0.10	0.10	--	--	--
AC-FT:	--	--	--	4.76	24.6	11.1	10.1	6.15	5.95	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 31.6

TOTAL AC-FT: 62.7

**Annual Summary for Water District 72A Garden and Challis Creeks
72130011 - D - HLCNL-11 - A0007585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
2	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
3	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
4	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
5	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
6	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
7	--	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
8	--	--	--	--	3.18 ⁱ	3.18 ⁱ	2.40 ^m	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
9	--	--	--	--	3.18 ⁱ	3.18 ⁱ	2.40 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
10	--	--	--	--	3.18 ⁱ	3.18 ⁱ	2.40 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
11	--	--	--	--	3.18 ⁱ	3.18 ⁱ	2.40 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
12	--	--	--	--	3.18 ⁱ	3.18 ⁱ	2.40 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
13	--	--	--	--	3.18 ⁱ	3.18 ⁱ	2.40 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
14	--	--	--	--	3.18 ⁱ	3.18 ^m	2.40 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
15	--	--	--	--	3.18 ⁱ	--	2.40 ^m	0.60 ⁱ	0.60 ⁱ	0.60 ^m	--	--
16	--	--	--	--	3.18 ⁱ	--	2.25 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
17	--	--	--	--	3.18 ⁱ	--	2.10 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
18	--	--	--	--	3.18 ⁱ	--	1.95 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
19	--	--	--	--	3.18 ⁱ	--	1.80 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
20	--	--	--	--	3.18 ⁱ	--	1.65 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
21	--	--	--	--	3.18 ⁱ	--	1.50 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
22	--	--	--	--	3.18 ⁱ	--	1.35 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
23	--	--	--	--	3.18 ⁱ	--	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
24	--	--	--	--	3.18 ⁱ	--	1.05 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
25	--	--	--	3.18 ^m	3.18 ⁱ	--	0.90 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
26	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.75 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
27	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ^m	0.60 ⁱ	0.60 ⁱ	--	--	--
28	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
29	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
30	--	--	--	3.18 ⁱ	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
31	--	--	--	--	3.18 ⁱ	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--
Total:	--	--	--	19.1	98.6	44.5	38.7	18.6	18.0	9.00	--	--
Mean:	--	--	--	3.18	3.18	3.18	1.61	0.60	0.60	0.60	--	--
Min:	--	--	--	3.18	3.18	3.18	0.60	0.60	0.60	0.60	--	--
Max:	--	--	--	3.18	3.18	3.18	2.40	0.60	0.60	0.60	--	--
AC-FT:	--	--	--	37.9	195.5	88.3	76.8	36.9	35.7	17.9	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 246.5

TOTAL AC-FT: 488.9

**Annual Summary for Water District 72A Garden and Challis Creeks
72130012 - D - HLCNL-12 - A0007586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ^m	--	--	--	--	--	--
16	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
25	--	--	--	1.90 ^m	1.90 ⁱ	--	--	--	--	--	--	--
26	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--	--
27	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--	--
28	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--	--
29	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--	--
30	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	1.90 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	11.4	58.9	28.5	--	--	--	--	--	--
Mean:	--	--	--	1.90	1.90	1.90	--	--	--	--	--	--
Min:	--	--	--	1.90	1.90	1.90	--	--	--	--	--	--
Max:	--	--	--	1.90	1.90	1.90	--	--	--	--	--	--
AC-FT:	--	--	--	22.6	116.8	56.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 98.8

TOTAL AC-FT: 196.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130013 - D - HLCNL-13 - A0002701**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
2	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
3	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
4	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
5	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
6	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
7	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
8	--	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ^m	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
9	--	--	--	--	2.51 ⁱ	2.51 ⁱ	1.88 ^m	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
10	--	--	--	--	2.51 ⁱ	2.51 ⁱ	1.88 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
11	--	--	--	--	2.51 ⁱ	2.51 ⁱ	1.88 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
12	--	--	--	--	2.51 ⁱ	2.51 ⁱ	1.88 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
13	--	--	--	--	2.51 ⁱ	2.51 ⁱ	1.88 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
14	--	--	--	--	2.51 ⁱ	2.51 ^m	1.88 ^m	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
15	--	--	--	--	2.51 ⁱ	0.00 ^m	1.20 ^m	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
16	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
17	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
18	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
19	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
20	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ^m	--	--
21	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
22	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
23	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
24	--	--	--	--	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
25	--	--	--	2.51 ^m	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
26	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	1.20 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
27	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	1.20 ^m	0.60 ⁱ	0.60 ⁱ	--	--	--
28	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ^m	0.60 ⁱ	0.60 ⁱ	--	--	--
29	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
30	--	--	--	2.51 ⁱ	2.51 ⁱ	0.00 ⁱ	0.60 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--	--
31	--	--	--	--	2.51 ⁱ	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--
Total:	--	--	--	15.1	77.8	35.1	29.3	18.6	18.0	12.0	--	--
Mean:	--	--	--	2.51	2.51	1.17	0.94	0.60	0.60	0.60	--	--
Min:	--	--	--	2.51	2.51	0.00	0.00	0.60	0.60	0.60	--	--
Max:	--	--	--	2.51	2.51	2.51	1.88	0.60	0.60	0.60	--	--
AC-FT:	--	--	--	29.9	154.3	69.7	58.1	36.9	35.7	23.8	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 205.9

TOTAL AC-FT: 408.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ^m	--	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.06 ^m	0.06 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.36	1.86	0.90	--	--	--	--	--	--
Mean:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Min:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Max:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
AC-FT:	--	--	--	0.71	3.69	1.79	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 3.12

TOTAL AC-FT: 6.19

**Annual Summary for Water District 72A Garden and Challis Creeks
72130016 - D - HLCNL-16 - A0002713**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
2	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
3	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
4	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
5	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
6	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
7	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
8	--	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ^m	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
9	--	--	--	--	7.19 ⁱ	7.19 ⁱ	5.39 ^m	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
10	--	--	--	--	7.19 ⁱ	7.19 ⁱ	5.39 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
11	--	--	--	--	7.19 ⁱ	7.19 ⁱ	5.39 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
12	--	--	--	--	7.19 ⁱ	7.19 ⁱ	5.39 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
13	--	--	--	--	7.19 ⁱ	7.19 ⁱ	5.39 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
14	--	--	--	--	7.19 ⁱ	7.19 ⁿ	5.39 ⁿ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--
15	--	--	--	--	7.19 ⁱ	0.00 ^m	3.31 ^m	1.65 ⁱ	1.65 ⁱ	1.65 ^m	--	--
16	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
17	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
18	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
19	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
20	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
21	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
22	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
23	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
24	--	--	--	--	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
25	--	--	--	7.19 ⁿ	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
26	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	3.31 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
27	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	3.31 ⁿ	1.65 ⁱ	1.65 ⁱ	--	--	--
28	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ^m	1.65 ⁱ	1.65 ⁱ	--	--	--
29	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
30	--	--	--	7.19 ⁱ	7.19 ⁱ	0.00 ⁱ	1.65 ⁱ	1.65 ⁱ	1.65 ⁱ	--	--	--
31	--	--	--	--	7.19 ⁱ	--	1.65 ⁱ	1.65 ⁱ	--	--	--	--
Total:	--	--	--	43.1	222.9	100.7	82.0	51.2	49.5	24.8	--	--
Mean:	--	--	--	7.19	7.19	3.36	2.64	1.65	1.65	1.65	--	--
Min:	--	--	--	7.19	7.19	0.00	0.00	1.65	1.65	1.65	--	--
Max:	--	--	--	7.19	7.19	7.19	5.39	1.65	1.65	1.65	--	--
AC-FT:	--	--	--	85.6	442.1	199.7	162.6	101.5	98.2	49.1	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 574.1

TOTAL AC-FT: 1138

**Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ^m	--	--	--	--	--	--
16	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.70 ^m	0.70 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	4.20	21.7	10.5	--	--	--	--	--	--
Mean:	--	--	--	0.70	0.70	0.70	--	--	--	--	--	--
Min:	--	--	--	0.70	0.70	0.70	--	--	--	--	--	--
Max:	--	--	--	0.70	0.70	0.70	--	--	--	--	--	--
AC-FT:	--	--	--	8.33	43.0	20.8	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 36.4

TOTAL AC-FT: 72.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130018 - D - HLCNL-18 - A0002716**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
2	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
3	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
4	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
5	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
6	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
7	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
8	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ^m	0.12 ⁱ	0.12 ⁱ	--	--	--
9	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.48 ^m	0.12 ⁱ	0.12 ⁱ	--	--	--
10	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.48 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
11	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.48 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
12	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.48 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
13	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.48 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
14	--	--	--	--	0.65 ⁱ	0.65 ⁱ	0.48 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
15	--	--	--	--	0.65 ⁱ	0.65 ^m	0.48 ^m	0.12 ⁱ	0.12 ⁿ	--	--	--
16	--	--	--	--	0.65 ⁱ	0.00 ^m	0.24 ^m	0.12 ⁱ	--	--	--	--
17	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
18	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
19	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
20	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
21	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
22	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
23	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
24	--	--	--	--	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
25	--	--	--	0.65 ^m	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
26	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.24 ⁱ	0.12 ⁱ	--	--	--	--
27	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.24 ^m	0.12 ⁱ	--	--	--	--
28	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ^m	0.12 ⁱ	--	--	--	--
29	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
30	--	--	--	0.65 ⁱ	0.65 ⁱ	0.00 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
31	--	--	--	--	0.65 ⁱ	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--
Total:	--	--	--	3.90	20.2	9.75	6.72	3.72	1.80	--	--	--
Mean:	--	--	--	0.65	0.65	0.33	0.22	0.12	0.12	--	--	--
Min:	--	--	--	0.65	0.65	0.00	0.00	0.12	0.12	--	--	--
Max:	--	--	--	0.65	0.65	0.65	0.48	0.12	0.12	--	--	--
AC-FT:	--	--	--	7.74	40.0	19.3	13.3	7.38	3.57	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 46.0

TOTAL AC-FT: 91.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.43 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
2	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.42 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
3	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.42 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
4	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.42 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
5	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.41 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
6	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.41 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
7	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.40 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
8	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.40 ^m	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
9	--	--	--	--	0.53 ⁱ	0.50 ⁱ	0.27 ^m	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
10	--	--	--	--	0.53 ⁱ	0.49 ⁱ	0.27 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
11	--	--	--	--	0.52 ⁱ	0.49 ⁱ	0.27 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--
12	--	--	--	--	0.52 ⁱ	0.49 ⁱ	0.27 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ^m	--	--
13	--	--	--	--	0.52 ⁱ	0.49 ⁱ	0.27 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
14	--	--	--	--	0.52 ⁱ	0.49 ⁱ	0.27 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
15	--	--	--	--	0.52 ⁱ	0.49 ^m	0.27 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
16	--	--	--	--	0.52 ⁱ	0.49 ⁱ	0.14 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
17	--	--	--	--	0.52 ⁱ	0.48 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
18	--	--	--	--	0.52 ⁱ	0.48 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
19	--	--	--	--	0.52 ⁱ	0.47 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
20	--	--	--	--	0.52 ⁱ	0.47 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
21	--	--	--	--	0.51 ⁱ	0.47 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
22	--	--	--	--	0.51 ⁱ	0.46 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
23	--	--	--	--	0.51 ⁱ	0.46 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
24	--	--	--	--	0.51 ⁱ	0.45 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
25	--	--	--	0.54 ^m	0.51 ⁱ	0.45 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
26	--	--	--	0.54 ⁱ	0.51 ⁱ	0.45 ⁱ	0.14 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
27	--	--	--	0.54 ⁱ	0.51 ⁱ	0.44 ⁱ	0.14 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
28	--	--	--	0.54 ⁱ	0.51 ⁱ	0.44 ⁱ	0.07 ^m	0.07 ⁱ	0.07 ⁱ	--	--	--
29	--	--	--	0.54 ⁱ	0.51 ⁱ	0.44 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
30	--	--	--	0.54 ⁱ	0.51 ⁱ	0.43 ⁱ	0.07 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
31	--	--	--	--	0.50 ⁱ	--	0.07 ⁱ	0.07 ⁱ	--	--	--	--
Total:	--	--	--	3.24	16.1	14.3	7.16	2.17	2.10	0.84	--	--
Mean:	--	--	--	0.54	0.52	0.48	0.23	0.07	0.07	0.07	--	--
Min:	--	--	--	0.54	0.50	0.43	0.07	0.07	0.07	0.07	--	--
Max:	--	--	--	0.54	0.53	0.50	0.43	0.07	0.07	0.07	--	--
AC-FT:	--	--	--	6.43	31.9	28.4	14.2	4.30	4.17	1.67	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 45.9

TOTAL AC-FT: 91.1

**Annual Summary for Water District 72A Garden and Challis Creeks
72130022 - D - HLCNL-22 - A0002719**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ^m	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.11 ^m	0.11 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.66	3.41	1.65	--	--	--	--	--	--
Mean:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
Min:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
Max:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
AC-FT:	--	--	--	1.31	6.76	3.27	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 5.72

TOTAL AC-FT: 11.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130023 - D - HLCNL-23 - A0007587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.10 ^m	--	--	--	--	--	--
16	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.10 ^m	0.10 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.60	3.10	1.50	--	--	--	--	--	--
Mean:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
Min:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
Max:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
AC-FT:	--	--	--	1.19	6.15	2.98	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 5.20

TOTAL AC-FT: 10.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130024 - D - HLCNL-24 - A0007590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.62 ⁱ	0.62 ⁿ	--	--	--	--	--	--
16	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.62 ^m	0.62 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	3.72	19.2	9.30	--	--	--	--	--	--
Mean:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
Min:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
Max:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
AC-FT:	--	--	--	7.38	38.1	18.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 32.2

TOTAL AC-FT: 64.0

**Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ^m	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.85 ^m	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.85 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.85 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.85 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ^m	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.85 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.85 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ^m	0.85 ^m	0.02 ⁱ	0.02 ⁱ	--	--	--
16	--	--	--	--	0.11 ⁱ	0.00 ^m	0.04 ^m	0.02 ⁱ	0.02 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
18	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
19	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
20	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
21	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
22	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
23	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
24	--	--	--	--	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
25	--	--	--	0.11 ^m	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
26	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.04 ^m	0.02 ⁱ	0.02 ⁱ	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ^m	0.02 ⁱ	0.02 ⁱ	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ^m	0.02 ⁱ	0.02 ⁱ	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.00 ⁱ	0.02 ⁱ	0.02 ⁱ	0.02 ⁱ	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.02 ⁱ	0.02 ⁱ	--	--	--	--
Total:	--	--	--	0.66	3.41	1.65	6.11	0.62	0.60	0.24	--	--
Mean:	--	--	--	0.11	0.11	0.06	0.29	0.02	0.02	0.02	--	--
Min:	--	--	--	0.11	0.11	0.00	0.00	0.02	0.02	0.02	--	--
Max:	--	--	--	0.11	0.11	0.11	0.85	0.02	0.02	0.02	--	--
AC-FT:	--	--	--	1.31	6.76	3.27	12.1	1.23	1.19	0.48	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 13.3

TOTAL AC-FT: 26.4

**Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
2	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
3	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
4	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
5	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
6	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
7	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
8	--	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ^m	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
9	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.22 ^m	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
10	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.22 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
11	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.22 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
12	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.22 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ^m	--	--
13	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.22 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
14	--	--	--	--	1.63 ⁱ	1.63 ⁱ	1.22 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
15	--	--	--	--	1.63 ⁱ	1.63 ^m	1.22 ^m	0.30 ⁱ	0.30 ⁱ	--	--	--
16	--	--	--	--	1.63 ⁱ	0.00 ^m	0.61 ^m	0.30 ⁱ	0.30 ⁱ	--	--	--
17	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.61 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
18	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.61 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
19	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.61 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
20	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.61 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
21	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.61 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
22	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.61 ^m	0.30 ⁱ	0.30 ⁱ	--	--	--
23	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.30 ^m	0.30 ⁱ	0.30 ⁱ	--	--	--
24	--	--	--	--	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	1.63 ^m	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
26	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
27	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
28	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
29	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
30	--	--	--	1.63 ⁱ	1.63 ⁱ	0.00 ⁱ	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--	--
31	--	--	--	--	1.63 ⁱ	--	0.30 ⁱ	0.30 ⁱ	--	--	--	--
Total:	--	--	--	9.78	50.5	24.5	15.5	9.30	9.00	3.60	--	--
Mean:	--	--	--	1.63	1.63	0.82	0.50	0.30	0.30	0.30	--	--
Min:	--	--	--	1.63	1.63	0.00	0.00	0.30	0.30	0.30	--	--
Max:	--	--	--	1.63	1.63	1.63	1.22	0.30	0.30	0.30	--	--
AC-FT:	--	--	--	19.4	100.2	48.5	30.8	18.5	17.9	7.14	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 122.2

TOTAL AC-FT: 242.3

**Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
2	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
3	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
4	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
5	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
6	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
7	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
8	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
9	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
10	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ^m	--	--
11	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
12	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
13	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
14	--	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
15	--	--	--	--	11.3 ⁱ	11.3 ^m	0.00 ^m	2.00 ⁱ	2.00 ⁱ	--	--	--
16	--	--	--	--	11.3 ⁱ	0.00 ^m	5.80 ^m	2.00 ⁱ	2.00 ⁱ	--	--	--
17	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
18	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
19	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
20	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
21	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
22	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
23	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
24	--	--	--	--	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
25	--	--	--	11.3 ^m	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
26	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	5.80 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
27	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	5.80 ^m	2.00 ⁱ	2.00 ⁱ	--	--	--
28	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ^m	2.00 ⁱ	2.00 ⁱ	--	--	--
29	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
30	--	--	--	11.3 ⁱ	11.3 ⁱ	0.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
31	--	--	--	--	11.3 ⁱ	--	2.00 ⁱ	2.00 ⁱ	--	--	--	--
Total:	--	--	--	67.9	350.9	169.8	77.6	62.0	60.0	20.0	--	--
Mean:	--	--	--	11.3	11.3	5.66	2.50	2.00	2.00	2.00	--	--
Min:	--	--	--	11.3	11.3	0.00	0.00	2.00	2.00	2.00	--	--
Max:	--	--	--	11.3	11.3	11.3	5.80	2.00	2.00	2.00	--	--
AC-FT:	--	--	--	134.7	696.1	336.8	153.9	123.0	119.0	39.7	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 808.2

TOTAL AC-FT: 1603

**Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.01 ⁱ	0.85 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	1.00 ⁱ	0.85 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	1.00 ⁱ	0.84 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
4	--	--	--	--	0.99 ⁱ	0.84 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
5	--	--	--	--	0.99 ⁱ	0.83 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
6	--	--	--	--	0.98 ⁱ	0.83 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
7	--	--	--	--	0.98 ⁱ	0.82 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
8	--	--	--	--	0.97 ⁱ	0.82 ⁱ	0.78 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
9	--	--	--	--	0.97 ⁱ	0.81 ⁱ	0.39 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
10	--	--	--	--	0.96 ⁱ	0.81 ⁱ	0.39 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
11	--	--	--	--	0.96 ⁱ	0.80 ⁱ	0.39 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
12	--	--	--	--	0.95 ⁱ	0.80 ⁱ	0.39 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	--	--
13	--	--	--	--	0.95 ⁱ	0.79 ⁱ	0.39 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	0.94 ⁱ	0.79 ⁱ	0.39 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.94 ⁱ	0.78 ^m	0.39 ^m	0.20 ⁱ	0.20 ⁱ	--	--	--
16	--	--	--	--	0.93 ⁱ	0.78 ⁱ	0.20 ^m	0.20 ⁱ	0.20 ⁱ	--	--	--
17	--	--	--	--	0.93 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.92 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.92 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.91 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.91 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.90 ⁱ	0.78 ⁱ	0.20 ^m	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.90 ⁱ	0.78 ⁱ	0.20 ^m	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.89 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	1.04 ^m	0.89 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	1.03 ⁱ	0.88 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	1.03 ⁱ	0.88 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	1.02 ⁱ	0.87 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	1.02 ⁱ	0.87 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	1.01 ⁱ	0.86 ⁱ	0.78 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.86 ⁱ	--	0.20 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	6.15	28.9	24.0	12.2	6.20	6.00	2.40	--	--
Mean:	--	--	--	1.03	0.93	0.80	0.39	0.20	0.20	0.20	--	--
Min:	--	--	--	1.01	0.86	0.78	0.20	0.20	0.20	0.20	--	--
Max:	--	--	--	1.04	1.01	0.85	0.78	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	12.2	57.3	47.5	24.1	12.3	11.9	4.76	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 85.8

TOTAL AC-FT: 170.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
15	--	--	--	0.40 ^m	0.40 ⁱ	0.40 ^m	--	--	--	--	--	--
16	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
17	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
18	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
19	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
20	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
21	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
22	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
23	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
24	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	6.40	12.4	6.00	--	--	--	--	--	--
Mean:	--	--	--	0.40	0.40	0.40	--	--	--	--	--	--
Min:	--	--	--	0.40	0.40	0.40	--	--	--	--	--	--
Max:	--	--	--	0.40	0.40	0.40	--	--	--	--	--	--
AC-FT:	--	--	--	12.7	24.6	11.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 24.8

TOTAL AC-FT: 49.2

**Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2021 - 12/31/2021

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
2	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
3	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
4	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
5	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
6	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
7	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
8	--	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ^m	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
9	--	--	--	--	11.5 ⁱ	11.5 ⁱ	5.50 ^m	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--
10	--	--	--	--	11.5 ⁱ	11.5 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁿ	--	--
11	--	--	--	--	11.5 ⁱ	11.5 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
12	--	--	--	--	11.5 ⁱ	11.5 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
13	--	--	--	--	11.5 ⁱ	11.5 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
14	--	--	--	--	11.5 ⁱ	11.5 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
15	--	--	--	--	11.5 ⁱ	11.5 ^m	5.50 ^m	2.50 ⁱ	2.50 ⁱ	--	--	--
16	--	--	--	--	11.5 ⁱ	0.00 ^m	5.50 ^m	2.50 ⁱ	2.50 ⁱ	--	--	--
17	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
18	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
19	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
20	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
21	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
22	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
23	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
24	--	--	--	--	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
25	--	--	--	11.5 ^m	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
26	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	5.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
27	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	5.50 ^m	2.50 ⁱ	2.50 ⁱ	--	--	--
28	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ^m	2.50 ⁱ	2.50 ⁱ	--	--	--
29	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
30	--	--	--	11.5 ⁱ	11.5 ⁱ	0.00 ⁱ	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	--	--	--
31	--	--	--	--	11.5 ⁱ	--	2.50 ⁱ	2.50 ⁱ	--	--	--	--
Total:	--	--	--	68.9	355.9	172.2	114.5	77.5	75.0	25.0	--	--
Mean:	--	--	--	11.5	11.5	5.74	3.69	2.50	2.50	2.50	--	--
Min:	--	--	--	11.5	11.5	0.00	0.00	2.50	2.50	2.50	--	--
Max:	--	--	--	11.5	11.5	11.5	5.50	2.50	2.50	2.50	--	--
AC-FT:	--	--	--	136.6	705.9	341.6	227.1	153.7	148.8	49.6	--	--

CALENDAR YEAR 01/01/2021 - 12/31/2021

TOTAL CFS: 889.0

TOTAL AC-FT: 1763