

May 18 12:PM. Mr Hulet called said Paul is getting water  
in Ditches and water will be down to  
Noyhaus some time to night, ~~wants~~ to know  
Why I am letting Paul Have water, I informed  
that when I ~~made~~ made check on them no water was  
in ditches, he said there was, I said creek was  
dry so how can there have been water in ditches,  
I said he was informed by letter that all outlets were  
to be shut off, I said I received it too. I told  
him I will call Paul and get this taken care of,  
Hulet ~~wants~~ me to come down so he can show  
me, I said <sup>let</sup> inform Paul that it, might take more  
an a shouble to shut them off. he said that's my job,  
I is sick and tired of no one working with him. wants  
Cindy home phone, I refused, want to know ~~what~~

2/3/98 Paul was able to have water all winter long  
I informed my duty is from <sup>AM</sup> 7<sup>ST</sup> to Nov 1  
I said that a whole other deal. wants Cindy's home  
phone, I said No, he said he'll call Dave Tutthill, said  
me. he said water will be down to Noyhaus tonight  
and if I don't shut it off it will go to river, I said  
figure we would have to worry about that after water  
got to Noyhaus. <sup>(not know the full picture)</sup> he wanted to know why Noyhaus  
not to fill be for him. I said we'd have to figure  
out with Cindy, wants Cindy # I said to call  
Dave Tutthill. he said since I and no one else will  
work with him, will call Dave, <sup>and the biggest suite I've ever seen</sup> that this is a emergency, I said it  
is an emergency.

min later  
Dave calls wants to know what's going on, <sup>(informed of above)</sup> he  
said, that I should make a check w/24 hours, I said I would be  
calling Paul to stop water in ditches. I asked Dave what would be the  
best way to handle, said call Paul ~~to~~ to shut water off ditches  
for me to ~~make~~

make a Run and Shut Water down half out of Res. Said fine  
Dave would call hulet to inform. Dave says we want  
to work together, ~~Paul~~

2:45 checked Ditches on way up, and talked to Paul, Weir at  
Bottom #3 Had water in Ditch, but Not Running, Paul said he had  
Robbie Shoule<sup>in</sup> this morning, no sign of fields Being irrigated.  
Ditch #4 Had Running water, Paul said for Stock Water Purpose.

~~Paul~~ Said Jay was Video Tapping this morning. I am wondering if  
Jay Taped water leaking under Canal Weir and standing water.  
down Canal  
Creek weir on way up Read 6.26 = 14.14 CFS Set at 5.97 = 7.88 CFS  
on way Down.

on way Back Down checked to see where Ditch #4 water ends; was running  
out on field. Tried to find Paul, Found Robbie, and said I had no  
Problem with Stock water, but need to stop running out on field,  
he said that he thought since it was under .10 that it was  
O.K. I thought it was a little more than .10, He said water keeps  
going up & down, that he'd work on it. I informed him that  
water would go down since I just turned flow down to 7.88 cfs  
Robbie said water had just made it to bottom of place (Paul's) this  
morning.

Mar 20 called Cindy filled in, she was coming out to day.

Mar 21 - Baker called said he had talked to Paul, where  
Cindy, I said we were planning on coming out today. <sup>Baker</sup> all this  
time is wasted and hulet shouldn't be making the calls, he might  
or haver might write letter to hulet. I told him for what  
water I seen at the bottom of Paul's on Sat I would not have turned  
down. But Dave told me too.

Mar 21: cranked water up to 15.58 cfs will probably settle to 15.10 cfs, met with Cindy  
measured water in Ditch #4. at 3 Said unacceptable. Told Paul, got Robbie, he called  
Paul, Cindy told to shut water off, that should not be running on field, he said  
they had been working on it, for what I seen in Ditch told Paul it was not working  
which was wood, sticks & bark. - Paul & Cindy went to work on it.

Mar 22 Cindy called said Baker had about 3.58 coming in. Told me to crank  
down to 12 cfs.

on way up creek staff Read 6.31 = 15.34 CFS, Cranked down, creek staff Reads 6.20

Mar 24 <sup>5:00pm</sup> Baker called said they had extra water, said give till morning = 12.74  
and still be down. about 70 inches going to river.

25. Baker called informed me that they had extra water to turn it on way up Paul had water running in # 4 with water running on fields. Found Roblin and he was ~~working on dam?~~ Working on Dam, Paul, came said Dam Blew out last night, said about 20 inches was thrown. But they were working on it. water was frozen that was on fields. on way up staff lead  $6.21 = 12.97 \text{ cfs}$  on way down lead  $6.10 = 10.53 \text{ cfs}$ .

25 called jays wife and informed of turning down. he had left sage on machine that water has been going to river for last 3 days

27 7:40 AM

Jay called, said water had dropped a foot or so from when I crawled on on Sat. That there's still water going to river, that I'm not doing job, told I have been working on it and doing what I have been trusted to do. That he'll be calling Cindy and signing a contract. I was going to talk to her too, again want to know why they want water before he does, told him you'll have to talk to Cindy's he'll that.

10 called R.R. both Dave + Cindy are out.

15 Called Baker to find out what water looks like on his end. answer machine, asked to let me know.

at House all day. Returned at 6:35 PM.

message on machine  
Dave Tuttle Returning call.

4:45 AM Baker called said there was about 50 in going to river, but seems to be slowing or going down each time he checks it.

8:00 PM Tried calling Cindy at Home, she's out in field for 3 days.  
3:10 PM called Baker and asked him to give me a reading in morning as soon as possible.

message machine  
28 7:45 AM Baker called said water had gone down a little, he figured about 40 in with stock water so to crawl down

8:00 AM. Jay called said his water from Res is still being wasted. Wants to know what I'm doing.

9:00 on way up staff lead  $6.96 = 9.69 \text{ cfs}$  on way down lead  $6.00 = 8.47 \text{ cfs}$

11:00 AM called jays answer machine and informed of  $\uparrow$

Mar 29<sup>th</sup> 8:00 Jay called answer machine, said there is still over a 100 in going to river. Wants to know what I am doing.

Cindy called, wanted to know what was going on filled in and she said that sounded fine.

Mar 30 - 8:05 Jay called said there was still a big stream going to River, I'd like to know if I did anything yesterday, I asked ~~if~~ if he had talked to Cindy that I did not change anything for what Cindy told me, I said I would call Cindy to find out if I do anything.

Called WR, Cindy in meetings,

10:00 Cindy called answer machine said she was going down to check Res, <sup>Wayne</sup> level.

Mar 31 8:45 AM Cindy called <sup>said Wayne Res</sup> was about 6 in below figured it will be about 4 in today told me get Paul's order, and have to estimate inlet since weir is washed out, and try to keep some in creek for ~~the~~ Wayne. Told her this ~~is~~ sounds like Bucket of worms to me. She said do what I can and if Jay has problem he has to get weir in. She also ~~turned~~ turned water down to 6.21 CFS was 5.88 on creek staff.

Mar 31 8:15 Called Paul to see what orders are, said he'll ~~put~~ put 6 CFS that in creek now down canal, would like 12 to 15 CFS in canal to see how fast it get to bench field, then will adjust, got O.K from Cindy and put rest down creek.

April 2<sup>nd</sup> Paul called said they changed canal + creek. to  
 $4 \frac{28}{100}$  staff creek at 6.12 staff  
 $= 6.87$  CFS  $= 10.96$  CFS  $= 17.83$  CFS is 4 CFS short

April 4<sup>th</sup> Baker / Answer Machine / said he is short water.

April 4<sup>th</sup> called Cindy. She said Paul has to put water in creek, since he's got water in canal.

April 4<sup>th</sup> called Paul, told him to get water in creek since Baker is short and Paul has water going in canal, Paul said it will probably take, a couple days to get there but they will do it.

April 4<sup>th</sup> called Baker.

April 6<sup>th</sup> Baker called. Said he was still short, wants to know what I did, said talked to Paul to get water down there. Baker said measurement was up from .776 CFS to 1.65 CFS last night. we'll give till tomorrow or change things.

April 6<sup>th</sup> 9:45 AM called Cindy. informed of deal.

April 6<sup>th</sup> 10:00 AM called Paul, told him to get more water to Baker.

April 9 Phone has been out since 4:30 PM April 9<sup>th</sup> called Paul 4:00 PM. said Wayne was still short, he had talked to Baker this morning and are going to charge some water around

April 12: called, Bak Hulet, Paul informed was going to be gone from Friday and be back on Tues. if there were any water orders to let me know, so I can take care. Tomorrow (Thur) that on week end they'd have to call W.R. or Cindy.

5

April 22 Answer machine Paul called informed he was putting some water back in canal, that Naphos had full amount plus more, he said he thought it could be dropping, he'll check and call.

April 24 called Paul answer machine, to see what was up.

April 26 called Cindy, she called back, she said to compute figures on Work Sheet with stick on canal staff measurement.

May 1 7:45 Jay called Ted I was busy. 8:00 I called Jay he informed he would be turning on water sometimes this week. wanted to know what amount was in canal, I said with weir being so off I was taking measurement from stick on weir that about 14 cfs was in canal. he also wanted to know what Res level was, I said I did not know what actual staff was but have been keeping an eye on Res level.

May 3 called Paul to inform Jay was planning to turn on water. called Cindy informed same thing.

May 8 Paul called, wants water turned down, with all this rain doesn't need it. wants about 10 cfs in creek.

May 9 made water check, put Paul's water in creek and seen Robbie & Paul. Res has come up bunch about 10 ft from over flow. called Cindy informed. called Jay informed of Res level.

May 12 7:50 AM Jay called was wanting water tonight, I said have 4-H Beef workday after school and don't know if we can be done before dark. I asked what about noon time, he said they will be working on canal. and figured couldn't keep ahead of the water. I asked what about in the morning (next) <sup>13<sup>th</sup></sup> he said that if water is turned on at night, it get to his place in morning and he can work with water. I said with the 4-H kids, don't know how long it will go. he said to call him tonight if I can't make it. he asked me about Sunday for adjusting water if I had a problem with that, I said no.

May 13 8:05 AM called Paul, said Jay wants to turn water on tonight, Paul said Res should be spilling soon. asked where he wants his water he said same in creek.

May 12<sup>th</sup> 8:10 AM called Cindy, she's out till Mon. Talked to John and informed. John Question on Time + ~~call~~ tonight with V-H, he said to do the best I can, he will inform Cindy.

May 13, Jay left message, I called him & left message to call back.

May 13, 9:55 PM Jay called, want about another 10 CFS, wanted to know what time I turned water into canal, I said 8:15 to 8:30 PM he said it took 16 hours to get to his place. I will get water to him tomorrow.

May 15, 95: 12:20 P.M. Jay called, says he will be ordering more water tomorrow, that was after I told him what time of 1:15 to 1:30 PM I had put water in yesterday, he also said he is the watermaster for the canal and I am not to deliver water to Paul. That he's sending a letter out. wanted to know if I was aware of water in bench field, I said Paul asked for it on my way up, and I put his <sup>50</sup> 10 CFS in and a extra 3 CFS in for bench field. again Deal on he's the watermaster for canal, and I said I was calling D.R. for instructions.

May 15-95 called water master to find out what deal is with Jay saying he's ~~in~~ for canal. Cindy is talking to Dave and call back.

May 15-95 Cindy called back said things are as usual until they see letter from Jay.

May 16-95 Cindy called. Said things as usual. for now.

May 17- 1:10 PM. Jay called says he wants another 7 CFS. Said I'll do my best but is getting hard to get a measurement on weir with that much water. He wanted ~~to~~ what time I could, said sometimes this afternoon.

May 18 7:45 AM Paul called says he wants to put more water 3.5 CFS in canal he said he'd shut down creek. Had 12.97 CFS - 3.5 CFS stuff should read 6.05 for 9.48 down creek. He said talked to Baker and Waybas Res. is bulging full, Don't need the water. and with check yesterday I seen Baker, he said their full and has all of water turned to river. Paul said he'll turn on sprinklers late this afternoon.

May 18 4:10 PM Paul left message on machine, said he put a little more in canal then said. at 6:00 on stuff so is <sup>on the machine</sup> 4.5 CFS in canal.

May 18 8:46 PM called Paul & Jay to inform, if they wanted any water changes I need to know in morning 19<sup>th</sup> as Sat is full for me.

May 19- Paul & Jay called in morning saying they didn't figure they needed any water changes.

May 21 Jay called an answer machine requesting break down of Pauls water in canal, Dates of changes + water at 3 or 6 creek deliveries and he talked to Dave and said there wouldn't be a problem of that.

May 22 called W.R. Cindy not in, she's to call back.

May 25 Paul called said he wants another 3 CFS in canal tomorrow morn. Told him to take creek measurements (Staff) to read 5.82 or 5.83, for 3 CFS in canal he wants more 3 CFS when I get chance, told him either late Sat Night or Sun morning, said fine.

May 26 Jay called answer machine want to know how much more water Paul has put in canal

26 called Jay told him 3 CFS that Paul put in this morning, he said Paul took water early this afternoon, but that's not my worry, I wanted to know what Pauls water total was down all diversions it one was 22. he said his water is being took and I am water master to do something, I said ~~that~~ I thought what coming in the inlet was to be going out which doesn't come to outlet. To fill every body down stream. That I was my job. Same ol, cost him money, he's tired of this, calling some one who will take care of it.

May 26-95 called Cindy at home told of above, said Pauls extra in down all creek deliveries ~~is~~ is tail water and a fatal call. I want more storage I will deliver it.

9:40 PM  
26 Jay called said he called Dave and it's my job to take care of it. That's he got a idea to solve problem, to call back.

8:00 PM  
27 Rode all day, power was off and answer machine screwed up.

27 8:10 PM Paul called, wanted to know if Jay had any changes in canal, said did not know until I call Jay. Paul wants other or more (his right) in creek, said fine.

May 27 8:20 PM called Jay info on power out, answer machine screwed up, and if he left any messages, he said about 3, I wanted to know what problem was, Pauls getting water and I'm not doing my job, said I was getting a total of 18.45 CFS and that the measurements at diversions down creek was ground water and a fatal call, he said it is not. and he has never been informed of that, said that's what W.R. as informed me. He said that's not right, that he'll just get an engineer out to check this, I said while he was at it I have in check inlet weir and canal weir too, since washed out & leaking. Said he hasn't or I haven't informed him of that. Said am doing if he wants more or less storage water to let me know, I complaint, call Dave, I said fine.

June 3 - 95 8:05 AM. Called Jay informed of Slips in mail box and, last week slip of all past measurements was not been picked up. That I thought they got their mail in it, he said No.

June 3 Paul called Answer Machine, informed he was putting water to search field, from weir above Highway, same amount, No adjust at canal weir or creek, just informed.

June 11 - 95 P.M. Paul called ordered 4.5 cfs in canal & 6.00 cfs in creek. informed could not do till P.M. of 72. fine.

June 12 - 9:30 PM Paul called wanted to know what deal was, said made changes at 7:30 P.M. Fine.

June 13 - 95 7:35 AM Jay called, Ted said will be back.

June 13 - 95 7:45 AM, Called Jay answer machine informed of changes and slip in mail box.

June 13 - 7:50 AM Jay called wanted to inform that approx 1.5 cfs was going to river, I said Nayha has not closed off order, and with changes last night, should change that. he said fine, also every time theres a change Paul get 1.5 cfs of his water but thats not my fight, That his water drops, asked if he wanted me to change water he said No.

June 17 P.M.? Jay left message on machine, that he wanted water change, in morning.

June 18 AM 7:30 I called Jay, he wants all water shut off. also question on water of his being wasted to river that Nahaws not taking. said I didnt know what we could do with 6. cfs going across weir and creek soaked up.

He also had about 1 cfs more at his place last night, I informed of slip in mail box, (which he got) of correction made yesterday from gate settling.

June 18 7:40 called Paul, asked what he wanted to do, to stop by house on way up. (did) He said could not get ahold of Farmer, but to shut off, leave same in creek

June 19. 9:35 PM Jay called, wanted all water turned off so he can work on canal, weir. said didn't have a problem; but would have to ask Paul.

June 19. called Paul, he called back, informed of above he said he didn't want to shut off water. I said Jay informed me it would only take 2 hours. he said he could handle that but not for a length of time, and 2 hours is going to be a gizzer rig away way.

June 19 - 10:16 PM. called Jay informed have to call B.R. in morning for answer.



20-25<sup>8:10 AM</sup> called cindy informed of says Request & Pauls & This measuring device order. (called in) ~~and~~ hours <sup>to fix</sup> and still is going to be gipper Reg. She'll call jay to find out and call back.

20-95 Tuli fischer from <sup>civens</sup> Hurlley left message on machine concerning m.m.c.

ed back at 8:35pm. She wants listing of water rights for canal, said not have but have rights for creek water, will fall. probably now when it do water.

21-95 12:30pm

(via) called cindy, asked if she heard from jay, sounds like he's walking it tomorrow. also she will fall, water rights listing to julie fischer.

21- 9:26pm called jay asked what plans are, he said he'd call water Res. to find out if cindy could come out on friday and do it all ren, he'd let me know.

26- answer machine. Cindy called. Says jay is trying to get hold of me, he cant get machine? She put about 28 cfs in canal.

Jay called answer machine, want more water but wants to talk me before I leave.

ed w.r. - cindy to see whats up. just what she did and jay probably wants more water.

ed called Jay, he wants ~~10~~ 10 cfs more water and wanted know if cindy came up with inlet figure. I call cindy, figured about 13 cfs.

27, Paul called answer machine to see what I did last night.

27- I called cindy, informed of measuring difference.

28 Jay called, wants another 8 cfs. and still his 1.5 cfs water is going to river.

29 Paul left message on machine, wondering where water is

29 called Paul back, just was questioning 11 cfs inlet guess, said cindy & me were coming tomorrow, so we can get better guess, so Paul want to put 2 cfs from creek to canal, told him to to do staff measurement at 5.51 or 5.52

29 Paul left message on machine, said they had problem with creek gate, wanted to know what time me & cindy will be there.

30 called Paul.

July 6. called cindy, about on call for <sup>my</sup> Washing Trip.  
called Jays left message on machine. Will call back.  
called Paul, Hell call back. he called back Said check Day  
before I go, Fine with him.  
called Jay back, Mrs hulet. Said she didn't get message  
told her I'd be gone July 10<sup>th</sup> 13 She'd ~~call~~ tell Jay.

July 7<sup>m</sup> 10:30 PM Paul called want to put 2 CFS from canal to creek.  
Tomorrow night, told him to put creek stuff at 5.96 for 7.69 CFS

July 8<sup>th</sup> 7:15 AM Jay called, says he's going to take equipment up and  
try to find win.

July 8<sup>th</sup> 9:11 PM called Jay, hell call back, called again.  
10:15 PM. Jay called back. Some thing, Paul getting water, wet  
doing job, Told a fatal call, ~~Paul getting water~~  
wants to make checks (Pauls) with me, said I ask W.R. - wants  
to know who he can call - while I'm gone, said W.R.

July 9 - AM Paul called, said they changed plans and did not put water  
from canal to creek (2 CFS)

July 13<sup>PM</sup> called Connie Brandon to see what happened. checked water  
today.

July 14 7:55 AM Jay called want me to do check, still says water to  
River needs to be cut back, and Connie didn't give  
him his 6 river flow. but no changes till later.

July 14 8:00 AM Jay wants copy of all my other water measurements  
from first of year to now. from everybody.

July 8:05 AM called Cindy, to see what went on, (Went o.k.)

July P.M. called Paul, to let him know of inlet measurement, and turn  
on pump.

July 16. 6:30 PM Paul left message on answer machine, that they shut  
down 3 lines to compensate for 6.86 CFS in canal.

July 17<sup>AM</sup> Jay called answer machine, says he has made 20 attempts to get  
a hold of me personally.

(only because he lets phone ring 2 to 3 times and hangs up without  
leaving message)

wants inlet measurement of 14<sup>th</sup>, wants me to put time of day on  
slips I put in box and need to check inlet every 2 days. to call  
back.

by 17 - Called Jay, Not home (No Machine)

7:36 AM

called Jay informed of inlet 7.46 CFS on July 14 time of 2:30 to 3:00 PM when it was changed, and he wants me to check every 2 days until we figure out Rate of Drop. asked if he wants change, he said No.

7/17 10:40 AM Called Paul to see if he wanted any changes, said No

17 - Mike Cramer, Answer machine, Says Attorney wants water deliveries call back

18: 8:24 AM Paul called, Says done with grain field, want to leave 3 CFS in canal & rest of 2.14 CFS down creek. Told him to set creek staff at 61 or 5.62 for 2.09 CFS or 2.21 CFS

18 8:33 called Mike Cramer. informed gave Jay copy of Those water Deliveries from April 2 to July 9<sup>th</sup>, that he could get from me or Jay, he said wire's must of got crossed, he contact Jay for Copies.

18 7:43 AM Paul called, Said changed mind leaving water in canal.

19 - 7:45 PM called Paul & Buzzzy.

20 - 8:00 Paul called answer machine, wants to know what measurement was yesterday

20 - AM. called Paul informed of his 4.87 in canal, he'll have to turn Bench field down.

20 8:35 Jay called wants to know if I inform Paul of water when I make checks, said I do, either going out of his place or a phone call, he said Paul's stealing him blind. also if I have figured the rate of Drop inlet is, said after Friday I probably be able tell. That he'll probably be wanting a water change, he'll call Jay morning.

21 called Jay to see what orders he had, wanted me to do on Sat. Said No that I was weaning calves. Then shut him down about 5 CFS today, was also going to put Note in Box with some question it, about work sheet.

21 8:10 AM Jay called back said to cancel SCFS order, said to call him Sunday afternoon, when I get back from weaning.

24-95 8:00 AM Jay called, wanted ~~his~~ water cut back to 30 CFS, said it was 30 CFS, he checked and said cut to 25 CFS, O.K.

27-95 P.M. Paul called answer machine. Had 2 more sets on bench, put Pump on, talked to Jay, said he was going to run pump 6 hours, talked him into 8 hours, let Robbie know what measurements come up with tomorrow.

28-95 AM 7:15 Jay called, said there's not a need for me to come up Jay because he's having trouble with getting water thru, and may be to work on canal this weekend, I said Sat. was out for a bit maybe seen here. also will have to ask Paul he needs ~~some~~ changes, Jay didn't see need for that, I did after Paul's message, he might want to put water in creek,

Since, he's pumping. Also he wanted to know, what, when & where, Paul has put water in canal, I said I didn't think it was my job for canal, he said I am a public servant and it's my duty, said, I'll call W.R. I'm to let him know.

July 28<sup>th</sup> 8:08 AM called Cindy, informed of above, said they did not sign documents on lateral users, to <sup>(5<sup>th</sup>)</sup> ask Paul for info, and Jay is water master.

July 28<sup>th</sup> 8:24 AM called Jay back informed of above, he will supervise me, I said do what ever and go thru W.R. he'll call W.R. he wanted to know if I got a hold of Paul on changes today, can't get either Rob or Paul. will see. informed again of me being gone on Sat. will be at Silver City. if emergency sheriff's office has keys. OK.

July 28<sup>th</sup> called Paul's Silver City # not there.

July 29<sup>th</sup> called Paul, asked if he wanted me to come up there, informed of above, he said no need.

July 28<sup>th</sup> Cindy called answer machine, am suppose to put when water is put in but not amount. what I give Jay.

Aug 2. 8:03 PM Paul called wanted to know if I did changes, said no, he said he's kick on little pump into canal and running 2 hours a day, that runs 1.8 cfs

Aug 7-95. called Baker - Answer Machine. informed of ~~Beaver~~ Beaver pond, back up on road. also weir either flipped or off. check it out.

Aug 7-95 tried Cindy 3 times.

Aug 8-95 called W.R. Cindy out till 13<sup>th</sup>.

Aug 9 or 10? Jay called, Ted informed I only have to check every 4 days or 2 times a week.

Aug 26 4:04 PM. Jay called, requesting Measurement Sheets, copy, and said he had been out of water approx Aug 23, wanted to know when I came up last, <sup>said</sup> with the last slip I put in mail box Aug 14.

Aug 26 called Paul's answer machine to find out approx when water ran out.

Aug 28<sup>AM</sup> Paul called said water ran out of Res Tile Aug 15, but with ~~the~~ water still in canal & Paul pumping, water at highway ran out or quite over <sup>road</sup> when on Aug 22.

Aug 28. called cindy, to ask about Work Sheets to get to Jay.  
she said to go thru them and <sup>(phone call sheets)</sup> make note's of Paul's changes.

Nov 2<sup>AM</sup> cindy called informed me Jay had called about gate house, told had totally forgot, will head down to do

Nov 3 7:30 AM. ~~Phone~~ Phone Rang 2 time's hanged up, Rang again  
Was Jay, wanted to know about gate house, informed did yesterday, said he tried all day (Nov 2<sup>Wed</sup>) to get a hold of me, informed that there was no messages on machine, he also wanted to know if I checked Nayhas Res. No.

called water R 3 time to get work sheets

