

		Drawdown data for:				Edwards				
		Date test start:				03/26/94				
		Time start (hr/min/sec):				9	0	0		
Day	Log	Date		Time		Elapsed	DTW			
Code	Elpsd		(hr:min:sec)			Time	(ft)			
	Time					(hr)				
	(hr)									
34405.51	ERR	03/12	12	10	0	-332.83	23.38			
34406.41	ERR	03/13	9	55	0	-311.08	23			
34407.48	ERR	03/14	11	30	0	-285.50	23.96			
34408.49	ERR	03/15	11	45	0	-261.25	25.15			
34409.47	ERR	03/16	11	20	0	-237.67	24.15			
34410.62	ERR	03/17	14	50	0	-210.17	23.85			
34411.31	ERR	03/18	7	32	0	-193.47	23.25			
34411.38	ERR	03/18	9	10	0	-191.83	24.1			
34411.75	ERR	03/18	17	58	0	-183.03	23.7			
34412.36	ERR	03/19	8	37	0	-168.38	23.45			
34413.67	ERR	03/20	16	0	0	-137.00	24.3			
34414.5	ERR	03/21	12	0	0	-117.00	24.02			
34415.61	ERR	03/22	14	40	0	-90.33	24.07			

34416.52	ERR	03/23	12	30	0	-68.50	23.86			
34417.56	ERR	03/24	13	21	0	-43.65	23.9			
34418.49	ERR	03/25	11	46	0	-21.23	24.05			
34419.36	ERR	03/26	8	44	0	-0.27	23.78			
34419.37	ERR	03/26	8	56	0	-0.07	23.8			
34419.38	ERR	03/26	9	0	0	0.00	23.75			
34419.38	-1.78	03/26	9	1	0	0.02	23.72			
34419.38	-1.48	03/26	9	2	0	0.03	23.73			
34419.38	-1.30	03/26	9	3	0	0.05	23.77			
34419.38	-1.18	03/26	9	4	0	0.07	23.78			
34419.38	-1.08	03/26	9	5	0	0.08	23.78			
34419.38	-1.00	03/26	9	6	0	0.10	23.77			
34419.38	-0.93	03/26	9	7	0	0.12	23.77			
34419.38	-0.88	03/26	9	8	0	0.13	23.78			
34419.38	-0.82	03/26	9	9	0	0.15	23.76			
34419.38	-0.78	03/26	9	10	0	0.17	23.77			
34419.38	-0.74	03/26	9	11	0	0.18	23.77			
34419.38	-0.70	03/26	9	12	0	0.20	23.77			
34419.38	-0.66	03/26	9	13	0	0.22	23.76			
34419.38	-0.63	03/26	9	14	0	0.23	23.79			
34419.39	-0.60	03/26	9	15	0	0.25	23.76			
34419.39	-0.57	03/26	9	16	0	0.27	23.78			
34419.39	-0.55	03/26	9	17	0	0.28	23.78			

34419.39	-0.52	03/26	9	18	0	0.30	23.77		
34419.39	-0.50	03/26	9	19	0	0.32	23.76		
34419.39	-0.48	03/26	9	20	0	0.33	23.77		
34419.39	-0.46	03/26	9	21	0	0.35	23.77		
34419.39	-0.44	03/26	9	22	0	0.37	23.79		
34419.39	-0.42	03/26	9	23	0	0.38	23.77		
34419.39	-0.40	03/26	9	24	0	0.40	23.77		
34419.39	-0.38	03/26	9	25	0	0.42	23.78		
34419.39	-0.36	03/26	9	26	0	0.43	23.79		
34419.39	-0.35	03/26	9	27	0	0.45	23.78		
34419.39	-0.33	03/26	9	28	0	0.47	23.77		
34419.4	-0.32	03/26	9	29	0	0.48	23.78		
34419.4	-0.30	03/26	9	30	0	0.50	23.77		
34419.4	-0.26	03/26	9	33	0	0.55	23.77		
34419.4	-0.23	03/26	9	35	0	0.58	23.78		
34419.4	-0.21	03/26	9	37	0	0.62	23.77		
34419.41	-0.12	03/26	9	46	0	0.77	23.77		
34419.41	-0.08	03/26	9	50	0	0.83	23.77		
34419.41	-0.04	03/26	9	55	0	0.92	23.79		
34419.42	0.00	03/26	10	0	0	1.00	23.77		
34419.42	0.03	03/26	10	5	0	1.08	23.75		
34419.42	0.07	03/26	10	10	0	1.17	23.76		
34419.43	0.10	03/26	10	15	0	1.25	23.76		

34419.43	0.12	03/26	10	20	0	1.33	23.75			
34419.43	0.15	03/26	10	25	0	1.42	23.74			
34419.44	0.18	03/26	10	31	0	1.52	23.7			
34419.44	0.20	03/26	10	35	0	1.58	23.73			
34419.45	0.23	03/26	10	41	0	1.68	23.72			
34419.45	0.24	03/26	10	45	0	1.75	23.73			
34419.45	0.26	03/26	10	50	0	1.83	23.73			
34419.45	0.28	03/26	10	55	0	1.92	23.72			
34419.46	0.30	03/26	11	0	0	2.00	23.73			
34419.47	0.34	03/26	11	10	0	2.17	23.72			
34419.47	0.37	03/26	11	20	0	2.33	23.71			
34419.48	0.40	03/26	11	30	0	2.50	23.7			
34419.49	0.43	03/26	11	40	0	2.67	23.71			
34419.49	0.45	03/26	11	50	0	2.83	23.71			
34419.5	0.48	03/26	12	0	0	3.00	23.69			
34419.51	0.50	03/26	12	10	0	3.17	23.7			
34419.52	0.53	03/26	12	24	0	3.40	23.69			
34419.52	0.55	03/26	12	32	0	3.53	23.68			
34419.53	0.57	03/26	12	45	0	3.75	23.67			
34419.54	0.60	03/26	13	0	0	4.00	23.65			
34419.55	0.64	03/26	13	19	0	4.32	23.64			
34419.61	0.75	03/26	14	34	0	5.57	23.61			
34419.65	0.82	03/26	15	35	0	6.58	23.6			



								Totalizer	Calc. flow	reading
34418.49	ERR	03/25	11	46	0	-21.23		2772605		145
34419.35	ERR	03/26	8	25	0	-0.58		2774301	136.8846	141
34419.61	0.75	03/26	14	40	0	5.67		2774819	138.1333	150
34420.28	1.34	03/27	6	42	0	21.70		2776132	136.4865	135
34421.3	1.66	03/28	7	10	0	46.17		2778096	133.7875	135
34422.27	1.84	03/29	6	26	0	69.43		2779932	131.5186	132
34423.62	2.01	03/30	14	46	0	101.77		2782342	124.2268	135
		03/31	11	32	0	122.53		2783887	123.9968	135

		Drawdown data for:				Flora Co. house/garage well.			
		Date test start:				03/26/94			
		Time start (hr/min/sec):				9            0            0			
Day	Log	Date	Time			Elapsed	DTW		
Code	Elpsd		(hr:min:sec)			Time	(ft)		
	Time					(hr)			
34402.54	ERR	03/09	12	52	0	-404.13	17.74		
34403.67	ERR	03/10	16	0	0	-377.00	17.68		
34404.58	ERR	03/11	14	0	0	-355.00	17.9		
34405.55	ERR	03/12	13	18	0	-331.70	17.66		
34406.45	ERR	03/13	10	43	0	-310.28	17.69		
34407.51	ERR	03/14	12	11	0	-284.82	18.28		
34408.45	ERR	03/15	10	48	0	-262.20	18.47		
34409.49	ERR	03/16	11	42	0	-237.30	17.94		
34410.63	ERR	03/17	15	3	0	-209.95	17.73		
34411.32	ERR	03/18	7	43	0	-193.28	17.85		
34411.33	ERR	03/18	7	56	0	-193.07	17.85		
34411.33	ERR	03/18	7	57	0	-193.05	17.88		

34411.33	ERR	03/18	7	57	20	-193.04	17.88			
34411.33	ERR	03/18	7	57	45	-193.04	17.88			
34411.33	ERR	03/18	7	58	0	-193.03	17.88			
34411.33	ERR	03/18	7	58	30	-193.03	17.88			
34411.33	ERR	03/18	7	59	30	-193.01	17.89			
34411.33	ERR	03/18	7	59	45	-193.00	17.89			
34411.33	ERR	03/18	8	0	15	-193.00	17.88			
34411.33	ERR	03/18	8	1	0	-192.98	17.89			
34411.33	ERR	03/18	8	2	0	-192.97	17.9			
34411.34	ERR	03/18	8	3	0	-192.95	17.91			
34411.34	ERR	03/18	8	4	0	-192.93	17.92			
34411.34	ERR	03/18	8	5	0	-192.92	17.93			
34411.34	ERR	03/18	8	6	0	-192.90	17.92			
34411.34	ERR	03/18	8	7	0	-192.88	17.92			
34411.34	ERR	03/18	8	8	0	-192.87	17.94			
34411.34	ERR	03/18	8	9	0	-192.85	17.94			
34411.34	ERR	03/18	8	10	0	-192.83	17.94			
34411.34	ERR	03/18	8	11	0	-192.82	17.94			
34411.34	ERR	03/18	8	12	0	-192.80	17.95			
34411.34	ERR	03/18	8	13	0	-192.78	17.95			
34411.34	ERR	03/18	8	14	0	-192.77	17.95			
34411.34	ERR	03/18	8	15	0	-192.75	17.95			
34411.34	ERR	03/18	8	16	0	-192.73	17.96			



34411.35	ERR	03/18	8	17	0	-192.72	17.96			
34411.35	ERR	03/18	8	18	0	-192.70	17.96			
34411.35	ERR	03/18	8	19	0	-192.68	17.96			
34411.35	ERR	03/18	8	20	0	-192.67	17.97			
34411.35	ERR	03/18	8	27	0	-192.55	18			
34411.36	ERR	03/18	8	34	0	-192.43	18.01			
34411.36	ERR	03/18	8	40	0	-192.33	18.02			
34411.37	ERR	03/18	8	47	0	-192.22	18.04			
34411.37	ERR	03/18	8	54	0	-192.10	18.05			
34411.76	ERR	03/18	18	10	0	-182.83	18.2			
34412.37	ERR	03/19	8	51	0	-168.15	17.85			
34413.67	ERR	03/20	16	10	0	-136.83	18.6			
34414.49	ERR	03/21	11	50	0	-117.17	18.13			
34415.41	ERR	03/22	9	55	0	-95.08	18.23			
34416.5	ERR	03/23	12	5	0	-68.92	17.94			
34417.55	ERR	03/24	13	13	0	-43.78	18.1			
34418.48	ERR	03/25	11	35	0	-21.42	17.77			
34419.35	ERR	03/26	8	30	0	-0.50	17.76			
34419.36	ERR	03/26	8	45	0	-0.25	17.75			
34419.38	ERR	03/26	9	0	0	0.00	17.74			
34419.38	-1.78	03/26	9	1	0	0.02	17.75			
34419.38	-1.48	03/26	9	2	0	0.03	17.74			
34419.38	-1.30	03/26	9	3	0	0.05	17.74			

34419.38	-1.18	03/26	9	4	0	0.07	17.76			
34419.38	-1.08	03/26	9	5	0	0.08	17.75			
34419.38	-1.00	03/26	9	6	0	0.10	17.74			
34419.38	-0.93	03/26	9	7	0	0.12	17.74			
34419.38	-0.88	03/26	9	8	0	0.13	17.73			
34419.38	-0.82	03/26	9	9	0	0.15	17.76			
34419.38	-0.78	03/26	9	10	0	0.17	17.74			
34419.38	-0.74	03/26	9	11	0	0.18	17.74			
34419.38	-0.70	03/26	9	12	0	0.20	17.75			
34419.38	-0.66	03/26	9	13	0	0.22	17.74			
34419.38	-0.63	03/26	9	14	0	0.23	17.74			
34419.39	-0.60	03/26	9	15	0	0.25	17.75			
34419.39	-0.57	03/26	9	16	0	0.27	17.75			
34419.39	-0.55	03/26	9	17	0	0.28	17.75			
34419.39	-0.52	03/26	9	18	0	0.30	17.75			
34419.39	-0.50	03/26	9	19	0	0.32	17.75			
34419.39	-0.48	03/26	9	20	0	0.33	17.75			
34419.39	-0.46	03/26	9	21	0	0.35	17.75			
34419.39	-0.44	03/26	9	22	0	0.37	17.75			
34419.39	-0.42	03/26	9	23	0	0.38	17.75			
34419.39	-0.40	03/26	9	24	0	0.40	17.75			
34419.39	-0.38	03/26	9	25	0	0.42	17.75			
34419.39	-0.36	03/26	9	26	0	0.43	17.75			

34419.39	-0.35	03/26	9	27	0	0.45	17.74			
34419.39	-0.33	03/26	9	28	0	0.47	17.75			
34419.4	-0.32	03/26	9	29	0	0.48	17.74			
34419.4	-0.30	03/26	9	30	0	0.50	17.75			
34419.4	-0.23	03/26	9	35	0	0.58	17.735			
34419.4	-0.18	03/26	9	40	0	0.67	17.74			
34419.41	-0.12	03/26	9	45	0	0.75	17.73			
34419.41	-0.08	03/26	9	50	0	0.83	17.72			
34419.41	-0.04	03/26	9	55	0	0.92	17.73			
34419.42	0.00	03/26	10	0	0	1.00	17.73			
34419.42	0.03	03/26	10	5	0	1.08	17.73			
34419.42	0.07	03/26	10	10	0	1.17	17.725			
34419.43	0.10	03/26	10	15	0	1.25	17.725			
34419.43	0.12	03/26	10	20	0	1.33	17.71			
34419.43	0.15	03/26	10	25	0	1.42	17.71			
34419.44	0.18	03/26	10	30	0	1.50	17.71			
34419.44	0.22	03/26	10	40	0	1.67	17.69			
34419.45	0.26	03/26	10	50	0	1.83	17.69			
34419.47	0.34	03/26	11	10	0	2.17	17.67			
34419.47	0.37	03/26	11	20	0	2.33	17.66			
34419.48	0.40	03/26	11	30	0	2.50	17.65			
34419.49	0.43	03/26	11	40	0	2.67	17.63			
34419.49	0.45	03/26	11	50	0	2.83	17.62			

34419.5	0.48	03/26	12	0	0	3.00	17.62			
34419.51	0.50	03/26	12	10	0	3.17	17.61			
34419.51	0.51	03/26	12	15	0	3.25	17.61			
34419.52	0.53	03/26	12	25	0	3.42	17.6			
34419.52	0.54	03/26	12	30	0	3.50	17.6			
34419.53	0.56	03/26	12	40	0	3.67	17.6			
34419.53	0.58	03/26	12	50	0	3.83	17.58			
34419.54	0.60	03/26	13	0	0	4.00	17.56			
34419.55	0.63	03/26	13	15	0	4.25	17.56			
34419.56	0.65	03/26	13	25	0	4.42	17.54			
34419.62	0.76	03/26	14	47	0	5.78	17.51			
34419.65	0.83	03/26	15	42	0	6.70	17.45			
34419.7	0.89	03/26	16	45	0	7.75	17.41			
34419.78	0.99	03/26	18	40	0	9.67	17.25			
34419.93	1.12	03/26	22	20	0	13.33	16.98			
34420.27	1.33	03/27	6	33	0	21.55	16.07			
34420.48	1.42	03/27	11	30	0	26.50	15.58			
34420.81	1.54	03/27	19	25	0	34.42	15.55			
34421.31	1.67	03/28	7	20	0	46.33	15.48			
34421.68	1.74	03/28	16	18	0	55.30	15.31			
34421.71	1.75	03/28	17	6	0	56.10	15.29			
34421.72	1.75	03/28	17	19	0	56.32	15.31			
34421.73	1.75	03/28	17	38	0	56.63	15.3			



34423.63		03/30	15	4	0	102.07		28690910	590.6523	⊘
34424.52		03/31	12	34	0	123.57		28766860	588.7597	⊘

		Drawdown data for:				Hillside Jr. High		
		Date test start:			03/26/94			
		Time start (hr/min/sec):			9	0	0	
Day	Log	Date		Time		Elapsed	DTW	
Code	Elpsd		(hr:min:sec)			Time	(ft)	
	Time							
34413.84	ERR	03/20	20	7	0	-132.88	-4.85	
34413.93	ERR	03/20	22	12	0	-130.80	-5.00	
34414.08	ERR	03/21	2	0	0	-127.00	-5.13	
34414.29	ERR	03/21	7	0	0	-122.00	-5.25	
34414.34	ERR	03/21	8	12	0	-120.80	-5.26	
34414.39	ERR	03/21	9	26	0	-119.57	-5.27	
34414.5	ERR	03/21	12	5	0	-116.92	-5.28	
34414.55	ERR	03/21	13	12	0	-115.80	-5.28	
34414.65	ERR	03/21	15	36	0	-113.40	-5.10	
34414.71	ERR	03/21	17	0	0	-112.00	-4.97	
34414.74	ERR	03/21	17	48	0	-111.20	-4.96	
34414.92	ERR	03/21	22	0	0	-107.00	-5.13	
34415.03	ERR	03/22	0	36	0	-104.40	-5.21	

34415.11	ERR	03/22	2	36	0	-102.40	-5.23	
34415.19	ERR	03/22	4	36	0	-100.40	-5.24	
34415.33	ERR	03/22	7	48	0	-97.20	-5.26	
34415.39	ERR	03/22	9	24	0	-95.60	-5.25	
34415.46	ERR	03/22	11	0	0	-94.00	-5.26	
34415.5	ERR	03/22	12	0	0	-93.00	-5.26	
34415.56	ERR	03/22	13	24	0	-91.60	-5.29	
34415.73	ERR	03/22	17	24	0	-87.60	-5.31	
34416	ERR	03/23	0	1	0	-80.98	-5.40	
34416.08	ERR	03/23	1	48	0	-79.20	-5.41	
34416.16	ERR	03/23	3	48	0	-77.20	-5.43	
34416.23	ERR	03/23	5	24	0	-75.60	-5.42	
34416.29	ERR	03/23	7	0	0	-74.00	-5.43	
34416.39	ERR	03/23	9	24	0	-71.60	-5.41	
34416.48	ERR	03/23	11	24	0	-69.60	-5.41	
34416.49	ERR	03/23	11	48	0	-69.20	-5.43	
34416.57	ERR	03/23	13	36	0	-67.40	-5.42	
34416.75	ERR	03/23	18	0	0	-63.00	-5.44	
34416.88	ERR	03/23	21	0	0	-60.00	-5.47	
34417	ERR	03/24	0	1	0	-56.98	-5.48	
34417.13	ERR	03/24	3	0	0	-54.00	-5.49	
34417.18	ERR	03/24	4	24	0	-52.60	-5.49	
34417.29	ERR	03/24	7	0	0	-50.00	-5.50	



34417.38	ERR	03/24	9	0	0	-48.00	-5.49	
34417.43	ERR	03/24	10	24	0	-46.60	-5.48	
34417.49	ERR	03/24	11	48	0	-45.20	-5.44	
34417.54	ERR	03/24	13	0	0	-44.00	-5.44	
34417.62	ERR	03/24	14	48	0	-42.20	-5.41	
34417.73	ERR	03/24	17	36	0	-39.40	-5.42	
34417.88	ERR	03/24	21	0	0	-36.00	-5.47	
34418.08	ERR	03/25	2	0	0	-31.00	-5.48	
34418.25	ERR	03/25	6	0	0	-27.00	-5.48	
34418.32	ERR	03/25	7	36	0	-25.40	-5.49	
34418.38	ERR	03/25	9	0	0	-24.00	-5.47	
34418.46	ERR	03/25	11	0	0	-22.00	-5.47	
34418.62	ERR	03/25	14	48	0	-18.20	-5.49	
34418.81	ERR	03/25	19	24	0	-13.60	-5.53	
34418.84	ERR	03/25	20	12	0	-12.80	-5.55	
34418.92	ERR	03/25	22	0	0	-11.00	-5.55	
34419.07	ERR	03/26	1	36	0	-7.40	-5.57	
34419.25	ERR	03/26	6	0	0	-3.00	-5.57	
34419.3	ERR	03/26	7	8	0	-1.87	-5.58	
34419.38	ERR	03/26	9	0	0	0.00	-5.55	
34419.4	-0.22	03/26	9	36	0	0.60	-5.53	
34419.42	0.00	03/26	10	0	0	1.00	-5.53	
34419.46	0.30	03/26	11	0	0	2.00	-5.54	

34419.5	0.48	03/26	12	0	0	3.00	-5.54	
34419.54	0.60	03/26	13	0	0	4.00	-5.54	
34419.58	0.70	03/26	14	0	0	5.00	-5.54	
34419.63	0.78	03/26	15	0	0	6.00	-5.54	
34419.63	0.79	03/26	15	12	0	6.20	-5.54	
34419.69	0.88	03/26	16	36	0	7.60	-5.56	
34419.93	1.13	03/26	22	24	0	13.40	-5.61	
34420.06	1.21	03/27	1	24	0	16.40	-5.66	
34420.15	1.27	03/27	3	36	0	18.60	-5.67	
34420.33	1.36	03/27	7	48	0	22.80	-5.69	
34420.39	1.39	03/27	9	24	0	24.40	-5.66	
34420.51	1.44	03/27	12	19	0	27.32	-5.67	
34420.67	1.49	03/27	16	0	0	31.00	-5.71	
34420.73	1.51	03/27	17	36	0	32.60	-5.71	
34420.85	1.55	03/27	20	24	0	35.40	-5.73	
34420.97	1.58	03/27	23	12	0	38.20	-5.74	
34421.17	1.63	03/28	4	0	0	43.00	-5.74	
34421.33	1.67	03/28	7	57	0	46.95	-5.76	
34421.38	1.68	03/28	9	12	0	48.20	-5.73	
34421.46	1.70	03/28	11	0	0	50.00	-5.73	
34421.58	1.72	03/28	13	48	0	52.80	-5.74	
34421.74	1.75	03/28	17	48	0	56.80	-5.74	
34422	1.80	03/29	0	1	0	63.02	-5.82	

34422.33	1.85	03/29	8	0	0	71.00	-5.92	
34422.53	1.88	03/29	12	36	0	75.60	-5.89	
34422.73	1.91	03/29	17	36	0	80.60	-5.88	
34422.86	1.92	03/29	20	36	0	83.60	-5.94	
34423	1.94	03/30	0	1	0	87.02	-6.00	
34423.32	1.98	03/30	7	36	0	94.60	-6.08	
34423.38	1.98	03/30	9	12	0	96.20	-6.06	
34423.55	2.00	03/30	13	12	0	100.20	-6.06	
34423.64	2.01	03/30	15	21	0	102.35	-6.05	
34423.75	2.02	03/30	18	0	0	105.00	-5.97	
34423.84	2.03	03/30	20	12	0	107.20	-6.03	
34424.01	2.05	03/31	0	12	0	111.20	-6.10	
34424.14	2.06	03/31	3	24	0	114.40	-6.15	
34424.24	2.07	03/31	5	48	0	116.80	-6.17	
34424.36	2.08	03/31	8	36	0	119.60	-6.20	
34424.52	2.09	03/31	12	24	0	123.40	-5.90	
34424.62	2.10	03/31	14	51	0	125.85	-5.75	



		Drawdown data for:				Motorcycle well					
		Date test start:				03/26/94					
		Time start (hr/min/sec):				9	0	0			
Day	Log	Date		Time		Elapsed	DTW				
Code	Elpsd		(hr:min:sec)			Time	(ft)				
	Time					(hr)					
34406.43	ERR	03/13	10	22	0	-310.63	-284.57				
34406.78	ERR	03/13	18	48	0	-302.20	-284.31				
34408.38	ERR	03/15	9	7	0	-263.88	-283.95				
34408.81	ERR	03/15	19	24	0	-253.60	-283.76				
34409.52	ERR	03/16	12	25	0	-236.58	-283.72				
34409.65	ERR	03/16	15	36	0	-233.40	-283.68				
34409.83	ERR	03/16	20	0	0	-229.00	-283.68				
34410	ERR	03/17	0	0	0	-225.00	-283.74				
34410.59	ERR	03/17	14	5	0	-210.92	-283.78				
34410.75	ERR	03/17	18	0	0	-207.00	-283.78				
34411.27	ERR	03/18	6	27	0	-194.55	-283.52				
34411.54	ERR	03/18	13	0	0	-188.00	-283.48				
34411.73	ERR	03/18	17	24	0	-183.60	-283.38				
34411.86	ERR	03/18	20	36	0	-180.40	-283.38				

34412.33	ERR	03/19	8	0	0	-169.00	-283.57			
34412.75	ERR	03/19	18	0	0	-159.00	-283.57			
34413.32	ERR	03/20	7	36	0	-145.40	-283.68			
34413.63	ERR	03/20	15	12	0	-137.80	-283.68			
34413.87	ERR	03/20	20	48	0	-132.20	-283.62			
34414.05	ERR	03/21	1	12	0	-127.80	-283.53			
34414.42	ERR	03/21	10	4	0	-118.93	-283.53			
34414.43	ERR	03/21	10	20	0	-118.67	-283.53			
34414.73	ERR	03/21	17	24	0	-111.60	-283.45			
34415.04	ERR	03/22	1	0	0	-104.00	-283.45			
34415.17	ERR	03/22	4	0	0	-101.00	-283.34			
34415.52	ERR	03/22	12	23	0	-92.62	-283.21			
34415.55	ERR	03/22	13	16	0	-91.73	-283.25			
34415.98	ERR	03/22	23	36	0	-81.40	-283.35			
34416.09	ERR	03/23	2	12	0	-78.80	-283.35			
34416.35	ERR	03/23	8	18	0	-72.70	-283.44			
34417.58	ERR	03/24	14	0	0	-43.00	-283.46			
34417.77	ERR	03/24	18	23	0	-38.62	-283.36			
34418.29	ERR	03/25	7	0	0	-26.00	-283.37			
34418.42	ERR	03/25	10	0	0	-23.00	-283.35			
34418.5	ERR	03/25	12	0	0	-21.00	-283.45			
34418.63	ERR	03/25	15	12	0	-17.80	-283.49			
34418.75	ERR	03/25	17	53	0	-15.12	-283.35			

34419.11	ERR	03/26	2	36	0	-6.40	-283.40			
34419.32	ERR	03/26	7	46	0	-1.23	-283.45			
34419.38	ERR	03/26	9	0	0	0.00	-283.45			
34419.51	0.52	03/26	12	19	0	3.32	-283.49			
34419.7	0.89	03/26	16	51	0	7.85	-283.43			
34419.78	0.99	03/26	18	50	0	9.83	-283.45			
34419.97	1.15	03/26	23	13	0	14.22	-283.54			
34420.23	1.31	03/27	5	36	0	20.60	-283.61			
34420.47	1.42	03/27	11	15	0	26.25	-283.70			
34420.63	1.48	03/27	15	12	0	30.20	-283.63			
34420.84	1.55	03/27	20	10	0	35.17	-283.54			
34421.73	1.75	03/28	17	24	0	56.40	-283.53			
34421.8	1.77	03/28	19	14	0	58.23	-283.48			
34421.93	1.79	03/28	22	24	0	61.40	-283.48			
34422.31	1.85	03/29	7	20	0	70.33	-283.72			
34422.44	1.87	03/29	10	36	0	73.60	-283.76			
34423.3	1.97	03/30	7	12	0	94.20	-283.74			
34423.43	1.99	03/30	10	12	0	97.20	-283.81			
34423.67	2.01	03/30	16	0	0	103.00	-283.81			
34423.95	2.04	03/30	22	48	0	109.80	-283.73			
34424.35	2.08	03/31	8	24	0	119.40	-283.73			
34424.41	2.08	03/31	9	50	0	120.83	-283.82			
34425	2.13	03/31	23	59	0	134.98	-283.82			





		Drawdown data for:				Terteling pool well		
		Date test start:				03/26/94		
		Time test start (hr/min/sec):				9	0	0
Day	Log	Date	Time			Elapsed	DTW	
Code	Elpsd		(hr:min:sec)			Time	(ft)	
	Time					(hr)		
34418.77	ERR	03/25	18	30	0	-14.50	-184.45	
34419.31	ERR	03/26	7	32	0	-1.47	-184.35	
34419.37	ERR	03/26	8	51	0	-0.15	-184.27	
34419.42	0.05	03/26	10	8	0	1.13	-184.72	
34419.48	0.39	03/26	11	26	0	2.43	-184.95	
34419.58	0.69	03/26	13	53	0	4.88	-185.14	
34419.59	0.71	03/26	14	11	0	5.18	-185.21	
34419.65	0.82	03/26	15	35	0	6.58	-185.37	
34419.81	1.02	03/26	19	31	0	10.52	-185.55	
34419.99	1.17	03/26	23	43	0	14.72	-185.96	
34420.21	1.30	03/27	5	5	0	20.08	-186.48	
34420.56	1.45	03/27	13	20	0	28.33	-186.83	

34420.89	1.56	03/27	21	20	0	36.33	-187.13	
34421.37	1.68	03/28	8	57	0	47.95	-187.46	
34421.82	1.77	03/28	19	40	0	58.67	-188.10	
34422.33	1.85	03/29	8	0	0	71.00	-189.38	
34422.7	1.90	03/29	16	54	0	79.90	-190.21	
34423.69	2.01	03/30	16	30	0	103.50	-192.23	
34424.37	2.08	03/31	8	56	0	119.93	-190.47	

		Drawdown data for:				Quail Hollow Golf Course, new well				
		Date test start:				03/26/94				
		Time test start (hr/min/sec):				9                      0                      0				
Day	Log	Date	Time			Elapsed	DTW	Totalizer	Flow	Flow
Code	Elapsed		(hr:min:sec)			Time	(ft)		from	Meter
	Time					(hr)			Totalizer	Reading
	(ft)								(gpm)	(gpm)
34395.5	ERR	03/02	12	0	0	-573.00	-90.28			
34403.54	ERR	03/10	13	0	0	-380.00	-89.40			
34405.54	ERR	03/12	13	0	0	-332.00	-89.62			
34406.43	ERR	03/13	10	25	0	-310.58	-89.48			
34407.5	ERR	03/14	11	58	0	-285.03	-88.98			
34408.51	ERR	03/15	12	14	0	-260.77	-88.67			
34409.5	ERR	03/16	12	5	0	-236.92	-88.87			
34410.62	ERR	03/17	14	50	0	-210.17	-89.04			
34411.3	ERR	03/18	7	18	0	-193.70	-89.03			
34411.4	ERR	03/18	9	31	0	-191.48	-88.85			
34411.73	ERR	03/18	17	35	0	-183.42	-88.52			

34412.34	ERR	03/19	8	14	0	-168.77	-89.38			
34413.69	ERR	03/20	16	32	0	-136.47	-88.41			
34414.47	ERR	03/21	11	22	0	-117.63	-88.56			
34415.6	ERR	03/22	14	17	0	-90.72	-88.55			
34416.53	ERR	03/23	12	50	0	-68.17	-88.74			
34417.63	ERR	03/24	15	5	0	-41.92	-88.78			
34418.72	ERR	03/25	17	19	0	-15.68	-88.87			
34419.33	ERR	03/26	8	0	0	-1.00	-88.88			
34419.38	ERR	03/26	9	0	0	0.00	-88.87			
34419.38	-1.78	03/26	9	1	0	0.02	-88.87			
34419.38	-1.48	03/26	9	2	0	0.03	-88.87			
34419.38	-1.30	03/26	9	3	0	0.05	-88.87			
34419.38	-1.18	03/26	9	4	0	0.07	-88.87			
34419.38	-1.08	03/26	9	5	0	0.08	-88.87			
34419.38	-0.93	03/26	9	7	0	0.12	-88.88			
34419.38	-0.82	03/26	9	9	0	0.15	-88.90			
34419.38	-0.78	03/26	9	10	0	0.17	-88.89			
34419.38	-0.76	03/26	9	10	30	0.18	-88.91			
34419.38	-0.74	03/26	9	11	0	0.18	-88.93			
34419.38	-0.70	03/26	9	12	0	0.20	-88.90			
34419.38	-0.66	03/26	9	13	0	0.22	-88.90			
34419.38	-0.63	03/26	9	14	0	0.23	-88.90			
34419.39	-0.57	03/26	9	16	0	0.27	-88.91			

34419.39	-0.55	03/26	9	17	0	0.28	-88.92			
34419.39	-0.52	03/26	9	18	0	0.30	-88.92			
34419.39	-0.50	03/26	9	19	0	0.32	-88.92			
34419.39	-0.48	03/26	9	20	0	0.33	-88.95			
34419.39	-0.46	03/26	9	21	0	0.35	-88.93			
34419.39	-0.44	03/26	9	22	0	0.37	-88.94			
34419.39	-0.42	03/26	9	23	0	0.38	-88.94			
34419.39	-0.40	03/26	9	24	0	0.40	-88.94			
34419.39	-0.38	03/26	9	25	0	0.42	-88.94			
34419.39	-0.36	03/26	9	26	0	0.43	-88.95			
34419.39	-0.35	03/26	9	27	0	0.45	-88.95			
34419.4	-0.32	03/26	9	29	0	0.48	-88.96			
34419.4	-0.30	03/26	9	30	0	0.50	-88.96			
34419.4	-0.29	03/26	9	31	0	0.52	-88.97			
34419.4	-0.27	03/26	9	32	0	0.53	-88.97			
34419.4	-0.26	03/26	9	33	0	0.55	-88.98			
34419.4	-0.25	03/26	9	34	0	0.57	-88.98			
34419.4	-0.22	03/26	9	36	0	0.60	-88.98			
34419.4	-0.21	03/26	9	37	0	0.62	-88.99			
34419.4	-0.20	03/26	9	38	0	0.63	-88.99			
34419.4	-0.19	03/26	9	39	0	0.65	-88.99			
34419.4	-0.18	03/26	9	40	0	0.67	-89.00			
34419.4	-0.15	03/26	9	42	0	0.70	-89.03			

34419.4	-0.14	03/26	9	43	0	0.72	-89.03			
34419.41	-0.13	03/26	9	44	0	0.73	-89.02			
34419.41	-0.12	03/26	9	45	0	0.75	-89.02			
34419.41	-0.12	03/26	9	46	0	0.77	-89.02			
34419.41	-0.11	03/26	9	47	0	0.78	-89.02			
34419.41	-0.10	03/26	9	48	0	0.80	-89.03			
34419.41	-0.05	03/26	9	53	0	0.88	-89.05			
34419.41	-0.02	03/26	9	57	0	0.95	-89.07			
34419.42	0.01	03/26	10	2	0	1.03	-89.08			
34419.42	0.04	03/26	10	6	0	1.10	-89.08			
34419.42	0.06	03/26	10	9	0	1.15	-89.09			
34419.43	0.13	03/26	10	21	0	1.35	-89.12			
34419.43	0.15	03/26	10	25	0	1.42	-89.14			
34419.44	0.17	03/26	10	29	0	1.48	-89.16			
34419.45	0.23	03/26	10	41	0	1.68	-89.18			
34419.45	0.27	03/26	10	52	0	1.87	-89.20			
34419.45	0.28	03/26	10	55	0	1.92	-89.20			
34419.46	0.30	03/26	11	0	0	2.00	-89.22			
34419.46	0.32	03/26	11	6	0	2.10	-89.23			
34419.47	0.35	03/26	11	15	0	2.25	-89.24			
34419.47	0.37	03/26	11	21	0	2.35	-89.25			
34419.48	0.40	03/26	11	32	0	2.53	-89.28			
34419.49	0.43	03/26	11	40	0	2.67	-89.28			

34419.49	0.45	03/26	11	50	0	2.83	-89.31			
34419.5	0.49	03/26	12	4	0	3.07	-89.33			
34419.51	0.52	03/26	12	18	0	3.30	-89.35			
34419.53	0.56	03/26	12	40	0	3.67	-89.38			
34419.54	0.59	03/26	12	52	0	3.87	-89.39			
34419.55	0.63	03/26	13	18	0	4.30	-89.43			
34419.57	0.66	03/26	13	35	0	4.58	-89.44			
34419.57	0.68	03/26	13	47	0	4.78	-89.47			
34419.63	0.79	03/26	15	14	0	6.23	-89.58			
34419.68	0.87	03/26	16	20	0	7.33	-89.77			
34419.82	1.03	03/26	19	37	0	10.62	-89.83			
34419.94	1.13	03/26	22	35	0	13.58	-90.23			
34420.25	1.32	03/27	5	57	0	20.95	-90.67			
34420.57	1.46	03/27	13	37	0	28.62	-91.08			
34420.77	1.53	03/27	17	92	0	33.53	-91.17			
34421.32	1.67	03/28	7	36	0	46.60	-91.65			
34421.69	1.75	03/28	16	39	0	55.65	-91.84			
34421.83	1.77	03/28	20	0	0	59.00	-245.00			
34422.29	1.85	03/29	7	0	0	70.00	-249.00			
34422.69	1.90	03/29	16	30	0	79.50	-250.00			
34422.77	1.91	03/29	18	30	0	81.50	-252.60			
34423.7	2.02	03/30	16	44	0	103.73	-255.10			
34424.59	2.10	03/31	14	15	0	125.25	-92.32			





		Drawdown data for:				Quail Hollow Golf Course, old well		
		Date test start:				03/26/94		
		Time start (hr/min/sec):				9	0	0
Day	Log	Date	Time			Elapsed	DTW	
Code	Elpsd		(hr:min:sec)			Time	(ft)	
	Time					(hr)		
34395.5	ERR	03/02	12	0	0	-573.00	-67.82	
34403.53	ERR	03/10	12	50	0	-380.17	-67.1	
34405.53	ERR	03/12	12	40	0	-332.33	-67.31	
34406.43	ERR	03/13	10	15	0	-310.75	-67.18	
34407.49	ERR	03/14	11	50	0	-285.17	-66.69	
34408.5	ERR	03/15	12	0	0	-261.00	-66.38	
34409.5	ERR	03/16	11	58	0	-237.03	-66.5	
34410.6	ERR	03/17	14	24	0	-210.60	-66.71	
34411.3	ERR	03/18	7	7	0	-193.88	-66.59	
34411.39	ERR	03/18	9	25	0	-191.58	-66.47	
34411.74	ERR	03/18	17	45	0	-183.25	-66.19	

34412.35	ERR	03/19	8	23	0	-168.62	-66.65	
34413.68	ERR	03/20	16	25	0	-136.58	-66.08	
34414.47	ERR	03/21	11	15	0	-117.75	-66.31	
34415.6	ERR	03/22	14	25	0	-90.58	-66.11	
34416.54	ERR	03/23	12	58	0	-68.03	-66.43	
34417.63	ERR	03/24	15	11	0	-41.82	-66.14	
34418.72	ERR	03/25	17	23	0	-15.62	-66.52	
34419.32	ERR	03/26	7	42	0	-1.30	-66.59	
34419.35	ERR	03/26	8	30	0	-0.50	-66.6	
34419.43	0.10	03/26	10	16	0	1.27	-66.83	
34419.49	0.44	03/26	11	47	0	2.78	-67.02	
34419.54	0.60	03/26	12	59	0	3.98	-67.11	
34419.58	0.69	03/26	13	52	0	4.87	-67.14	
34419.64	0.80	03/26	15	20	0	6.33	-67.24	
34419.68	0.87	03/26	16	26	0	7.43	-67.28	
34419.96	1.15	03/26	23	0	0	14.00	-67.9	
34420.25	1.32	03/27	6	5	0	21.08	-68.37	
34420.57	1.46	03/27	13	42	0	28.70	-68.69	
34420.83	1.54	03/27	19	48	0	34.80	-68.83	
34421.32	1.67	03/28	7	45	0	46.75	-69.22	
34421.69	1.74	03/28	16	30	0	55.50	-69.46	
34421.83	1.77	03/28	19	54	0	58.90	-70.6	
34422.29	1.84	03/29	6	55	0	69.92	-72.19	

34422.69	1.90	03/29	16	35	0	79.58	-72.76	
34423.64	2.01	03/30	15	20	0	102.33	-74.39	
34424.58	2.10	03/31	14	0	0	125.00	-71.62	



		Drawdown data for:				Terteling spring well		
		Date test start:				03/26/9 4		
		Time start (hr/min/sec):				9	0	0
Day	Log	Date	Time			Elapsed	DTW	
Code	Elpsd		(hr:min:sec)			Time	(ft)	
	Time							
34409.79	ERR	03/16	18	51	0	-230.15	11.12	
34410.58	ERR	03/17	13	58	0	-211.03	12.77	
34411.28	ERR	03/18	6	45	0	-194.25	13.72	
34411.42	ERR	03/18	9	58	0	-191.03	13.81	
34411.71	ERR	03/18	17	4	0	-183.93	13.97	
34412.32	ERR	03/19	7	44	0	-169.27	13.99	
34413.73	ERR	03/20	17	30	0	-135.50	14.2	

34414.45	ERR	03/21	10	53	0	-118.12	14.26	
34415.58	ERR	03/22	13	50	0	-91.17	14.48	
34416.55	ERR	03/23	13	11	0	-67.82	14.33	
34417.78	ERR	03/24	18	45	0	-38.25	14.43	
34418.76	ERR	03/25	18	8	0	-14.87	14.42	
34419.37	ERR	03/26	8	46	0	-0.23	14.33	
34419.38	ERR	03/26	9	0	0	0.00	14.33	
34419.38	-1.78	03/26	9	1	0	0.02	14.33	
34419.38	-1.48	03/26	9	2	0	0.03	14.33	
34419.38	-1.30	03/26	9	3	0	0.05	14.33	
34419.38	-1.18	03/26	9	4	0	0.07	14.33	
34419.38	-1.08	03/26	9	5	0	0.08	14.33	
34419.38	-1.00	03/26	9	6	0	0.10	14.33	
34419.38	-0.93	03/26	9	7	0	0.12	14.33	
34419.38	-0.88	03/26	9	8	0	0.13	14.33	
34419.38	-0.82	03/26	9	9	0	0.15	14.33	
34419.38	-0.78	03/26	9	10	0	0.17	14.33	
34419.38	-0.74	03/26	9	11	0	0.18	14.33	
34419.38	-0.70	03/26	9	12	0	0.20	14.325	
34419.38	-0.66	03/26	9	13	0	0.22	14.325	
34419.38	-0.63	03/26	9	14	0	0.23	14.325	
34419.39	-0.60	03/26	9	15	0	0.25	14.33	

34419.39	-0.48	03/26	9	20	0	0.33	14.33	
34419.39	-0.38	03/26	9	25	0	0.42	14.33	
34419.4	-0.30	03/26	9	30	0	0.50	14.33	
34419.4	-0.23	03/26	9	35	0	0.58	14.33	
34419.4	-0.18	03/26	9	40	0	0.67	14.33	
34419.41	-0.12	03/26	9	45	0	0.75	14.33	
34419.41	-0.08	03/26	9	50	0	0.83	14.33	
34419.41	-0.04	03/26	9	55	0	0.92	14.33	
34419.42	0.00	03/26	10	0	0	1.00	14.33	
34419.5	0.46	03/26	11	55	0	2.92	14.33	
34419.58	0.70	03/26	14	0	0	5.00	14.36	
34419.6	0.73	03/26	14	20	0	5.33	14.36	
34419.64	0.81	03/26	15	26	0	6.43	14.38	
34419.97	1.16	03/26	23	20	0	14.33	14.29	
34420.24	1.32	03/27	5	43	0	20.72	14.24	
34420.44	1.41	03/27	10	33	0	25.55	14.22	
34420.85	1.55	03/27	20	27	0	35.45	14.34	
34421.35	1.68	03/28	8	21	0	47.35	14.35	
34421.8	1.76	03/28	19	9	0	58.15	14.43	
34422.31	1.85	03/29	7	30	0	70.50	14.26	
34422.72	1.90	03/29	17	19	0	80.32	14.33	
34423.66	2.01	03/30	15	55	0	102.92	14.39	
34424.42	2.08	03/31	10	5	0	121.08	14.35	





		Drawdown data for:				Windsock			
		Date test start:				03/26/94			
		Time start (hr/min/sec):				9	0	0	
Day	Log	Date	Time			Elapsed	DTW	Air	WC
Code	Elpsd		(hr:min:sec)			Time	(ft)	Tube	gr
	Time					(hr)		(psi)	)s
34395.46	ERR	03/02	11	0	0	-574.00	-154.50		
34403.5	ERR	03/10	12	0	0	-381.00	-153.60		
34404.47	ERR	03/11	11	16	0	-357.73	-153.69		
34404.68	ERR	03/11	16	17	0	-352.72	-153.57		
34405.38	ERR	03/12	9	0	0	-336.00	-153.84		
34405.71	ERR	03/12	16	57	0	-328.05	-153.64		
34406.78	ERR	03/13	18	39	0	-302.35	-153.91		
34408.39	ERR	03/15	9	17	0	-263.72	-152.92		
34409.53	ERR	03/16	12	36	0	-236.40	-153.04		
34410.55	ERR	03/17	13	15	0	-211.75	-153.35		
34411.26	ERR	03/18	6	15	0	-194.75	-153.19		
34411.42	ERR	03/18	10	7	0	-190.88	-153.10		
34411.7	ERR	03/18	16	55	0	-184.08	-152.83		

34412.32	ERR	03/19	7	35	0	-169.42	-153.17			
34413.73	ERR	03/20	17	37	0	-135.38	-152.83			
34414.46	ERR	03/21	11	2	0	-117.97	-153.01			
34415.58	ERR	03/22	14	0	0	-91.00	-152.90			
34416.56	ERR	03/23	13	22	0	-67.63	-153.23			
34417.74	ERR	03/24	17	50	0	-39.17	-153.31			
34418.51	ERR	03/25	12	10	0	-20.83	-153.39			
34419.37	ERR	03/26	8	58	0	-0.03	-152.67	62		
34419.38	-1.48	03/26	9	2	0	0.03	-203.83	40		
34419.38	-1.08	03/26	9	5	0	0.08	-210.81	37		
34419.38	-0.70	03/26	9	12	0	0.20	-213.14	36		
34419.39	-0.46	03/26	9	21	0	0.35	-220.11	33		
34419.39	-0.38	03/26	9	25	0	0.42	-222.44	32		
34419.4	-0.15	03/26	9	42	0	0.70	-225.93	30.5		
34419.41	-0.04	03/26	9	55	0	0.92	-227.09	30		
34419.43	0.09	03/26	10	14	0	1.23	-215.46	35		
34419.45	0.24	03/26	10	45	0	1.75	-210.81	37		
34419.46	0.30	03/26	10	59	0	1.98	-209.65	37.5		
34419.47	0.34	03/26	11	12	0	2.20	-209.65	37.5		
34419.49	0.44	03/26	11	44	0	2.73	-209.65	37.5		
34419.52	0.54	03/26	12	26	0	3.43	-208.48	38		
34419.57	0.67	03/26	13	39	0	4.65	-208.48	38		
34419.6	0.74	03/26	14	30	0	5.50	-208.48	38		

34419.64	0.80	03/26	15	19	0	6.32	-208.48	38		
34419.68	0.87	03/26	16	25	0	7.42	-208.48	38		
34419.74	0.95	03/26	17	52	0	8.87	-209.65	37.5		
34419.98	1.16	03/26	23	30	0	14.50	-206.16	39		
34420.21	1.30	03/27	5	0	0	20.00	-210.81	37		
34420.52	1.44	03/27	12	30	0	27.50	-210.81	37		
34420.86	1.55	03/27	20	40	0	35.67	-210.81	37		
34421.35	1.68	03/28	8	30	0	47.50	-210.81	37		
34421.83	1.77	03/28	19	50	0	58.83	-211.97	36.5		
34422.32	1.85	03/29	7	37	0	70.62	-214.30	35.5		
34422.71	1.90	03/29	17	0	0	80.00	-214.30	35.5		
34423.67	2.01	03/30	16	2	0	103.03	-216.62	34.5		
34424.39	2.08	03/31	9	27	0	120.45	-157.39			
34419.38	-1.78	03/26	9	1	0	0.02			13	42
34419.38	-1.48	03/26	9	2	0	0.03	-203.83	40	13	42
34419.38	-1.30	03/26	9	3	0	0.05			13	42
34419.38	-0.70	03/26	9	12	0	0.20	-213.14	36	13	42
34419.39	-0.46	03/26	9	21	0	0.35	-220.11	33	13	42
34419.4	-0.15	03/26	9	42	0	0.70	-225.93	30.5	14	32
34419.4	-0.14	03/26	9	43	0	0.72			13	42
34419.41	-0.04	03/26	9	55	0	0.92	-227.09	30	14	32

