



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

February 27, 2001

Elsie M. Riggs, Secretary
Rt 1 Box 445
Glenns Ferry ID 83623

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RE: Water District No: 61C
2000 Watermaster Report

Dear Mrs. Riggs:

Enclosed herewith is a copy of the Watermaster's Annual Report for the 2000 season. The same have been prepared by the Watermaster and approved by this Department. The following compensation should be made to the Watermaster for her services:

Calls for Service @\$50/call	900.00
Watermaster Training	100.00
Total	1000.00
FICA- (7.65% X \$900)=	68.85

The Watermaster Report should be submitted by the Secretary at the next annual water district meeting.

There has been several questions this past season, regarding the Watermaster's term of service, and what constitutes a Watermaster call. To summarize Idaho Code 42-608, the Watermaster shall not begin work until called by a wateruser or determined necessary by the Department of Water Resources. Services shall cease when there is no longer a regulation necessity or again as determined by the Department. If the Watermaster is requested to accompany the Department on water district matters; that is normally considered a Watermaster call.

Feel free to contact me at the Western Regional Office, phone 334-2190 if you have any questions.

Sincerely,

John Westra
Western Region

Enclosure
cc: Watermaster.

Gary ~~X~~

Dan N. ~~X~~

2/26/01

RE: Bennett / Cold Springs Watermaster
Report

Attached is the W.M. report from Cheryl
McCallister.

- Is this report accurate regarding calls
and measurements? OK
- Can the Dept. approve it? ?
- I'm not quite sure what Elsie Riggs
is addressing in her letter.

DISTRICT NEEDS TO PAY!

The district water meeting is next Monday
Please advise and discuss.

John

WATERMASTER'S REPORT

RECEIVED

FEB 22 2001

WATER RESOURCES
WESTERN REGION

From April 1, ~~19~~ 2000 To November 3, ~~19~~ 2000

Water District No. 61C

Name of Watermaster Cheryl McCallister

P.O. Address PO Box 157, Glenns Ferry, ID 83623

AFFIDAVIT OF WATERMASTER

STATE OF IDAHO)
COUNTY OF ELMORE) ss.


Cheryl McCallister, being first duly sworn, deposes and says that he is Watermaster of Water District 61C, having been lawfully appointed by KARL DREHER, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him to the water right holders of the district are correct.

Cheryl McCallister
(Deputy) Watermaster District No. 61C

Subscribed and sworn to before me, this 20th day of February, 2001

Camela J. Rock
Notary Public

(SEAL)



My Commission expires 04-26-05

Boise, Idaho, FEBRUARY 28, 2001

I HEREBY CERTIFY, that CHERYL MCCALLISTER was lawfully appointed by me as Water Master of Water District No. 61C, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

KARL J. DREHER
Director, Department of Water Resources

By J. Westa Western Reg.

See attached documents

10/10/00

May 23, 2000

I was there.



I was called out by Halfmoon Ranches on May 23, 2000. I was met by Dan Nielson and Harley Riggs joined us. It was 1:30 pm and we checked Double Anchors diversion dam first. There was no water running past the diversion dam all the water was going through the weir. There was moss down the middle of the water and measurement was not accurate. I measured .35 X 48" and came out 3 cfs at 20% to 10% divergence.

\$50.00

We then stopped at Blackwells and there had no water the creek was dry.

We then checked Arc's point of diversion and no water was running.

We checked Halfmoon and unmeasurable amount of water,

We then checked Charter Mtn. Ranch-Middle diversion was dry no water-lower stage no water-West diversion the gates were closed down no water running past-East diversion we measured the pipe with an ultrasonic thickness gauge, due to air in the pipe the machine did not work, so we measured the wheel lines and the pivots 2.23 cfs for the wheel lines and 4.17 for the pivots plus or minus 10% to 20%.

The call out was a futile.

I was told I was on call out everyday until the water department received a letter from either Halfmoon or the water district so below are the results of my daily readings (every day I checked the diversion dam and no water was going down the creek past Anchor Ranch).

- 5-24-00 7:15 Charter Mtn Ranch -estimate 6cfs
7:30 Anchor Ranches-estimate 3cfs
- 5-25-00 6:10 Charter Mtn Ranch-estimate 5.4cfs
6:20 Anchor Ranches-accurate (moss was gone) 3cfs
- 5-26-00 6:10 Charter Mtn Ranch- estimate 5.2cfs
6:20 Anchor Ranches-accurate 3cfs
- 5-27-00 6:10 Charter Mtn Ranch- estimate 4.80cfs
6:20 Anchor Ranches-accurate 2.19cfs
- 5-28-00 1:00 Charter Mtn Ranch-estimate 4.80cfs
1:10 Anchor Ranch-accurate 2.75cfs
- 5-29-00 6:10 Charter Mtn Ranch-estimate 4.0cfs
6:20 Anchor Ranch-accurate 2.41cfs
- 5-30-00 8:30 Charter Mtn Ranch estimate 3.8 cfs
8:50 Anchor Ranch-accurate 1.67cfs
- 5-31-00 6:10 Charter Mtn Ranch- estimate 3.5 cfs
6:20 Anchor Ranch-accurate 1.67cfs
- 6-1-00 7:30 Charter Mtn Ranch- estimate 3.3 cfs
7:50 Anchor Ranch- accurate 1.67 cfs
- 6-2-00 4:00 Charter Mtn Ranch-estimate 3.1 cfs
4:10 Anchor Ranch -accurate 1.67 cfs
- 6-3-00 6:20 Charter Mtn Ranch-estimate 3.0 cfs
6:30 Anchor Ranch- accurate 1.67 cfs
- 6-4-00 8:30 Charter Mtn Ranch-estimate 3.0 cfs
8:50 Anchor Ranch-accurate 1.38 cfs
- 6-5-00 5:10 Charter Mtn Ranch-estimate 3.0 cfs
5:20 Anchor Ranch -accurate 1.38 cfs
- 6-6-00 8:00 Charter Mtn Ranch- estimate 2.8 cfs
8:10 Anchor Ranch-accurate 1.47 cfs
- 6-7-00 8:00 Charter Mtn Ranch-estimate 2.8 cfs
8:10 Anchor Ranch-accurate 1.47 cfs
- 6-8-00 7:10 Charter Mtn Ranch- estimate 2.8 cfs
7:20 Anchor Ranch-accurate 1.47 cfs

FDWR call out.

Other diversions were dry addressed above.

16 Days
X 50
800

\$ 850 TOTAL

February 6, 2001
Watermaster Bill

Watermaster School
Call out to observe alleged illegal diversion at Arc Property
(call was a futile call)
Call out by Halfmoon till from 5-23-00 to 6-8-00 (all futile)

\$100.00 - OK
50.00 →
850.00 - OK
Total due \$1000.00 - OK

OK
↓
APRIL 11
MCCallister's
illegal
diversion
call out
when he
put it
on Riggs
side of
Fence.

Cheryl McCallister
Cheryl McCallister
Watermaster

I would APPROVE
The \$1000⁰⁰ Fees.
I feel The INFO is
CORRECT
D.A.N.
2-26-01

6-4-00

Cheryl Mc Callister: Watermaster.

I can only pay you for being called out April 11, 00 because I personally saw you with water resources, but in the minutes of the water district meeting you are only paid \$50⁰⁰ per Creek per call.

Also I must have a receipt for your school April 19th and I can only pay you if I have a log of all your measurements and your call outs. All you would have to do is copy the page of your watermaster book. It must include time of day, places measured, and water amounts. It must also have day. You can check with water resources but I think when you ride you must measure every point of diversion, and make a record even if there is no water.

I will await your record before issuing a check.

Enclosed is a copy of the minutes from the water meeting March, 2000

Elvie M. Riggs Sec.
Water Dist 61C + 61E
R.R. 1 Box 445
Blaine Ferry, Id. 83623

I would like to have a ruling on being called out but having a water resource voids being paid for that call.

Thanks,

Cheryl McCallisto



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 2000

CHAIRMAN, BENNETT CREEK WATER DISTRICT 61-C
C/O CHERAL MCCALLISTER, WATERMASTER
PO BOX 157
GLENN'S FERRY, ID 83623

RE: Verification of Watermaster Training

This letter is in verification of Ms. McCallister's attendance at the Watermaster Training Workshop on April 19, 2000 in Boise ID. The full-day workshop was held at the offices of the Idaho Department of Water Resources.

If you need additional information, please contact me at 208-327-5406.

Sincerely,

A handwritten signature in cursive script that reads "Cindy Hodges".

Cindy Hodges
Sr. Water Resource Agent
Water Distribution Section

Cold Springs Creek Water District #61E
Assessments (By Water Right Flow %)

Name	W. Right	Priority	Flow- CFS	Multiplier	Assessment
<u>Charter Mountain</u>					
	61-11906	5/18/1870	1.54		
	61-00338	6/30/1870	1.84		
	61-00339	5/1/1875	1.50		
	61-00332	5/18/1875	2.72		
	61-00333	5/1/1885	0.54		
	61-00334	5/1/1886	0.50		
	61-00364	5/1/1887	0.12		
	61-00340	6/30/1887	0.50		
	61-00343	6/30/1888	0.60		
	61-00335	5/1/1889	0.40		
	61-00336	5/1/1895	0.80		
	61-00337	12/1/1895	2.40		
	61-02008	2/26/08	9.24		
	61-02012	1/5/09	2.00		
	61-02020	5/14/10	0.40		
	61-11904	7/5/55	0.72		
	61-11885	7/5/55	0.48		
	61-02111	7/5/55	1.02		
		Total	27.32	0.290206	<hr/>
Double Anchor					
	61-00322	5/1/1871	0.80		
	61-00323	5/1/1872	1.00		
	61-00324	5/1/1873	0.16		
	61-00325	5/1/1873	1.10		
	61-00326	5/1/1878	1.00		
	61-00327	5/1/1879	2.50		
	61-00330	5/1/1884	0.36		
	61-00331	5/1/1886	1.00		
	61-02038	7/10/12	1.20		
	61-04147	3/15/71	10.00		
		Total	19.12	0.203102	<hr/>
Arc Properties					
	61-00328	5/1/1877	1.40		
	61-00310	5/1/1883	1.20		
	61-00314	5/1/1883	0.40		
	61-00329	5/1/1883	1.30		

Arc Properties Cont.-

61-00309	6/1/1883	0.58
61-00311	5/1/1884	1.34
61-00313	5/1/1884	0.20
61-00315	5/1/1884	0.70
61-00316	5/1/1888	1.90
61-00312	5/1/1890	0.48
	Total	9.50

0.100914

Half Moon Ranch

61-00318	5/1/1877	0.50
61-00319	5/1/1878	0.80
61-00320	5/1/1881	0.70
61-00321	5/1/1883	0.90
61-11899	3/15/20	3.18
	Total	6.08

0.064585

Joe Black & Sons

61-00345	6/30/1879	0.50
61-00347	5/1/1884	3.20
61-02007	2/29/08	2.10
61-02052	12/19/17	0.64
	Total	6.44

0.068409

Barber Caven Ranch

61-00317	5/1/1880	1.36
61-00346	5/1/1885	0.70
61-02048	7/16/16	0.40
	Total	2.46

0.026131

Sam Blackwell

61-00341	5/7/1887	1.22
61-00342	6/30/1887	1.18
61-10299	3/15/43	6.73
	Total	9.13

0.096983

Wilson Ranch

61-10718	2/1/31	0.02
61-02338	7/3/57	1.51
	Total	1.53

0.016252

DM Keys

61-00344	5/1/1893	3.00
----------	----------	------

0.031867

Anabeth Bean

61-02031	5/20/52	2.10
----------	---------	------

0.022307

Woth E Walker

61-02100	9/21/53	5.42
----------	---------	------

0.057574

Ellis Trust

61-07200	10/1/74	0.76
----------	---------	------

0.008073

Neur Otto

61-02064	6/14/22	1.28
----------	---------	------

0.013597

District Total Flow

94.14

1