

# WATERMASTER'S REPORT

RECEIVED

DEC 24 2013

Department of Water Resources  
Eastern Region

From 4/01/13, 20 13 To 10/31, 20 13

Water District No. 75A  
Name of Watermaster GREGORY LOWELL  
P.O. Address 307 STATE ST SALMON, ID 83467


## AFFIDAVIT OF WATERMASTER

STATE OF IDAHO }  
COUNTY OF Lemhi } ss.

GREGORY LOWELL, being first duly sworn, deposes and says that he is Watermaster of Water District 75A, having been lawfully appointed by GARY SPACKMAN, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him to the water right holders of the district are correct.

[Signature]  
(Deputy) Watermaster District No. \_\_\_\_\_

Subscribed and sworn to before me, this 23<sup>rd</sup> day of December, 20 13.



Terris J. Morton  
Notary Public

My Commission expires 4-25-2014

Boise, Idaho, Dec 24, 20 13

I HEREBY CERTIFY, that Gregory Lowell was lawfully appointed by me as Water Master of Water District No. 75A, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

[Signature]  
Director, Department of Water Resources

By [Signature]

	WATER RIGHT OWNER	IDWR WATER RIGHT IDENT No.	DIVERSION NAME / REMARKS
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

1

2

3

4

5

[illegible]

**DISTRICT 75A 2013  
DELIVERY BY WATER RIGHT / OWNER**

<b>WR OWNER</b>	<b>IDWR #</b>	<b>POD NAME</b>	<b>Total Delivery 24 hour sec.ft.</b>
Edwards	75-2,10046,10047, 2162, 11A	#1 Chipps	286
AWD	75-19G,21,4467	#2d Chipps domestic	55
AWD	75-14465,14491	#2i Chipps storage / irrigation	15
AWD	75-22,5	#8 alternate on Pollard irrigation	216
City of Salmon	75-17A,19B,114,7	#5 Jesse 1740AF	1335
	17B,10075,19C,26A,4,2167,14700,14701, 15700,7563,	#3 Chipps, #4 Pollard, #5 Jesse	
	Total measured by meter		
Power, Haddock	75-01B,13B,01A,18A	#6 Jesse	30
Proksch,Goodman, Benedict	75-00014,14063	#9 flood and headgate problems	
Gaver,Morgan, Power,Skunberg, Boese, Austin, Blackadar,R., Blackadar L., Bills, Petrick,Wallingford,	75-14533-14536, 14125,11614,14123,14124, 10475,113C,113A, 19H, 19D,113B	#7 Jesse Lateral aka Farmers	1260
Engle, Lyon,Ruscilli, Webb, Tilford	75-14144, 10676, 14607, 10774, 10491	Jesse Ck, Section 6 total .15 cfs	high or waste water
			3197
Note" teacup" rights are held but not delivered at #2i and #8 by AWD, Gott Family, Cummings, and Machuga	75-14663, 14664, 14665, 14666, 14668, 14670, 14672, 14674, 14650, 14651, 14653, 14654, 14655, 14656, 14658, 14659, 14660, 14661, 14682, 14676, 14678, 14680, 14682, / 75-14669, 14673, 14676, 14681, 14677, / 75-14687, 14689, 14691, 14693, / 75-14688, 14690, 14692, 14694		0
Note: John Goodman pumps from Pollard Canyon Ck upstream of #9 with a 1913 priority/ .08cfs	75-14063	no name could be called # 9 pump or # 9A	minimal
Note : Edwards additional,self delivered rights include;	springs: 10052 &10103; Billy Ck:75-2035 and Gorley Ck 75-2034 and 14254 to storage/irrigation		not included in District management budget

# District 75A water usage by diversion 2012-2013

RECEIVED

DEC 24 2013

Department of Water Resources  
Eastern Region

Owner	POD #	24 hour second feet	Acre feet per day	Days	Total acre feet	%
Edwards	1	1.36	1.36	210	286	9.1
Arrowhead**	2 irrigation	0.26	0.26	210	55	1.7
Arrowhead**	2 domestic 4,905,000 ga*	0.063	0.063	210	15	0.5
Jesse Lateral Ditch Assoc. aka Farmers Ditch	7	6	6	210	1260	39.3
Power / Haddock	6	0.14	0.14	210	30	0.9
City of Salmon	5 432,513,000 ga*	6.35	6.35	210	1335	41.7
Arrowhead**	8 irrigation	1.04	1.04	210	216	6.8
					3197	100
**Arrowhead total % equals 9%	*based on meter readings - all others based on periodic flow readings extrapolated for 2013 season					
	<div>Note; Winter diversion pod # 1 Edwards 29AF total pod #2d AWD 9.1 gpm 6 AF total pod# 5 City of Salmon 900AF total this is derived by meter readings at pond entrance and includes significant spillage of diverted water back to Jesse Creek from holding ponds) NOT ACTUAL USAGE</div>					

all extrapolated numbers are approximations based on periodic readings

**District 75A - 2013**  
**Water delivered by date**

RECEIVED  
DEC 24 2013  
Department of Water Resources  
Eastern Region

DATE	POD	FLOW cfs	METER	FLOW gpm	COMMENT
4/1/2013	1				off - slight leakage -needs cleaned
4/1/2013	1				winter use through 4-1 = 60 days @ 1/2 cfs
4/17/2013	1	0.5			approx .5 cfs
7/1/2013	1	1.0			1.7 cfs is priority until August 1st 75-2
7/14/2013	1	1.0			
7/25/2013	1	0.7			
8/25/2013	1	0.5			restarted this date will take (.75) til 12-1-13
4/1/2013	3	2.0			all of available flow approx 2cfs
4/28/2013	3				opened headgate approx .1cfs from City pipe to Pollard
9/1/2013	3	0.5			increased flow to City #5 by .5 cfs (in priority)
9/14/2013	3	0.7			released all flow to Pollard / increased flow to City by .25 cfs at #5 and .5 cfs left in Pollard for #7
4/1/2013	4	3.3			all of available flow approx 3 cfs
4/17/2013	4	0.8			reduced City pipe #5 from 1.1 to .76cfs to obtain water to #8, #7
4/21/2013	4	1.0			was 1 cfs -closed City pipe to 0
4/24/2013	4	1.1			opened City pipe 1.1cfs
4/28/2013	4			2200 to 1300	shut City pipe .5 x 2' / sent 2cfs down Pollard
7/10/2013	4				increased release by .8 cfs to City #5
7/14/2013	4	1.3			photo
7/25/2013	4	0.8			supplementing withdrawal at #5
8/1/2013	4	1.9			called for by City
8/25/2013	4	1.6			sending 1.62 to City #5
8/31/2013	4	1.5			increased flow to City by .35 / need Chipps water
9/7/2013	4	0.6			reduced flow to City #5 by 1 cfs
9/9/2013	4	1.2			raise City #5 by .7 cfs
9/14/2013	4	1.6			increased flow to City by .5 cfs at #5
4/1/2013	5	3.9		1700	measured at POD .72 =3.9cfs=1700gpm includes pipe flow from #4 and #3
4/1/2013	5		088764000		recorded by watermaster - winter use
4/21/2013	5			1600 to 1200	1600 gpm before- 1200 gpm after set #4-
4/24/2013	5		126828000	900 to 1600	900 gpm before- ponds low- 1600 after reset #4
4/25/2013	5	2.5			all of Jesse Creek



**District 75A - 2013**  
**Water delivered by date**

DATE	POD	FLOW cfs	METER	FLOW gpm	COMMENT
4/28/2013	5	4.8		2200	ponds full / all City water now from Jesse
6/18/2013	5	4.8	256268000	2200	
7/1/2013	5	4.5		2030	Blackadar requires 1.3 (1888) at #7
7/10/2013	5		293608000	1800	calls for .75 cfs from Pollard add .75 at #5
7/14/2013	5	4.5		2000	supported by 1.5 cfs from Pollard (3cfs Jesse)
7/16/2013	5	3.3		1600	
7/25/2013	5	3.2	347174006	1400 - interior meter {1600 exterior (pond) meter (3.5cfs)}	being supplemented by pump from Salmon (500gpm) THERE IS AN APROX TOTAL OF 5.8 CFS IN ENTIRE NATURAL JESSE CK DRAINAGE
7/25/2013	5	2.2			at #5 POD includes #4 flow
8/20/2013	5		405,932,000 end - 156,195,000 begin		meter head sticking for a day/changed out / old meterhead =405,932,000 (use as ending reading to date) new meterhead=156,195,000 (use as starting reading to October 31)
8/23/2013	5	3.2cfs			
8/24/2013	5	3.3			
8/24/2013	5				reduced #4 flow to #5 City by .5 cfs
8/25/2013	5		169441000	1700	
9/8/2013	5	2.0	183929000	900	
10/31/2013	5		271,540,000		
4/1/2013	6	off			off - slight leakage -needs cleaned
6/16/2013	6	0.0			
6/18/2013	6	0.3			
7/14/2013	6	0.2			
7/25/2013	6	0.1			out of priority I shut off
4/1/2013	7	2.2			1 inch open to Blackadar lateral ditch
4/21/2013	7	1.0			1cfs - more flow due from Pollard reset (sealed off creek to downtown < .1cfs)
4/24/2013	7	0.5			
4/26/2013	7	1.5			1.5 cfs -no water to Blackadar/ Boese -Powers using all
4/28/2013	7	3.3			.44gage = 3.32 approx split between and Power/Boese and main flow of Jesse Lateral
5/9/2013	7	7.0			Ken had water for 3 weeks

**District 75A - 2013**  
**Water delivered by date**

DATE	POD	FLOW cfs	METER	FLOW gpm	COMMENT
6/16/2013	7	8.0			been raining
7/10/2013	7	4.1			
7/11/2013	7	2.8			
7/14/2013	7	2.4			approx 1.4 to Blackadar
7/16/2013	7	0.8			photo / also verified with SonTek flow meter
7/25/2013	7	1.4		628	Blackadar taking 75% Usa 25%
8/5/2013	7	2.7			At this point City, Arrowhead, and Jesse Lateral (Farmers Ditch) priority rights are satisfied plus some Jesse Lateral users with--- Edwards could be serviced up to approx 3/4 for short period
8/23/2013	7	0.8		all to (350 gpm) Blackadar	1.3 WR in priority
8/24/2013	7	1.3			
8/24/2013	7				added .25
8/25/2013	7	1.5			
8/31/2013	7	1.6			
9/1/2013	7	1.3			
9/7/2013	7	1.6			including more flowdue to City release
9/8/2013	7	1.5			
9/14/2013	7	1.6			
4/1/2013	8	off			snowbound
4/17/2013	8	0.0			barely any flow
4/21/2013	8				call for water - was .63cfs - raised to 1.3 cfs
4/24/2013	8	0.6			re-set to .6cfs
4/26/2013	8				.4cfs raised to .9 cfs
4/28/2013	8	0.4			.4 cfs increased to .9
7/10/2013	8	1.0			
7/14/2013	8	0.9			
7/25/2013	8	1.3			
8/1/2013	8	1.4			I shut off / regulation
8/9/2013	8	0.8			BBcalls for water AWD sends .8 from #8
8/24/2013	8	0.3			added .25cfs
9/1/2013	8	0.0			closed - priorities
9/8/2013	8	1.2			



**District 75A - 2013**  
**Water delivered by date**

DATE	POD	FLOW cfs	METER	FLOW gpm	COMMENT
9/13/2013	8	0.0			
4/1/2013	9	off			needs new structures/culvert treatment
6/16/2013	9	0.0			
4/1/2013	2d		06551200	10 gpm	reported by Jeffery winter use
4/11/2013	2d	0.5			raised headgate and locked .5cfs
4/17/2013	2d				AWD taking all Chipps left at diversion
4/21/2013	2d				on
7/1/2013	2d			20	still running under its priority until AF exhausted
7/14/2013	2d		10350100		photo
7/14/2013	2d		10350100	22	
10/31/2013	2d		14562000		
4/1/2013	2i	off			access difficult
4/17/2013	2i				AWD taking all Chipps left at diversion
4/21/2013	2i	0.5			.5cfs
7/1/2013	2i	0.5			1889 for 1.75 (75-22) from Chipps / Alternately available from #8 ONLY AS MUCH AS IS PASSING 2d
7/14/2013	2i	0.5			
8/9/2013	2i	0.3			subject to additional call by BB
8/23/2013	2i	0.3			
9/1/2013	2i	0.0			closed - priorities
7/11/2013	7b	2.8			approx 1.8 cfs down ditch below Blackadar lateral
10/31/2013	BC	0.1			meet to check Billy Ck POD/ completed October WR#752035 diversion to storage/irrigation
10/31/2013	GC	0.1			meet to check Gorley Ck / completed October WR#75-2034 & 75-14254 diversion to storage/irrigation

District 75A  
Draft 2014 Budget

RECEIVED  
DEC 24 2013  
Department of Water Resources  
Eastern Region

Assessed against	Address	2012 assessed	2012 due and paid	2013 \$2,000 budget - 13 min @ \$25 =\$325	\$1675 balance due / % water usage 2013	Actual amount to be paid after \$1000 from reserve
Arrowhead		\$332.00	\$166.00		\$150.76	\$75.38
Ron Austin	53 Hwy 93 North 83467	\$77.50	\$38.75		\$121.76	\$60.88
Gaver Estate c/o Jami Gaver	132 South 300 West Jerome 83338	\$25.00	\$12.50	\$25.00		\$12.50
Jim Bills	PO Box 523 83467	\$44.32	\$22.16		\$76.50	\$38.25
L. Blackadar & Jim Juza	PO Box 321 83467	\$88.66	\$44.33		\$142.00	\$71.00
R. Blackadar	10 N Cherokee Ln 83467	\$44.32	\$22.38		\$333.06	\$166.53
Ken Boese	32 Blackrock 83467	\$25.00	\$12.50	\$25.00		\$12.50
City of Salmon	200 Main 83467	\$703.90	\$351.95		\$698.48	\$349.24
Dale Edwards*	PO Box 846 83467	\$306.76	\$153.38		\$152.44	\$76.22
Haddock	PO Box 54 83467	\$25.00	\$12.50	\$25.00		\$12.50
S. Newton	100 Pollard Ck 83467	\$25.00	\$12.50			
G.Power	1503 Old Leesburg Rd 83467	\$25.00	\$12.50	\$25.00		\$12.50
Joe Proksch	823 Union 83467	\$64.58	\$32.29	\$25.00		\$12.50
L. Skunberg	PO Box 101 83467	\$25.00	\$12.50	\$25.00		\$12.50
J Cummings***		\$0.00		\$25.00		\$12.50
John Goodman	Moose Creek Estates			\$25.00		\$12.50
Wallingford**	1409 Cleveland	\$0.00		\$25.00		\$12.50
Ruscilli (WW)	311 Ave A	\$0.00		\$25.00		\$12.50
Elma Petrick**	1908 Roosevelt	\$25.00	\$12.50	\$25.00		\$12.50
Robert Morgan**	c/o 307 State St	\$25.00	\$12.50	\$25.00		\$12.50
Lyon**				\$25.00		\$12.50
** High (waste) water from Jesse Ck						
* Edwards seperately assesed \$60 for 75-147 Gorley/Billy				\$325.00	\$1,675.00	\$1,000.00



## State of Idaho

# DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

December 31, 2013

**C.L. "BUTCH" OTTER**  
Governor

**GARY SPACKMAN**  
Director

Gregory Lowell  
307 State St  
Salmon ID 83467

Water District 75A

Dear Watermaster:

Enclosed herewith is a copy of the Watermaster's Annual Report for the past season.

The same has been prepared by the watermaster and approved by this Department in conformity with Sections 42-610, 42-614 and 42-615, Idaho Code.

During the 1993 legislative session, the legislature enacted a new law which amends Section 42-619(9), Idaho Code and removes the independent financial audit requirement for most state water districts. The new law, referenced by Section 67-450B, Idaho Code (copy enclosed) identifies minimum audit requirements for all local government entities. Under the new statute, the governing body of any local government entity (i.e.; water district) whose annual budget does not exceed fifty thousand dollars (\$50,000) or less does not have to have an independent public account firm conduct a financial audit every few years as previously required by Section 42-619(9).

Please note that only the statutory requirement regarding the independent financial audit has been changed. Districts handling their own fund (i.e.; districts who collect and / or disburse their own funds) must still submit their own statement of the water district's financial affairs at the end of each fiscal year. As recommended in the Department's February 16, 1993 letter and the 1993 Watermaster Handbook, a copy of the financial statement may be submitted either with the annual water masters report or with the minutes of the annual meeting for the ensuing year. An example of an annual financial statement may be found in Appendix C of the 1993 Watermaster Handbook.

The purpose of this letter is to remind all water districts that workers compensation insurance is required for all water district employees. This requirement applies to all water districts in Idaho, regardless of annual budget. Insurance should be applicable at least to all paid water district staff, including the water master as well as watermaster assistants, advisory committee, secretary and treasurer. The costs associated with workers compensation insurance is paid directly by the water district and should be considered an expense of the district. For information about obtaining insurance costs etc., please contact the Idaho State Insurance Fund. The State Insurance Fund has offices in Boise, Coeur d'Alene, Idaho Falls, Pocatello and Twin Falls. Water Districts are also reminded that all paid water district staff may be subject to state and federal taxes. These tax requirements will vary depending on salaries and total income of each watermaster or employee. In many water districts, particularly smaller districts with part-time staff, payment of watermaster or each employee. Districts may wish to contact the State Tax Commission or the Internal Revenue Service for information about state and federal withholding taxes.

Sincerely,

A handwritten signature in dark ink, reading "Dennis M. Dunn". The signature is fluid and cursive, with the first name "Dennis" being the most prominent part.

Dennis M Dunn  
Sr. Water Right Agent

Enclosure

DMD:sc



## State of Idaho

### DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C.L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

December 31, 2013

Dale Edwards  
PO Box 846  
Salmon ID 83467

WATER DISTRICT #75A

Dear Secretary:

Enclosed herewith is a copy of the Watermaster's Annual Report for the past season.

The same has been prepared by the watermaster and approved by this Department in conformity with Sections 42-610, 42-614 and 42-615, Idaho Code.

During the 1993 legislative session, the legislature enacted a new law which amends Section 42-619(9), Idaho Code and removes the independent financial audit requirement for most state water districts. The new law, referenced by Section 67-450B, Idaho Code (copy enclosed) identifies minimum audit requirements for all local government entities. Under the new statute, the governing body of any local government entity (i.e.; water district) whose annual budget does not exceed fifty thousand dollars (\$50,000) has no minimum audit requirements under this section. This means that any district which handles its own money and whose budget is fifty thousand dollars (\$50,000) or less does not have to have an independent public account firm conduct a financial audit every few years as previously required by Section 42-619(9).

Please note that only the statutory requirement regarding the independent financial audit has been changed. Districts handling their own fund (i.e.; districts who collect and/or disburse their own funds) must still submit their own statement of the water district's financial affairs at the end of each fiscal year. As recommended in the Department's February 16, 1993 letter and the 1993 Watermaster Handbook, a copy of the financial statement may be submitted either with the annual water masters report or with the minutes of the annual meeting for the ensuing year. An example of an annual financial statement may be found in Appendix C of the 1993 Watermaster Handbook.



The purpose of this letter is to remind all water districts that workers compensation insurance is required for all water district employees. This requirement applies to all water districts in Idaho, regardless of annual budget. Insurance should be applicable at least to all paid water district staff, including the watermaster as well as watermaster assistants, advisory committee, secretary and treasurer. The costs associated with workers compensation insurance is paid directly by the water district and should be considered an expense of the district. For information about obtaining insurance costs etc., please contact the Idaho State Insurance Fund. The State Insurance Fund has offices in Boise, Coeur d'Alene, Idaho Falls, Pocatello and Twin Falls. Water Districts are also reminded that all paid water district staff may be subject to state and federal taxes. These tax requirements will vary depending on salaries and total income of each watermaster or employee. In many water districts, particularly smaller districts with part-time staff, payment of watermaster or each employee. Districts may wish to contact the State Tax Commission or the Internal Revenue Service for information about state and federal withholding taxes.

Sincerely,

A handwritten signature in black ink, reading "Dennis M. Dunn". The signature is fluid and cursive, with the first name "Dennis" and last name "Dunn" clearly legible, and "M." as a middle initial.

Dennis M. Dunn  
Senior Water Right Agent

DMD:sc

Enclosures



## State of Idaho

### DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

C.L. "BUTCH" OTTER  
Governor

GARY SPACKMAN  
Director

December 30, 2013

Lemhi County Treasurer / Auditor  
206 Courthouse Dr  
Salmon ID 83467

RE: Water District No. #74Z and 75A

Dear County Treasurer / Auditor:

Transmitted herewith is the 2013 Watermaster's Report and claim for services for the above mentioned Water District.

The various times in this report have been checked and have been found to be proper charges against the water users therein named. Section 42-612, 42-613 and 42-614 of the Idaho Code provides the procedure under which this claim shall be paid from the funds of the above named district.

If you have any questions, please contact us at once.

Sincerely,

A handwritten signature in black ink that reads "Dennis M Dunn". The signature is written in a cursive, flowing style.

Dennis M Dunn  
Sr. Water Rights Agent

Enclosure

DMD:sc