

WATERMASTER'S REPORT

RECEIVED

JAN 20 2017

Department of Water Resources
Eastern Region

From Apr 1 15 2016 To Sept 30 2016

Water District No. 13N


Name of Watermaster Reed C. Swann

P.O. Address 7455 N Capitol Hill Rd Preston, Id 83263

AFFIDAVIT OF WATERMASTER

STATE OF IDAHO }
COUNTY OF Franklin } ss.

Reed Swann, being first duly sworn, deposes and says that he is Watermaster of Water District 13N, having been lawfully appointed by Shirley Spackman, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him to the water right holders of the district are correct.



Subscribed and sworn to before me, this 12 day of Dec 2016

Reed Swann

(Deputy) Watermaster District No. _____

[Signature]
Notary Public

My Commission expires 03/14/2017


Boise, Idaho, January 21, 2017

I HEREBY CERTIFY, that Reed C. Swann was lawfully appointed by me as Water Master of Water District No. 13N, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Shirley Spackman
Director, Department of Water Resources

By Dennis Swann

WATER RIGHT OWNER	IDWR WATER RIGHT IDENT No.	DIVERSION NAME / REMARKS
1 MINK CREEK Irrigation #1		TOWN Ditch
2 MINK CREEK Irrigation #3	13-8964	Rocky Ditch
3 Consolidated Irrigation	13-7747	Preston MINK CREEK
4 TWIN LAKE Canal	13-8965	
5 TWIN LAKE GLENCO		
6 Riverdale GLENCO		
7 GLENCO		
8 MINK CREEK Canyon ABC		Darby Pump
9 MINK CREEK Hydro	13-7416	Fackrell
10 Birch Creek Culinary	13-7926	
11 Birch Creek Irrigation	13-911	
12 Riverdale Canal Company		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		



1		2		3		4		5			
Total Delivery in 24-Hour Sec. Feet	Total Cost		Adopted Budget		Credits +		- Debits		Cost Per 24-Hr. Sec. Ft. \$140816284		
	\$	cts.	\$	cts.	\$	cts.	\$	cts.			
1038.00	146	17	198	76	52	59			Total No. Days of Watermaster	168	
1248.00	175	74	247	33	71	59			168 days at \$14.88 per day	\$2500	
4321.00	608	46	767	04	158	58			Total No. Days of Asst. Watermaster		
8804.00	1239	74	1519	82	280	08			days at \$ per day	\$	
439.00									Other expenses charged pro rata	\$384.00	
177.60									TOTAL COST	\$2884.00	
616.60	86	83	142	46	55	63			Total No. 24-Hour Sec. Feet Delivered	1851943	
24.27	3	42	4	01		59			Cost per 24-Hour Sec. Feet Delivered	\$	
0.00	362	99	362	99							
27.36	3	85	12	15	8	30			Workmans Comp.	300.00	
1074.00	151	24	241	66	90	42			County fee	84.00	
749.6	105	56	137	83	32	27				384.00	
17902.83	2521	01	3634	05	750	05			1. 2884.00		
									- 362.99		
									\$2521.01		
									2. \$2521.01		
									17902.83		
									.140816284 multiplier		
									3. 3635.05 Adopted Budget		
									- 750.05 Credits		
									= \$2884.00 -		

SECTION 42-606 IDAHO CODE

REPORTS OF WATERMASTERS. All watermasters shall make an annual report to the department of water resources prior to the expiration of the watermaster's appointment for the current year. This report shall show the total amount of water delivered by the watermaster during the preceding year, the amount delivered to each water user, the total expense of delivery and the apportionment of expenses among users and all debits and credits to be carried over to the following year. Such report shall also include records of stream flow the watermaster used or made in the process of distributing water supplies. The director may ask for other information deemed necessary in assuring proper distribution of water supplies within the district. The reports of watermasters to the department of water resources shall be filed and kept in the office of the department.

Instructions For Completing Annual Watermaster's Report

This form has been developed to assist the watermaster in complying with some of the annual reporting requirements of Section 42-606, Idaho Code. The form provides for summary of the amount of water delivered by the watermaster to each user, the total expense of delivery and the apportionment of expenses among water users, including debits and credits. **Water distribution and hydrologic information including stream flow records, daily diversion data, water right information and water right priority cut summaries should be presented in a separate water distribution report.**

Complete this annual report form of delivery and costs as follows:

- 1) Enter water right holder name, corresponding IDWR water right number or numbers, and corresponding diversion name and/or remarks on page 2;
- 2) Enter the total amount of water delivered to each user as total 24-hour second feet under column 1, page 3. **Total 24-hour second feet** is a flow rate expressed in terms of one day or 24 hours. For example, a continuous diversion of 2 cfs over 20 days would equal 40 24-hour second feet.
- 3) Under column 3, page 3, enter the amount of money assessed or billed to each user at the beginning of the year. The assessment may be found in the previous year's adopted budget report.
- 4) In the work space provided on the right hand side of page 3, add up total watermaster salary costs and expenses and enter as 'TOTAL COST'. Then divide this total cost by the total number of 24-hour second feet delivered (sum of column 1) to obtain the cost per 24 hour second feet delivered, or the unit cost factor.
- 5) Under column 2, page 3, multiply the unit cost factor (obtained in step number 4 above) by each user's total 24-hour second feet delivery in column 1 to obtain the total cost against each user.
- 6) For each user, subtract the total cost amount in column 2 from the adopted budget in column 3 and enter the difference either as a credit or debit (negative differences entered as debits, positive differences entered as credits).
- 7) Sign the report before a notary public and submit the original to the appropriate regional office of the Department of Water Resources. Retain one copy for the Water District.

**Annual Summary for Water District 13N Mink Creek
10087400 - D - ROCKY DITCH (MINK CREEK NO. 3)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	4.50 ⁿ	12.0 ^e	6.00 ⁿ	1.93 ⁿ	--	--	--
2	--	--	--	--	--	4.50 ⁿ	12.0 ⁱ	6.00 ⁱ	1.93 ⁿ	--	--	--
3	--	--	--	--	--	4.50 ⁱ	12.0 ⁱ	6.00 ⁱ	1.93 ⁿ	--	--	--
4	--	--	--	--	--	4.50 ⁿ	12.0 ⁱ	6.00 ⁿ	1.93 ⁿ	--	--	--
5	--	--	--	--	--	23.0 ⁿ	12.0 ⁱ	6.00 ⁿ	1.93 ⁱ	--	--	--
6	--	--	--	--	--	23.0 ⁱ	12.0 ^e	6.00 ⁿ	1.93 ⁱ	--	--	--
7	--	--	--	--	--	23.0 ⁱ	8.00 ⁿ	6.00 ⁱ	1.93 ⁿ	--	--	--
8	--	--	--	--	--	23.0 ⁿ	8.00 ⁿ	6.00 ⁿ	1.93 ⁿ	--	--	--
9	--	--	--	--	--	8.00 ⁿ	8.00 ⁿ	6.00 ⁿ	1.93 ⁿ	--	--	--
10	--	--	--	--	6.79 ⁿ	8.00 ⁿ	23.0 ⁿ	6.00 ⁿ	1.93 ⁱ	--	--	--
11	--	--	--	--	6.79 ⁿ	8.00 ⁱ	23.0 ⁿ	6.00 ⁱ	1.93 ⁱ	--	--	--
12	--	--	--	--	6.79 ⁱ	8.00 ⁱ	23.0 ⁱ	6.00 ⁱ	1.93 ⁿ	--	--	--
13	--	--	--	--	6.79 ⁱ	8.00 ⁱ	23.0 ^e	6.00 ⁱ	1.93 ⁿ	--	--	--
14	--	--	--	--	6.79 ⁱ	8.00 ⁱ	23.0 ⁿ	6.00 ⁿ	1.93 ⁿ	--	--	--
15	--	--	--	--	6.79 ⁿ	8.00 ⁿ	23.0 ⁿ	6.00 ⁿ	1.93 ⁱ	--	--	--
16	--	--	--	--	6.79 ⁿ	16.0 ⁿ	23.0 ⁱ	6.00 ^e	1.93 ⁱ	--	--	--
17	--	--	--	--	6.79 ^e	16.0 ⁿ	23.0 ⁱ	6.00 ⁱ	1.93 ⁱ	--	--	--
18	--	--	--	--	6.79 ⁱ	16.0 ⁱ	23.0 ⁱ	6.00 ⁿ	1.93 ⁱ	--	--	--
19	--	--	--	--	6.79 ⁱ	16.0 ⁱ	23.0 ⁱ	6.00 ⁿ	1.93 ⁿ	--	--	--
20	--	--	--	--	6.79 ⁿ	16.0 ⁱ	23.0 ⁱ	6.00 ⁿ	1.93 ⁿ	--	--	--
21	--	--	--	--	6.79 ⁿ	16.0 ⁱ	23.0 ⁱ	6.00 ⁱ	1.93 ⁿ	--	--	--
22	--	--	--	--	6.79 ^e	16.0 ⁱ	23.0 ^e	6.00 ⁿ	1.93 ⁱ	--	--	--
23	--	--	--	--	6.79 ⁱ	16.0 ⁱ	21.0 ⁿ	6.00 ⁿ	1.93 ⁱ	--	--	--
24	--	--	--	--	6.79 ^e	16.0 ⁿ	21.0 ⁿ	6.00 ⁿ	1.93 ⁱ	--	--	--
25	--	--	--	--	6.79 ⁿ	8.00 ⁿ	8.00 ⁿ	6.00 ⁱ	1.93 ⁱ	--	--	--
26	--	--	--	--	6.79 ⁿ	8.00 ⁿ	8.00 ⁿ	6.00 ⁿ	1.93 ⁱ	--	--	--
27	--	--	--	--	6.79 ⁱ	8.00 ⁱ	8.00 ⁿ	6.00 ⁿ	1.93 ⁱ	--	--	--
28	--	--	--	--	6.79 ⁱ	8.00 ⁱ	8.00 ⁱ	6.00 ^e	1.93 ⁱ	--	--	--
29	--	--	--	--	6.79 ⁿ	8.00 ⁿ	8.00 ⁱ	6.00 ⁱ	1.93 ⁱ	--	--	--
30	--	--	--	--	6.79 ⁿ	12.0 ⁿ	8.00 ^e	6.00 ⁿ	1.93 ⁿ	--	--	--
31	--	--	--	--	6.79 ⁿ	--	8.00 ⁿ	6.00 ⁿ	--	--	--	--
Total:	--	--	--	--	149.4	362.0	493.0	186.0	57.9	--	--	--
Mean:	--	--	--	--	6.79	12.1	15.9	6.00	1.93	--	--	--
Min:	--	--	--	--	6.79	4.50	8.00	6.00	1.93	--	--	--
Max:	--	--	--	--	6.79	23.0	23.0	6.00	1.93	--	--	--
AC-FT:	--	--	--	--	296.3	718.0	977.9	368.9	114.8	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 1248

TOTAL AC-FT: 2475

**Annual Summary for Water District 13N Mink Creek
10087500 - D - CONSOLIDATED DITCH (PRESTON MINK CREEK)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	18.0 ^m	30.0 ^m	33.0 ^e	30.0 ^m	22.5 ^m	--	--	--
2	--	--	--	--	18.0 ^m	30.0 ^m	33.0 ⁱ	30.0 ^m	22.5 ^m	--	--	--
3	--	--	--	--	18.0 ^e	30.0 ⁱ	33.0 ⁱ	28.0 ^m	18.6 ^m	--	--	--
4	--	--	--	--	18.0 ⁱ	30.0 ^e	33.0 ⁱ	28.0 ^e	18.6 ⁱ	--	--	--
5	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ⁱ	28.0 ⁱ	18.6 ⁱ	--	--	--
6	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ^e	28.0 ^e	18.6 ⁱ	--	--	--
7	--	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ^m	28.0 ^m	18.6 ^m	--	--	--
8	--	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ^m	28.0 ^m	23.0 ⁱ	--	--	--
9	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ^m	28.0 ⁱ	23.0 ^m	--	--	--
10	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ^m	28.0 ⁱ	23.0 ⁱ	--	--	--
11	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ^m	28.0 ⁱ	23.0 ⁱ	--	--	--
12	--	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ⁱ	28.0 ⁱ	23.0 ^m	--	--	--
13	--	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ⁱ	28.0 ⁱ	23.0 ^m	--	--	--
14	--	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ⁱ	28.0 ^m	23.0 ^m	--	--	--
15	--	--	--	--	18.0 ⁱ	30.0 ^e	33.0 ⁱ	26.0 ^m	23.0 ⁱ	--	--	--
16	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ⁱ	26.0 ⁱ	23.0 ⁱ	--	--	--
17	--	--	--	--	18.0 ⁱ	30.0 ^m	33.0 ⁱ	26.0 ⁱ	23.0 ⁱ	--	--	--
18	--	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ⁱ	26.0 ^m	23.0 ⁱ	--	--	--
19	--	--	--	--	30.0 ⁱ	30.0 ⁱ	33.0 ⁱ	25.0 ^m	23.0 ^m	--	--	--
20	--	--	--	18.0 ^m	30.0 ⁱ	30.0 ^m	33.0 ⁱ	25.0 ^m	23.0 ^m	--	--	--
21	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ^m	33.0 ⁱ	25.0 ⁱ	23.0 ^m	--	--	--
22	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ^m	33.0 ^m	25.0 ^m	23.0 ⁱ	--	--	--
23	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ⁱ	32.0 ^m	24.5 ^m	23.0 ^m	--	--	--
24	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ⁱ	32.0 ^e	24.5 ^m	23.0 ^m	--	--	--
25	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ^m	32.0 ^m	24.5 ⁱ	23.0 ⁱ	--	--	--
26	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ^m	30.0 ^m	24.5 ⁱ	23.0 ⁱ	--	--	--
27	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ⁱ	30.0 ⁱ	22.5 ^m	23.0 ⁱ	--	--	--
28	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ^m	30.0 ⁱ	22.5 ^e	23.0 ⁱ	--	--	--
29	--	--	--	18.0 ⁱ	30.0 ⁱ	33.0 ^m	30.0 ⁱ	22.5 ⁱ	23.0 ^e	--	--	--
30	--	--	--	18.0 ^m	30.0 ⁱ	33.0 ^m	30.0 ^e	22.5 ^m	23.0 ^m	--	--	--
31	--	--	--	--	30.0 ^m	--	30.0 ^m	22.5 ^m	--	--	--	--
Total:	--	--	--	198.0	714.0	930.0	1002	810.5	667.0	--	--	--
Mean:	--	--	--	18.0	23.0	31.0	32.3	26.2	22.2	--	--	--
Min:	--	--	--	18.0	18.0	30.0	30.0	22.5	18.6	--	--	--
Max:	--	--	--	18.0	30.0	33.0	33.0	30.0	23.0	--	--	--
AC-FT:	--	--	--	392.7	1416	1844	1987	1607	1322	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 4321

TOTAL AC-FT: 8571

**Annual Summary for Water District 13N Mink Creek
10087600 - D - TOWN DITCH (MINK CREEK NO. 1)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	3.00 ⁿ	8.50 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
2	--	--	--	--	--	3.00 ⁿ	17.0 ⁿ	7.85 ⁱ	4.47 ⁿ	--	--	--
3	--	--	--	--	3.42 ⁿ	3.00 ⁱ	17.0 ⁿ	7.85 ⁱ	4.47 ⁿ	--	--	--
4	--	--	--	--	3.42 ⁿ	3.00 ⁿ	17.0 ⁱ	7.85 ⁿ	4.47 ⁱ	--	--	--
5	--	--	--	--	3.42 ⁱ	1.50 ⁿ	17.0 ⁱ	7.85 ⁿ	4.47 ⁱ	--	--	--
6	--	--	--	--	3.42 ⁱ	1.50 ⁿ	17.0 ⁿ	7.85 ⁿ	4.47 ⁱ	--	--	--
7	--	--	--	--	3.42 ⁱ	1.50 ⁱ	17.0 ⁿ	7.85 ⁱ	4.47 ⁿ	--	--	--
8	--	--	--	--	3.42 ⁿ	1.50 ⁿ	17.0 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
9	--	--	--	--	3.20 ⁿ	1.50 ⁿ	17.0 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
10	--	--	--	--	3.20 ⁿ	1.50 ⁿ	17.0 ⁿ	7.85 ⁿ	4.47 ⁱ	--	--	--
11	--	--	--	--	4.47 ⁿ	1.50 ⁱ	17.0 ⁿ	7.85 ⁱ	4.47 ⁿ	--	--	--
12	--	--	--	--	4.47 ⁿ	1.50 ⁱ	17.0 ⁿ	7.85 ⁱ	4.47 ⁿ	--	--	--
13	--	--	--	--	4.47 ⁱ	1.50 ⁱ	17.0 ⁿ	7.85 ⁱ	4.47 ⁿ	--	--	--
14	--	--	--	--	4.47 ⁿ	1.50 ⁱ	5.50 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
15	--	--	--	--	4.47 ⁿ	1.50 ⁿ	5.50 ⁿ	7.85 ⁿ	4.47 ⁱ	--	--	--
16	--	--	--	--	0.00 ⁿ	13.0 ⁿ	5.50 ⁱ	7.85 ⁿ	4.47 ⁱ	--	--	--
17	--	--	--	--	0.00 ⁱ	13.0 ⁿ	5.50 ⁱ	7.85 ⁱ	4.47 ⁱ	--	--	--
18	--	--	--	--	0.00 ⁱ	13.0 ⁱ	5.50 ⁱ	7.85 ⁿ	4.47 ⁱ	--	--	--
19	--	--	--	--	0.00 ⁱ	13.0 ⁿ	5.50 ⁱ	7.85 ⁿ	4.47 ⁿ	--	--	--
20	--	--	--	--	4.47 ⁿ	13.0 ⁿ	5.50 ⁱ	7.85 ⁿ	4.47 ⁿ	--	--	--
21	--	--	--	--	4.47 ⁿ	13.0 ⁿ	5.50 ⁱ	7.85 ⁱ	4.47 ⁿ	--	--	--
22	--	--	--	--	4.47 ⁱ	13.0 ⁱ	5.50 ⁿ	7.85 ⁿ	4.47 ⁱ	--	--	--
23	--	--	--	--	4.47 ⁱ	13.0 ⁱ	10.0 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
24	--	--	--	--	4.47 ⁿ	13.0 ⁿ	10.0 ⁿ	7.85 ⁿ	4.47 ⁱ	--	--	--
25	--	--	--	--	4.47 ⁿ	13.0 ⁿ	10.0 ⁿ	7.85 ⁱ	4.47 ⁱ	--	--	--
26	--	--	--	--	4.47 ⁿ	13.0 ⁿ	7.85 ⁿ	7.85 ⁿ	4.47 ⁱ	--	--	--
27	--	--	--	--	4.47 ⁱ	13.0 ⁱ	7.85 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
28	--	--	--	--	4.47 ⁱ	13.0 ⁱ	7.85 ⁱ	7.85 ⁿ	4.47 ⁿ	--	--	--
29	--	--	--	--	4.47 ⁿ	13.0 ⁿ	7.85 ⁱ	7.85 ⁱ	4.47 ⁿ	--	--	--
30	--	--	--	--	4.47 ⁿ	8.50 ⁿ	7.85 ⁿ	7.85 ⁿ	4.47 ⁿ	--	--	--
31	--	--	--	--	4.47 ⁿ	--	7.85 ⁿ	7.85 ⁿ	--	--	--	--
Total:	--	--	--	--	102.9	219.0	339.1	243.4	134.1	--	--	--
Mean:	--	--	--	--	3.55	7.30	10.9	7.85	4.47	--	--	--
Min:	--	--	--	--	0.00	1.50	5.50	7.85	4.47	--	--	--
Max:	--	--	--	--	4.47	13.0	17.0	7.85	4.47	--	--	--
AC-FT:	--	--	--	--	204.1	434.4	672.6	482.7	266.0	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 1038

TOTAL AC-FT: 2059

**Annual Summary for Water District 13N Mink Creek
10087700 - D - TWIN LAKES CANAL - TWIN LAKES CANAL CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	27.0 ^c	74.1 ^b	52.1 ^m	19.5 ^m	18.7 ⁿ	--	--	--
2	--	--	--	--	27.0 ^m	94.1 ⁿ	48.1 ^m	14.8 ^m	20.8 ⁿ	--	--	--
3	--	--	--	--	17.0 ^m	94.1 ⁿ	43.1 ^m	18.3 ^m	18.5 ⁿ	--	--	--
4	--	--	--	--	17.0 ^m	169.1 ^m	43.1 ^m	18.3 ^m	24.7 ⁿ	--	--	--
5	--	--	--	--	36.0 ^m	174.1 ^m	41.1 ^m	24.8 ^m	20.7 ⁿ	--	--	--
6	--	--	--	--	64.0 ^m	169.1 ^m	43.1 ^m	15.8 ^m	18.7 ⁿ	--	--	--
7	--	--	--	--	58.0 ^m	169.1 ^m	38.1 ^m	16.5 ^m	14.7 ⁿ	--	--	--
8	--	--	--	--	55.0 ^m	169.1 ^m	38.1 ^m	18.8 ^m	13.7 ⁿ	--	--	--
9	--	--	--	--	55.0 ^m	169.1 ^m	33.1 ^m	14.8 ^m	14.7 ⁿ	--	--	--
10	--	--	--	--	54.0 ^m	169.1 ^m	18.1 ^m	14.8 ^m	14.7 ⁿ	--	--	--
11	--	--	--	--	52.0 ^m	169.1 ^m	34.1 ^m	14.8 ^m	14.7 ⁿ	--	--	--
12	--	--	--	--	52.0 ^m	169.1 ^m	36.1 ^m	13.8 ^m	14.7 ⁿ	--	--	--
13	--	--	--	--	52.0 ^m	169.1 ^m	36.1 ^m	13.8 ^m	14.7 ⁿ	--	--	--
14	--	--	--	--	60.0 ^m	160.1 ^m	31.1 ^m	14.8 ^m	15.7 ⁿ	--	--	--
15	--	--	--	139.0 ^m	82.0 ^m	153.1 ^m	27.1 ^m	13.8 ^m	15.7 ⁿ	--	--	--
16	--	--	--	147.0 ^m	90.0 ^m	143.1 ^m	24.1 ^m	14.8 ^m	14.7 ⁿ	--	--	--
17	--	--	--	141.0 ^m	90.0 ^m	131.1 ^m	30.1 ^m	13.8 ^m	14.7 ⁿ	--	--	--
18	--	--	--	137.0 ^m	90.0 ^m	123.1 ^m	28.6 ^m	12.8 ^m	14.7 ⁿ	--	--	--
19	--	--	--	137.0 ^m	90.0 ^m	113.1 ^m	24.1 ^m	10.8 ^m	14.7 ⁿ	--	--	--
20	--	--	--	136.0 ^m	86.1 ^m	105.1 ^m	23.6 ^m	12.8 ^m	14.7 ⁿ	--	--	--
21	--	--	--	137.0 ^m	44.1 ^m	98.1 ⁿ	21.1 ^m	12.8 ^m	15.7 ⁿ	--	--	--
22	--	--	--	143.0 ^m	40.1 ^m	93.1 ⁿ	16.1 ^m	13.8 ^m	23.2 ⁿ	--	--	--
23	--	--	--	100.0 ^m	38.1 ^m	86.1 ^m	12.1 ^m	12.8 ^m	29.2 ⁿ	--	--	--
24	--	--	--	105.0 ^m	38.1 ^m	77.1 ^m	13.9 ^m	9.80 ^m	20.7 ⁿ	--	--	--
25	--	--	--	113.0 ^m	38.1 ^m	70.1 ^m	14.4 ^m	12.8 ^m	18.2 ⁿ	--	--	--
26	--	--	--	100.0 ^m	37.1 ^m	68.1 ^m	18.5 ^m	12.8 ^m	18.2 ⁿ	--	--	--
27	--	--	--	71.0 ^m	37.1 ^m	65.1 ⁿ	19.5 ^m	12.8 ^m	17.2 ⁿ	--	--	--
28	--	--	--	52.0 ^m	36.1 ^m	58.1 ⁿ	19.5 ^m	14.8 ^m	17.2 ⁿ	--	--	--
29	--	--	--	52.0 ^m	36.1 ^m	55.1 ⁿ	18.3 ^m	12.8 ^m	17.2 ⁿ	--	--	--
30	--	--	--	46.0 ^m	37.1 ^m	54.1 ⁿ	18.3 ^m	13.8 ^m	17.2 ⁿ	--	--	--
31	--	--	--	--	37.1 ^m	--	20.8 ^m	13.8 ^m	--	--	--	--
Total:	--	--	--	1756	1573	3612	885.5	454.9	522.9	--	--	--
Mean:	--	--	--	109.8	50.8	120.4	28.6	14.7	17.4	--	--	--
Min:	--	--	--	46.0	17.0	54.1	12.1	9.80	13.7	--	--	--
Max:	--	--	--	147.0	90.0	174.1	52.1	24.8	29.2	--	--	--
AC-FT:	--	--	--	3483	3120	7164	1756	902.3	1037	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 8804

TOTAL AC-FT: 17463

**Annual Summary for Water District 13N Mink Creek
10087750 - D - TWIN LAKES CANAL - GLENCOE IRRIGATION CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	4.00 ^c	4.00 ^c	3.00 ^c	2.00 ^c	--	--	--
2	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
3	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
4	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
5	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
6	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
7	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
8	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
9	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
10	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
11	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
12	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
13	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
14	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
15	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
16	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
17	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
18	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
19	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
20	--	--	--	--	4.00 ^m	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
21	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
22	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
23	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
24	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
25	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
26	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
27	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
28	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
29	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
30	--	--	--	--	4.00 ⁱ	4.00 ⁱ	3.00 ⁱ	3.00 ⁱ	2.00 ⁱ	--	--	--
31	--	--	--	--	4.00 ⁱ	--	3.00 ⁱ	3.00 ⁱ	--	--	--	--
Total:	--	--	--	--	48.0	120.0	118.0	93.0	60.0	--	--	--
Mean:	--	--	--	--	4.00	4.00	3.81	3.00	2.00	--	--	--
Min:	--	--	--	--	4.00	4.00	3.00	3.00	2.00	--	--	--
Max:	--	--	--	--	4.00	4.00	4.00	3.00	2.00	--	--	--
AC-FT:	--	--	--	--	95.2	238.0	234.1	184.5	119.0	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 439.0

TOTAL AC-FT: 870.8

**Annual Summary for Water District 13N Mink Creek
10087800 - D - RIVERDALE CANAL - RIVERDALE CANAL CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.00 ^m	5.60 ⁿ	5.60 ⁿ	5.00 ⁿ	3.70 ⁿ	--	--	--
2	--	--	--	--	6.00 ^u	5.60 ^u	5.60 ^u	5.00 ^u	3.70 ^u	--	--	--
3	--	--	--	--	6.00 ^e	5.60 ⁱ	5.60 ⁱ	5.00 ⁱ	3.70 ⁱ	--	--	--
4	--	--	--	--	4.50 ^m	5.60 ^e	5.60 ⁱ	5.00 ⁱ	3.70 ⁱ	--	--	--
5	--	--	--	--	4.50 ^e	5.60 ^e	5.60 ⁱ	5.00 ⁱ	3.70 ⁱ	--	--	--
6	--	--	--	--	4.50 ⁱ	5.60 ⁿ	5.60 ⁿ	5.00 ⁱ	3.70 ⁱ	--	--	--
7	--	--	--	--	4.50 ⁱ	5.60 ⁱ	5.60 ⁿ	5.00 ⁿ	3.70 ⁿ	--	--	--
8	--	--	--	--	4.50 ⁿ	5.60 ⁱ	5.60 ^e	5.00 ⁿ	3.70 ⁿ	--	--	--
9	--	--	--	--	0.00 ⁿ	5.60 ⁿ	5.60 ⁿ	5.00 ⁿ	3.70 ⁿ	--	--	--
10	--	--	--	--	0.00 ⁱ	5.60 ⁿ	4.10 ⁿ	5.00 ⁱ	3.70 ⁱ	--	--	--
11	--	--	--	--	0.00 ⁱ	5.60 ⁿ	4.10 ^e	5.00 ⁱ	3.70 ⁱ	--	--	--
12	--	--	--	--	0.00 ⁱ	5.60 ⁱ	4.10 ^e	5.00 ⁱ	3.70 ⁿ	--	--	--
13	--	--	--	--	0.00 ^e	5.60 ⁱ	4.10 ⁿ	5.00 ⁱ	3.70 ⁿ	--	--	--
14	--	--	--	--	1.50 ^m	5.60 ⁱ	4.10 ^e	5.00 ⁿ	3.70 ⁿ	--	--	--
15	--	--	--	--	1.50 ^e	5.60 ⁿ	4.10 ⁱ	5.00 ⁿ	3.70 ⁿ	--	--	--
16	--	--	--	--	1.50 ⁱ	5.60 ⁿ	4.10 ⁱ	5.00 ⁿ	3.70 ⁿ	--	--	--
17	--	--	--	--	1.50 ^e	5.60 ⁿ	4.10 ⁱ	5.00 ⁿ	3.70 ⁱ	--	--	--
18	--	--	--	--	8.50 ^m	5.60 ⁱ	4.10 ⁱ	5.00 ⁿ	3.70 ⁱ	--	--	--
19	--	--	--	--	8.50 ⁿ	5.60 ⁱ	4.10 ⁱ	5.00 ⁿ	3.70 ^e	--	--	--
20	--	--	--	--	6.60 ^m	5.60 ⁿ	4.10 ⁱ	5.00 ⁿ	3.70 ⁿ	--	--	--
21	--	--	--	--	6.60 ^e	5.60 ⁿ	4.10 ⁱ	5.00 ⁱ	3.70 ^e	--	--	--
22	--	--	--	--	6.60 ⁱ	5.60 ^e	4.10 ^e	5.00 ⁿ	3.70 ⁱ	--	--	--
23	--	--	--	--	6.60 ⁱ	5.60 ⁱ	5.10 ^m	5.00 ⁿ	3.70 ⁱ	--	--	--
24	--	--	--	--	6.60 ^e	5.60 ⁱ	5.10 ⁿ	5.00 ⁿ	3.70 ⁱ	--	--	--
25	--	--	--	--	6.60 ^m	5.60 ⁿ	5.00 ^m	5.00 ⁱ	3.70 ⁱ	--	--	--
26	--	--	--	--	6.60 ⁿ	5.60 ⁿ	5.00 ^e	5.00 ⁱ	3.70 ⁿ	--	--	--
27	--	--	--	--	6.60 ⁱ	5.60 ⁿ	5.00 ⁱ	5.00 ⁱ	3.70 ⁿ	--	--	--
28	--	--	--	--	6.60 ⁱ	5.60 ⁱ	5.00 ⁱ	5.00 ⁱ	3.70 ⁿ	--	--	--
29	--	--	--	--	6.60 ⁱ	5.60 ⁱ	5.00 ⁱ	5.00 ⁱ	3.70 ⁱ	--	--	--
30	--	--	--	--	6.60 ^e	5.60 ⁿ	5.00 ⁱ	5.00 ⁱ	3.70 ⁿ	--	--	--
31	--	--	--	--	6.60 ^m	--	5.00 ^e	5.00 ⁿ	--	--	--	--
Total:	--	--	--	--	142.7	168.0	148.9	155.0	111.0	--	--	--
Mean:	--	--	--	--	4.60	5.60	4.80	5.00	3.70	--	--	--
Min:	--	--	--	--	0.00	5.60	4.10	5.00	3.70	--	--	--
Max:	--	--	--	--	8.50	5.60	5.60	5.00	3.70	--	--	--
AC-FT:	--	--	--	--	283.1	333.2	295.3	307.4	220.2	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 725.6

TOTAL AC-FT: 1439

**Annual Summary for Water District 13N Mink Creek
10087850 - D - RIVERDALE CANAL - GLENCOE IRRIGATION CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.90 ^c	1.90 ^c	0.72 ^c	0.79 ^c	--	--	--
2	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
3	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
4	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
5	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
6	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
7	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
8	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
9	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
10	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
11	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
12	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
13	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
14	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
15	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
16	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
17	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
18	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
19	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
20	--	--	--	--	1.90 ^c	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ^c	0.72 ⁱ	0.79 ^c	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ^c	0.72 ⁱ	0.79 ^c	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
28	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
29	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.72 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
30	--	--	--	--	1.90 ⁱ	1.90 ^c	0.72 ⁱ	0.72 ⁱ	0.79 ^c	--	--	--
31	--	--	--	--	1.90 ^c	--	0.72 ^c	0.72 ^c	--	--	--	--
Total:	--	--	--	--	22.8	57.0	51.8	22.3	23.7	--	--	--
Mean:	--	--	--	--	1.90	1.90	1.67	0.72	0.79	--	--	--
Min:	--	--	--	--	1.90	1.90	0.72	0.72	0.79	--	--	--
Max:	--	--	--	--	1.90	1.90	1.90	0.72	0.79	--	--	--
AC-FT:	--	--	--	--	45.2	113.1	102.8	44.3	47.0	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 177.6

TOTAL AC-FT: 352.3

**Annual Summary for Water District 13N Mink Creek
10087911 - D - BIRCH CREEK IRRIGATION**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2016 - 12/31/2016

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	9.60 ^c	9.60 ^c	6.43 ^c	4.84 ⁿ	--	--	--
2	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
3	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
4	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
5	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
6	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
7	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
8	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
9	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
10	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
11	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
12	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
13	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
14	--	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
15	--	--	--	--	9.60 ⁿ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
16	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
17	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
18	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
19	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
20	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
21	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
22	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
23	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
24	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
25	--	--	--	--	9.60 ⁱ	9.60 ⁱ	9.60 ⁿ	6.43 ⁱ	4.84 ⁱ	--	--	--
26	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁿ	6.43 ⁱ	4.84 ⁱ	--	--	--
27	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
28	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
29	--	--	--	--	9.60 ⁱ	9.60 ⁱ	6.43 ⁱ	6.43 ⁱ	4.84 ⁱ	--	--	--
30	--	--	--	--	9.60 ⁱ	9.60 ⁿ	6.43 ⁱ	6.43 ⁱ	4.84 ⁿ	--	--	--
31	--	--	--	--	9.60 ⁿ	--	6.43 ⁿ	6.43 ⁿ	--	--	--	--
Total:	--	--	--	--	163.2	288.0	278.6	199.3	145.2	--	--	--
Mean:	--	--	--	--	9.60	9.60	8.99	6.43	4.84	--	--	--
Min:	--	--	--	--	9.60	9.60	6.43	6.43	4.84	--	--	--
Max:	--	--	--	--	9.60	9.60	9.60	6.43	4.84	--	--	--
AC-FT:	--	--	--	--	323.7	571.3	552.6	395.4	288.0	--	--	--

CALENDAR YEAR 01/01/2016 - 12/31/2016

TOTAL CFS: 1074

TOTAL AC-FT: 2130



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

January 23, 2017

GARY SPACKMAN
Director

Reed Swan
7455 N Capital Hill Rd
Preston ID 83263

WATER DISTRICT #13N

Dear Watermaster:

Enclosed herewith is a copy of the Watermaster's Annual Report for the past season.

The same has been prepared by the watermaster and approved by this Department in conformity with Sections 42-610, 42-614 and 42-615, Idaho Code.

During the 1993 legislative session, the legislature enacted a new law which amends Section 42-619(9), Idaho Code and removes the independent financial audit requirement for most state water districts. The new law, referenced by Section 67-450B, Idaho Code (copy enclosed) identifies minimum audit requirements for all local government entities. Under the new statute, the governing body of any local government entity (i.e.; water district) whose annual budget does not exceed one hundred thousand dollars (\$100,000) has no minimum audit requirements under this section. This means that any district which handles its own money and whose budget is one hundred thousand dollars (\$100,000) or less does not have to have an independent public account firm conduct a financial audit every few years as previously required by Section 42-619(9).

Please note that only the statutory requirement regarding the independent financial audit has been changed. Districts handling their own fund (i.e.; districts who collect and / or disburse their own funds) must still submit their own statement of the water district's financial affairs at the end of each fiscal year. As recommended in the Department's February 16, 1993 letter and the 1993 Watermaster Handbook, a copy of the financial statement may be submitted either with the annual water masters report or with the minutes of the annual meeting for the ensuing year. An example of an annual financial statement may be found in Appendix C of the 1993 Watermaster Handbook.

The purpose of this letter is to remind all water districts that workers compensation insurance is required for all water district employees. This requirement applies to all water districts in Idaho, regardless of annual budget. Insurance should be applicable at least to all paid water district staff, including the water master as well as watermaster assistants, advisory committee, secretary and treasurer. The costs associated with workers compensation insurance is paid directly by the water district and should be considered an expense of the district. For information about obtaining insurance costs etc., please contact the Idaho State Insurance Fund. The State Insurance Fund has offices in Boise, Coeur d'Alene, Idaho Falls, Pocatello and Twin Falls. Water Districts are also reminded that all paid water district staff may be subject to state and federal taxes. These tax requirements will vary depending on salaries and total income of each watermaster or employee. In many water districts, particularly smaller districts with part-time staff, payment of watermaster or each employee. Districts may wish to contact the State Tax Commission or the Internal Revenue Service for information about state and federal withholding taxes.

Sincerely,



Sharla Cox
Administrative Assistant

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 23, 2017

Water District 13N
Judy Phillips
PO Box 247
Preston ID 83263-0247

WATER DISTRICT #13N

Dear Secretary:

Enclosed herewith is a copy of the Watermaster's Annual Report for the past season.


The same has been prepared by the watermaster and approved by this Department in conformity with Sections 42-610, 42-614 and 42-615, Idaho Code.

During the 1993 legislative session, the legislature enacted a new law which amends Section 42-619(9), Idaho Code and removes the independent financial audit requirement for most state water districts. The new law, referenced by Section 67-450B, Idaho Code (copy enclosed) identifies minimum audit requirements for all local government entities. Under the new statute, the governing body of any local government entity (i.e.; water district) whose annual budget does not exceed one hundred thousand dollars (\$100,000) has no minimum audit requirements under this section. This means that any district which handles its own money and whose budget is one hundred thousand dollars (\$100,000) or less does not have to have an independent public account firm conduct a financial audit every few years as previously required by Section 42-619(9).

Please note that only the statutory requirement regarding the independent financial audit has been changed. Districts handling their own fund (i.e.; districts who collect and/or disburse their own funds) must still submit their own statement of the water district's financial affairs at the end of each fiscal year. As recommended in the Department's February 16, 1993 letter and the 1993 Watermaster Handbook, a copy of the financial statement may be submitted either with the annual water masters report or with the minutes of the annual meeting for the ensuing year. An example of an annual financial statement may be found in Appendix C of the 1993 Watermaster Handbook.

The purpose of this letter is to remind all water districts that workers compensation insurance is required for all water district employees. This requirement applies to all water districts in Idaho, regardless of annual budget. Insurance should be applicable at least to all paid water district staff, including the watermaster as well as watermaster assistants, advisory committee, secretary and treasurer. The costs associated with workers compensation insurance is paid directly by the water district and should be considered an expense of the district. For information about obtaining insurance costs etc., please contact the Idaho State Insurance Fund. The State Insurance Fund has offices in Boise, Coeur d'Alene, Idaho Falls, Pocatello and Twin Falls. Water Districts are also reminded that all paid water district staff may be subject to state and federal taxes. These tax requirements will vary depending on salaries and total income of each watermaster or employee. In many water districts, particularly smaller districts with part-time staff, payment of watermaster or each employee. Districts may wish to contact the State Tax Commission or the Internal Revenue Service for information about state and federal withholding taxes.

Sincerely,



Sharla Cox
Administrative Assistant

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 23, 2017

Franklin County Treasurer / Auditor
39 W Oneida
Preston ID 83263

RE: Water District No. #13N

Dear County Treasurer / Auditor:

Transmitted herewith is the 2016 Watermaster's Report and claim for services for the above mentioned Water District.

The various times in this report have been checked and have been found to be proper charges against the water users therein named. Section 42-612, 42-613 and 42-614 of the Idaho Code provides the procedure under which this claim shall be paid from the funds of the above named district.

If you have any questions, please contact us at once.

Sincerely,

A handwritten signature in blue ink that reads "Sharla Cox". The signature is written in a cursive style with a large, looping initial 'S'.

Sharla Cox
Administrative Assistant

Enclosure