

WATERMASTER'S REPORT

RECEIVED

JAN 05 2018

Department of Water Resources
Eastern Region

From April 15, 2017 To Sept 30, 2017

Water District No. 13N

Name of Watermaster Reed C. Swann

P.O. Address 7455 N. Capital Hill Rd. Preston, IDA 83263


AFFIDAVIT OF WATERMASTER

STATE OF IDAHO)
COUNTY OF Franklin) ss.

Reed C Swann, being first duly sworn, deposes and says that he is Watermaster of Water District 13N, having been lawfully appointed by _____, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him to the water right holders of the district are correct.

Reed C Swann
(Deputy) Watermaster District No. 13N

Subscribed and sworn to before me, this 2nd day of Jan, 2018.



Melanie Hoebbs
Notary Public

(SEAL)

My Commission expires 03-04-22

Boise, Idaho, January 5, 2018

I HEREBY CERTIFY, that Reed Swann was lawfully appointed by me as Water Master of Water District No. 13N, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Sally Erickson
Director, Department of Water Resources

By Dennis Dunn

1 2 3 4 5

	WATER RIGHT OWNER	IDWR WATER RIGHT IDENT No.	DIVERSION NAME / REMARKS
1	Mink Creek Irrigation #1		Town Ditch
2	Mink Creek Irrigation #3	13-896A	Rocky Ditch
3	Consolidated Irrigation	13-7747	Preston-Mink Creek
4	Twin Lakes Canal	13-896B	
5	Glenco		
6	Mink Creek Canyon LLC		Barber Pump
7	Mink Creek Hydro	13-7416	Fackrel
8	Birch Creek Irrigation	13-911	
9	Riverdale Canal Company		
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

**Annual Summary for Water District 13N Mink Creek
10087600 - D - TOWN DITCH (MINK CREEK NO. 1)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.00 ^m	9.48 ^m	5.60 ^m	3.42 ^m	--	--	--
2	--	--	--	--	--	0.00 ⁱ	9.48 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
3	--	--	--	--	--	0.00 ⁱ	9.62 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
4	--	--	--	--	--	0.00 ⁱ	10.9 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
5	--	--	--	--	--	0.00 ⁱ	12.1 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
6	--	--	--	--	--	0.00 ^m	13.3 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
7	--	--	--	--	--	17.0 ^m	14.5 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
8	--	--	--	--	--	17.0 ⁱ	15.8 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
9	--	--	--	--	--	17.0 ⁱ	17.0 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
10	--	--	--	--	--	17.0 ^m	17.0 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
11	--	--	--	--	--	17.0 ^m	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
12	--	--	--	--	--	17.0 ⁱ	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
13	--	--	--	--	--	17.0 ^m	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
14	--	--	--	--	--	5.60 ^m	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
15	--	--	--	--	--	5.60 ⁱ	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
16	--	--	--	--	--	5.60 ⁱ	17.0 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
17	--	--	--	--	--	5.60 ⁱ	17.0 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
18	--	--	--	--	--	5.60 ^m	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
19	--	--	--	--	--	5.60 ^m	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
20	--	--	--	--	--	6.25 ⁱ	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
21	--	--	--	--	--	6.89 ⁱ	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
22	--	--	--	--	--	7.54 ⁱ	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
23	--	--	--	--	8.12 ^m	8.19 ⁱ	17.0 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
24	--	--	--	--	8.12 ⁱ	8.83 ⁱ	17.0 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
25	--	--	--	--	8.12 ⁱ	9.48 ^m	5.60 ^m	5.60 ⁱ	3.42 ⁱ	--	--	--
26	--	--	--	--	8.12 ⁱ	9.48 ^m	5.60 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
27	--	--	--	--	8.12 ^m	9.48 ⁱ	5.60 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
28	--	--	--	--	4.47 ^m	9.48 ⁱ	5.60 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
29	--	--	--	--	4.47 ⁱ	9.48 ⁱ	5.60 ⁱ	5.60 ⁱ	3.42 ⁱ	--	--	--
30	--	--	--	--	4.47 ^m	9.48 ^m	5.60 ⁱ	5.60 ⁱ	3.42 ^m	--	--	--
31	--	--	--	--	0.00 ^m	--	5.60 ^m	5.60 ^m	--	--	--	--
Total:	--	--	--	--	54.0	247.2	406.3	173.6	102.6	--	--	--
Mean:	--	--	--	--	6.00	8.24	13.1	5.60	3.42	--	--	--
Min:	--	--	--	--	0.00	0.00	5.60	5.60	3.42	--	--	--
Max:	--	--	--	--	8.12	17.0	17.0	5.60	3.42	--	--	--
AC-FT:	--	--	--	--	107.1	490.3	806.0	344.3	203.5	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 983.7

TOTAL AC-FT: 1951

**Annual Summary for Water District 13N Mink Creek
10087400 - D - ROCKY DITCH (MINK CREEK NO. 3)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	24.0 ^m	5.66 ^m	5.66 ^m	2.73 ^m	--	--	--
2	--	--	--	--	--	24.0 ⁱ	5.66 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
3	--	--	--	--	--	24.0 ⁱ	5.66 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
4	--	--	--	--	--	24.0 ⁱ	5.66 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
5	--	--	--	--	--	24.0 ⁱ	5.66 ^m	5.66 ⁱ	2.73 ⁱ	--	--	--
6	--	--	--	--	--	24.0 ⁱ	15.0 ^m	5.66 ⁱ	2.73 ⁱ	--	--	--
7	--	--	--	--	--	24.0 ⁱ	15.0 ^m	5.66 ⁱ	2.73 ⁱ	--	--	--
8	--	--	--	--	--	24.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
9	--	--	--	--	--	24.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
10	--	--	--	--	--	24.0 ^m	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
11	--	--	--	--	--	15.0 ^m	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
12	--	--	--	--	--	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
13	--	--	--	--	--	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
14	--	--	--	--	--	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
15	--	--	--	--	--	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
16	--	--	--	--	7.00 ^m	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
17	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
18	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
19	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
20	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
21	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
22	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
23	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
24	--	--	--	--	7.00 ⁱ	15.0 ⁱ	15.0 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
25	--	--	--	--	7.00 ⁱ	15.0 ^m	15.0 ^m	5.66 ⁱ	2.73 ⁱ	--	--	--
26	--	--	--	--	7.00 ⁱ	15.0 ^m	8.25 ^m	5.66 ⁱ	2.73 ⁱ	--	--	--
27	--	--	--	--	7.00 ⁱ	15.0 ⁱ	8.25 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
28	--	--	--	--	7.00 ⁱ	15.0 ⁱ	8.25 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
29	--	--	--	--	7.00 ⁱ	15.0 ⁱ	8.25 ⁱ	5.66 ⁱ	2.73 ⁱ	--	--	--
30	--	--	--	--	7.00 ⁱ	15.0 ^m	8.25 ⁱ	5.66 ⁱ	2.73 ^m	--	--	--
31	--	--	--	--	7.00 ^m	--	8.25 ^m	5.66 ^m	--	--	--	--
Total:	--	--	--	--	112.0	540.0	377.8	175.5	81.9	--	--	--
Mean:	--	--	--	--	7.00	18.0	12.2	5.66	2.73	--	--	--
Min:	--	--	--	--	7.00	15.0	5.66	5.66	2.73	--	--	--
Max:	--	--	--	--	7.00	24.0	15.0	5.66	2.73	--	--	--
AC-FT:	--	--	--	--	222.2	1071	749.4	348.0	162.5	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 1287

TOTAL AC-FT: 2553

**Annual Summary for Water District 13N Mink Creek
10087500 - D - CONSOLIDATED DITCH (PRESTON MINK CREEK)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	25.0 ^m	33.0 ^m	35.0 ^m	17.0 ^m	--	--	--
2	--	--	--	--	--	25.0 ⁱ	33.0 ⁱ	35.0 ⁱ	17.0 ⁱ	--	--	--
3	--	--	--	--	--	25.0 ⁱ	33.0 ^m	35.0 ⁱ	17.0 ^m	--	--	--
4	--	--	--	--	--	25.0 ^m	33.0 ^m	35.0 ⁱ	27.0 ^m	--	--	--
5	--	--	--	--	--	25.0 ^m	33.0 ⁱ	35.0 ⁱ	27.0 ^m	--	--	--
6	--	--	--	--	--	25.0 ⁱ	33.0 ⁱ	35.0 ⁱ	30.0 ^m	--	--	--
7	--	--	--	--	--	25.0 ^m	33.0 ⁱ	35.0 ^m	30.0 ⁱ	--	--	--
8	--	--	--	--	--	25.0 ^m	33.0 ⁱ	35.0 ^m	30.0 ⁱ	--	--	--
9	--	--	--	--	--	25.0 ⁱ	33.0 ^m	35.0 ⁱ	30.0 ⁱ	--	--	--
10	--	--	--	--	--	25.0 ^m	33.0 ^m	35.0 ^m	30.0 ^m	--	--	--
11	--	--	--	--	--	31.0 ^m	33.0 ⁱ	35.0 ^m	30.0 ^m	--	--	--
12	--	--	--	--	--	31.0 ⁱ	33.0 ⁱ	30.0 ^m	30.0 ⁱ	--	--	--
13	--	--	--	--	--	31.0 ⁱ	33.0 ⁱ	30.0 ^m	30.0 ⁱ	--	--	--
14	--	--	--	--	--	31.0 ⁱ	33.0 ^m	30.0 ^m	30.0 ⁱ	--	--	--
15	--	--	--	--	--	31.0 ^m	33.0 ^m	30.0 ^m	30.0 ⁱ	--	--	--
16	--	--	--	--	25.0 ^m	31.0 ^m	33.0 ⁱ	30.0 ⁱ	30.0 ⁱ	--	--	--
17	--	--	--	--	25.0 ⁱ	31.0 ⁱ	33.0 ^m	30.0 ^m	30.0 ^m	--	--	--
18	--	--	--	--	25.0 ⁱ	31.0 ⁱ	33.0 ^m	30.0 ^m	30.0 ^m	--	--	--
19	--	--	--	--	25.0 ⁱ	31.0 ^m	33.0 ⁱ	30.0 ^m	30.0 ⁱ	--	--	--
20	--	--	--	--	25.0 ^m	31.0 ^m	33.0 ⁱ	24.0 ^m	30.0 ⁱ	--	--	--
21	--	--	--	--	25.0 ^m	31.0 ⁱ	33.0 ⁱ	24.0 ⁱ	30.0 ⁱ	--	--	--
22	--	--	--	--	25.0 ⁱ	31.0 ^m	33.0 ⁱ	24.0 ⁱ	30.0 ⁱ	--	--	--
23	--	--	--	--	25.0 ⁱ	31.0 ^m	33.0 ⁱ	24.0 ⁱ	30.0 ⁱ	--	--	--
24	--	--	--	--	25.0 ⁱ	33.0 ⁱ	33.0 ^m	24.0 ⁱ	30.0 ^m	--	--	--
25	--	--	--	--	25.0 ^m	35.0 ^m	33.0 ^m	24.0 ⁱ	20.0 ^m	--	--	--
26	--	--	--	--	25.0 ^m	35.0 ⁱ	33.0 ⁱ	24.0 ⁱ	20.0 ⁱ	--	--	--
27	--	--	--	--	25.0 ⁱ	35.0 ⁱ	33.0 ⁱ	24.0 ⁱ	20.0 ⁱ	--	--	--
28	--	--	--	--	25.0 ⁱ	35.0 ^m	33.0 ⁱ	24.0 ^m	20.0 ⁱ	--	--	--
29	--	--	--	--	25.0 ^m	35.0 ^m	33.0 ⁱ	17.0 ^m	20.0 ⁱ	--	--	--
30	--	--	--	--	25.0 ^m	35.0 ^m	33.0 ^m	17.0 ⁱ	20.0 ^m	--	--	--
31	--	--	--	--	25.0 ^m	--	33.0 ^m	17.0 ^m	--	--	--	--
Total:	--	--	--	--	400.0	896.0	1023	892.0	795.0	--	--	--
Mean:	--	--	--	--	25.0	29.9	33.0	28.8	26.5	--	--	--
Min:	--	--	--	--	25.0	25.0	33.0	17.0	17.0	--	--	--
Max:	--	--	--	--	25.0	35.0	33.0	35.0	30.0	--	--	--
AC-FT:	--	--	--	--	793.4	1777	2029	1769	1576	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 4006

TOTAL AC-FT: 7945

**Annual Summary for Water District 13N Mink Creek
10087700 - D - TWIN LAKES CANAL - TWIN LAKES CANAL CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	49.0 ^m	164.0 ^m	164.0 ^m	62.0 ^m	46.0 ^m	--	--	--
2	--	--	--	--	52.0 ^m	164.0 ^m	164.0 ⁱ	60.0 ^m	46.0 ⁱ	--	--	--
3	--	--	--	--	140.0 ^m	164.0 ^m	164.0 ⁱ	58.0 ^m	46.0 ^m	--	--	--
4	--	--	--	--	168.0 ^m	124.0 ^m	164.0 ⁱ	57.0 ^m	37.0 ^m	--	--	--
5	--	--	--	--	170.0 ^m	144.0 ^m	164.0 ^m	54.0 ^m	36.0 ^m	--	--	--
6	--	--	--	--	170.0 ^m	124.0 ^m	149.0 ^m	54.0 ^m	30.0 ^m	--	--	--
7	--	--	--	--	175.0 ^m	124.0 ^m	144.0 ^m	54.0 ^m	29.0 ^m	--	--	--
8	--	--	--	--	170.0 ^m	128.0 ^m	138.0 ^m	54.0 ^m	29.0 ^m	--	--	--
9	--	--	--	--	170.0 ^m	124.0 ^m	133.0 ^m	50.0 ^m	28.0 ^m	--	--	--
10	--	--	--	--	147.0 ^m	124.0 ^m	133.0 ^m	49.0 ^m	28.0 ⁱ	--	--	--
11	--	--	--	--	147.0 ^m	154.0 ^m	129.0 ^m	45.0 ^m	28.0 ^m	--	--	--
12	--	--	--	--	147.0 ^m	164.0 ^m	121.0 ^m	48.0 ^m	26.0 ^m	--	--	--
13	--	--	--	--	147.0 ^m	154.0 ^m	117.0 ^m	48.0 ^m	24.0 ^m	--	--	--
14	--	--	--	--	147.0 ^m	149.0 ^m	104.0 ^m	48.0 ⁱ	24.0 ^m	--	--	--
15	--	--	--	--	170.0 ^m	154.0 ^m	98.0 ^m	48.0 ⁱ	26.0 ^m	--	--	--
16	--	--	--	--	170.0 ^m	154.0 ^m	98.0 ^m	48.0 ^m	26.0 ^m	--	--	--
17	--	--	--	--	50.0 ^m	164.0 ^m	92.0 ^m	47.0 ^m	24.0 ^m	--	--	--
18	--	--	--	--	50.0 ^m	164.0 ^m	88.0 ^m	46.0 ^m	24.0 ^m	--	--	--
19	--	--	--	--	55.0 ^m	164.0 ^m	86.0 ^m	46.0 ^m	35.0 ^m	--	--	--
20	--	--	--	--	30.0 ^m	164.0 ^m	86.0 ^m	40.0 ^m	26.0 ^m	--	--	--
21	--	--	--	--	30.0 ^m	164.0 ^m	84.0 ^m	48.0 ^m	26.0 ^m	--	--	--
22	--	--	--	--	40.0 ^m	164.0 ^m	75.0 ^m	46.0 ^m	28.0 ^m	--	--	--
23	--	--	--	--	40.0 ^m	164.0 ^m	73.0 ^m	46.0 ^m	26.0 ^m	--	--	--
24	--	--	--	--	57.0 ^m	164.0 ^m	72.0 ^m	45.0 ^m	36.0 ^m	--	--	--
25	--	--	--	--	60.0 ^m	164.0 ^m	70.0 ^m	45.0 ^m	45.0 ^m	--	--	--
26	--	--	--	--	75.0 ^m	164.0 ^m	72.0 ^m	41.0 ^m	43.0 ^m	--	--	--
27	--	--	--	--	75.0 ^m	164.0 ^m	75.0 ^m	40.0 ^m	43.0 ^m	--	--	--
28	--	--	--	--	75.0 ^m	164.0 ^m	74.0 ^m	39.0 ^m	43.0 ^m	--	--	--
29	--	--	--	--	100.0 ^m	164.0 ^m	68.0 ^m	48.0 ^m	43.0 ^m	--	--	--
30	--	--	--	--	170.0 ^m	164.0 ^m	68.0 ^m	46.0 ^m	43.0 ^m	--	--	--
31	--	--	--	--	175.0 ^m	--	63.0 ^m	48.0 ^m	--	--	--	--
Total:	--	--	--	--	3421	4609	3330	1508	994.0	--	--	--
Mean:	--	--	--	--	110.4	153.6	107.4	48.7	33.1	--	--	--
Min:	--	--	--	--	30.0	124.0	63.0	39.0	24.0	--	--	--
Max:	--	--	--	--	175.0	164.0	164.0	62.0	46.0	--	--	--
AC-FT:	--	--	--	--	6785	9141	6605	2991	1971	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 13862

TOTAL AC-FT: 27495

**Annual Summary for Water District 13N Mink Creek
10087850 - D - RIVERDALE CANAL - GLENCOE IRRIGATION CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.90 ^m	1.90 ^m	0.79 ^m	0.72 ^m	--	--	--
2	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
3	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
4	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
5	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
6	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
7	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
8	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
9	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
10	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
11	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
12	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
13	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
14	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
15	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
16	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
17	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
18	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
19	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
20	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
21	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
22	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
23	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
24	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
25	--	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ^m	0.79 ⁱ	0.72 ⁱ	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ^m	0.79 ⁱ	0.72 ⁱ	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
28	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
29	--	--	--	--	1.90 ⁱ	1.90 ⁱ	0.79 ⁱ	0.79 ⁱ	0.72 ⁱ	--	--	--
30	--	--	--	--	1.90 ⁱ	1.90 ^m	0.79 ⁱ	0.79 ⁱ	0.72 ^m	--	--	--
31	--	--	--	--	1.90 ^m	--	0.79 ^m	0.79 ^m	--	--	--	--
Total:	--	--	--	--	13.3	57.0	52.2	24.5	21.6	--	--	--
Mean:	--	--	--	--	1.90	1.90	1.69	0.79	0.72	--	--	--
Min:	--	--	--	--	1.90	1.90	0.79	0.79	0.72	--	--	--
Max:	--	--	--	--	1.90	1.90	1.90	0.79	0.72	--	--	--
AC-FT:	--	--	--	--	26.4	113.1	103.6	48.6	42.8	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 168.6

TOTAL AC-FT: 334.5

**Annual Summary for Water District 13N Mink Creek
10087750 - D - TWIN LAKES CANAL - GLENCOE IRRIGATION CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.00 ^m	4.00 ^m	4.00 ^m	2.00 ^m	0.72 ^m	--	--	--
2	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
3	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
4	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
5	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
6	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
7	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
8	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
9	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
10	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
11	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
12	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
13	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
14	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
15	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
16	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
17	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
18	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
19	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
20	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
21	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
22	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
23	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
24	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
25	--	--	--	--	4.00 ⁱ	4.00 ⁱ	4.00 ^m	2.00 ⁱ	0.72 ⁱ	--	--	--
26	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.00 ^m	2.00 ⁱ	0.72 ⁱ	--	--	--
27	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
28	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
29	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.00 ⁱ	2.00 ⁱ	0.72 ⁱ	--	--	--
30	--	--	--	--	4.00 ⁱ	4.00 ^m	2.00 ⁱ	2.00 ⁱ	0.72 ^m	--	--	--
31	--	--	--	--	4.00 ^m	--	2.00 ^m	2.00 ^m	--	--	--	--
Total:	--	--	--	--	124.0	120.0	112.0	62.0	21.6	--	--	--
Mean:	--	--	--	--	4.00	4.00	3.61	2.00	0.72	--	--	--
Min:	--	--	--	--	4.00	4.00	2.00	2.00	0.72	--	--	--
Max:	--	--	--	--	4.00	4.00	4.00	2.00	0.72	--	--	--
AC-FT:	--	--	--	--	246.0	238.0	222.2	123.0	42.8	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 439.6

TOTAL AC-FT: 871.9

**Annual Summary for Water District 13N Mink Creek
10087911 - D - BIRCH CREEK IRRIGATION**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	9.40 ^m	7.83 ⁱ	4.40 ^m	2.00 ^m	1.80 ^m	--	--	--
2	--	--	--	--	9.40 ⁱ	7.69 ⁱ	4.40 ⁱ	2.00 ⁱ	1.80 ⁱ	--	--	--
3	--	--	--	--	9.40 ⁱ	7.54 ⁱ	4.40 ⁱ	2.00 ⁱ	1.80 ^m	--	--	--
4	--	--	--	--	9.40 ⁱ	7.40 ⁱ	4.40 ⁱ	2.00 ⁱ	1.00 ^m	--	--	--
5	--	--	--	--	9.40 ⁱ	7.26 ⁱ	4.40 ⁱ	2.00 ^m	1.00 ^m	--	--	--
6	--	--	--	--	9.40 ⁱ	7.11 ⁱ	4.40 ⁱ	1.00 ^m	1.00 ⁱ	--	--	--
7	--	--	--	--	9.40 ⁱ	6.97 ⁱ	4.40 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
8	--	--	--	--	9.40 ⁱ	6.83 ⁱ	4.40 ^m	1.00 ⁱ	1.00 ⁱ	--	--	--
9	--	--	--	--	9.40 ⁱ	6.69 ⁱ	1.40 ^m	1.00 ⁱ	1.00 ^m	--	--	--
10	--	--	--	--	9.40 ⁱ	6.54 ⁱ	1.40 ⁱ	1.00 ⁱ	1.00 ^m	--	--	--
11	--	--	--	--	9.40 ⁱ	6.40 ⁱ	1.40 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
12	--	--	--	--	9.40 ⁱ	6.26 ⁱ	1.40 ⁱ	1.00 ^m	1.00 ⁱ	--	--	--
13	--	--	--	--	9.40 ⁱ	6.11 ⁱ	1.40 ⁱ	1.00 ^m	1.00 ⁱ	--	--	--
14	--	--	--	--	9.40 ⁱ	5.97 ⁱ	1.40 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
15	--	--	--	--	9.40 ⁱ	5.83 ⁱ	1.40 ^m	1.00 ⁱ	1.00 ⁱ	--	--	--
16	--	--	--	--	9.40 ⁱ	5.69 ⁱ	1.80 ^m	1.00 ⁱ	1.00 ^m	--	--	--
17	--	--	--	--	9.40 ⁱ	5.54 ⁱ	1.80 ⁱ	1.00 ⁱ	1.00 ^m	--	--	--
18	--	--	--	--	9.40 ⁱ	5.40 ⁱ	1.80 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
19	--	--	--	--	9.40 ⁱ	5.26 ⁱ	1.80 ⁱ	1.00 ^m	1.00 ⁱ	--	--	--
20	--	--	--	--	9.40 ⁱ	5.11 ⁱ	1.80 ⁱ	1.40 ^m	1.00 ⁱ	--	--	--
21	--	--	--	--	9.40 ^m	4.97 ⁱ	1.80 ⁱ	1.40 ⁱ	1.00 ⁱ	--	--	--
22	--	--	--	--	9.26 ⁱ	4.83 ⁱ	1.80 ^m	1.40 ⁱ	1.00 ⁱ	--	--	--
23	--	--	--	--	9.11 ⁱ	4.69 ⁱ	1.40 ^m	1.40 ⁱ	1.00 ^m	--	--	--
24	--	--	--	--	8.97 ⁱ	4.54 ⁱ	1.40 ⁱ	1.40 ⁱ	1.00 ^m	--	--	--
25	--	--	--	--	8.83 ⁱ	4.40 ^m	1.40 ⁱ	1.40 ⁱ	--	--	--	--
26	--	--	--	--	8.69 ⁱ	4.40 ⁱ	1.40 ⁱ	1.40 ^m	--	--	--	--
27	--	--	--	--	8.54 ⁱ	4.40 ⁱ	1.40 ⁱ	1.80 ^m	--	--	--	--
28	--	--	--	--	8.40 ⁱ	4.40 ⁱ	1.40 ⁱ	1.00 ^m	--	--	--	--
29	--	--	--	--	8.26 ⁱ	4.40 ⁱ	1.40 ⁱ	1.80 ^m	--	--	--	--
30	--	--	--	--	8.11 ⁱ	4.40 ^m	1.40 ⁱ	1.80 ⁱ	1.00 ^m	--	--	--
31	--	--	--	--	7.97 ⁱ	--	1.40 ^m	1.80 ^m	--	--	--	--
Total:	--	--	--	--	283.5	174.9	70.2	42.0	27.4	--	--	--
Mean:	--	--	--	--	9.15	5.83	2.26	1.35	1.10	--	--	--
Min:	--	--	--	--	7.97	4.40	1.40	1.00	1.00	--	--	--
Max:	--	--	--	--	9.40	7.83	4.40	2.00	1.80	--	--	--
AC-FT:	--	--	--	--	562.4	346.8	139.2	83.3	54.4	--	--	--

**Annual Summary for Water District 13N Mink Creek
10087800 - D - RIVERDALE CANAL - RIVERDALE CANAL CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	6.00 ^m	6.00 ^m	6.00 ^m	6.00 ^m	--	--	--
2	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
3	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
4	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
5	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
6	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
7	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
8	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
9	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
10	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
11	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
12	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
13	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
14	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
15	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
16	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
17	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
18	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
19	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
20	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
21	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
22	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--
23	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	6.00 ^m	--	--	--
24	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--	--
25	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--	--
26	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--	--
27	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--	--
28	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--	--
29	--	--	--	--	--	6.00 ⁱ	6.00 ⁱ	6.00 ⁱ	--	--	--	--
30	--	--	--	--	--	6.00 ^m	6.00 ⁱ	6.00 ⁱ	--	--	--	--
31	--	--	--	--	--	--	6.00 ^m	6.00 ^m	--	--	--	--
Total:	--	--	--	--	--	180.0	186.0	186.0	138.0	--	--	--
Mean:	--	--	--	--	--	6.00	6.00	6.00	6.00	--	--	--
Min:	--	--	--	--	--	6.00	6.00	6.00	6.00	--	--	--
Max:	--	--	--	--	--	6.00	6.00	6.00	6.00	--	--	--
AC-FT:	--	--	--	--	--	357.0	368.9	368.9	273.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 690.0

TOTAL AC-FT: 1368



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 5, 2018

Reed Swann
7455 N Capital Hill Rd
Preston ID 83263

WATER DISTRICT #13N

Dear Watermaster:

Enclosed herewith is a copy of the Watermaster's Annual Report for the past season.

The same has been prepared by the watermaster and approved by this Department in conformity with Sections 42-610, 42-614 and 42-615, Idaho Code.

During the 1993 legislative session, the legislature enacted a new law which amends Section 42-619(9), Idaho Code and removes the independent financial audit requirement for most state water districts. The new law, referenced by Section 67-450B, Idaho Code (copy enclosed) identifies minimum audit requirements for all local government entities. Under the new statute, the governing body of any local government entity (i.e.; water district) whose annual budget does not exceed one hundred thousand dollars (\$100,000) has no minimum audit requirements under this section. This means that any district which handles its own money and whose budget is one hundred thousand dollars (\$100,000) or less does not have to have an independent public account firm conduct a financial audit every few years as previously required by Section 42-619(9).

Please note that only the statutory requirement regarding the independent financial audit has been changed. Districts handling their own fund (i.e.; districts who collect and / or disburse their own funds) must still submit their own statement of the water district's financial affairs at the end of each fiscal year. As recommended in the Department's February 16, 1993 letter and the 1993 Watermaster Handbook, a copy of the financial statement may be submitted either with the annual water masters report or with the minutes of the annual meeting for the ensuing year. An example of an annual financial statement may be found in Appendix C of the 1993 Watermaster Handbook.

The purpose of this letter is to remind all water districts that workers compensation insurance is required for all water district employees. This requirement applies to all water districts in Idaho, regardless of annual budget. Insurance should be applicable at least to all paid water district staff, including the water master as well as watermaster assistants, advisory committee, secretary and treasurer. The costs associated with workers compensation insurance is paid directly by the water district and should be considered an expense of the district. For information about obtaining insurance costs etc., please contact the Idaho State Insurance Fund. The State Insurance Fund has offices in Boise, Coeur d'Alene, Idaho Falls, Pocatello and Twin Falls. Water Districts are also reminded that all paid water district staff may be subject to state and federal taxes. These tax requirements will vary depending on salaries and total income of each watermaster or employee. In many water districts, particularly smaller districts with part-time staff, payment of watermaster or each employee. Districts may wish to contact the State Tax Commission or the Internal Revenue Service for information about state and federal withholding taxes.

Sincerely,



Sharla Cox
Administrative Assistant

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 5, 2018

Judy Phillips
PO Box 247
Preston ID 83263-0247

WATER DISTRICT #13N

Dear Secretary:

Enclosed herewith is a copy of the Watermaster's Annual Report for the past season.


The same has been prepared by the watermaster and approved by this Department in conformity with Sections 42-610, 42-614 and 42-615, Idaho Code.

During the 1993 legislative session, the legislature enacted a new law which amends Section 42-619(9), Idaho Code and removes the independent financial audit requirement for most state water districts. The new law, referenced by Section 67-450B, Idaho Code (copy enclosed) identifies minimum audit requirements for all local government entities. Under the new statute, the governing body of any local government entity (i.e.; water district) whose annual budget does not exceed one hundred thousand dollars (\$100,000) has no minimum audit requirements under this section. This means that any district which handles its own money and whose budget is one hundred thousand dollars (\$100,000) or less does not have to have an independent public account firm conduct a financial audit every few years as previously required by Section 42-619(9).

Please note that only the statutory requirement regarding the independent financial audit has been changed. Districts handling their own fund (i.e.; districts who collect and/or disburse their own funds) must still submit their own statement of the water district's financial affairs at the end of each fiscal year. As recommended in the Department's February 16, 1993 letter and the 1993 Watermaster Handbook, a copy of the financial statement may be submitted either with the annual water masters report or with the minutes of the annual meeting for the ensuing year. An example of an annual financial statement may be found in Appendix C of the 1993 Watermaster Handbook.

The purpose of this letter is to remind all water districts that workers compensation insurance is required for all water district employees. This requirement applies to all water districts in Idaho, regardless of annual budget. Insurance should be applicable at least to all paid water district staff, including the watermaster as well as watermaster assistants, advisory committee, secretary and treasurer. The costs associated with workers compensation insurance is paid directly by the water district and should be considered an expense of the district. For information about obtaining insurance costs etc., please contact the Idaho State Insurance Fund. The State Insurance Fund has offices in Boise, Coeur d'Alene, Idaho Falls, Pocatello and Twin Falls. Water Districts are also reminded that all paid water district staff may be subject to state and federal taxes. These tax requirements will vary depending on salaries and total income of each watermaster or employee. In many water districts, particularly smaller districts with part-time staff, payment of watermaster or each employee. Districts may wish to contact the State Tax Commission or the Internal Revenue Service for information about state and federal withholding taxes.

Sincerely,



Sharla Cox
Administrative Assistant

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N Skyline Dr., Ste A, Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 FAX: (208) 525-7177 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 5, 2018

Franklin County Treasurer / Auditor
39 W Oneida
Preston ID 83263-1232

RE: Water District No. #13A and 13N

Dear County Treasurer / Auditor:

Transmitted herewith is the 2017 Watermaster's Report and claim for services for the above mentioned Water District.

The various times in this report have been checked and have been found to be proper charges against the water users therein named. Section 42-612, 42-613 and 42-614 of the Idaho Code provides the procedure under which this claim shall be paid from the funds of the above named district.

If you have any questions, please contact us at once.

Sincerely,

Sharla Cox
Administrative Assistant

Enclosure