Form No. 300-W

#### WATERMASTER'S

## DAILY RECORD

Stream Canyon Cr	eck
Water District <u>6/- A</u>	
Month of MArch	, 20 <i>/O</i>
Watermaster Terry Sea	ignist.
P.O. Address	

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

				7-1-1	7******	1****	
RIGHT ION NO.	Amount Second Feet (CFS)	1	2	3	4	5	RKS
26/							
258							
256							
268							-
	1						
	ä						
							-
<del></del>							-
							- [ · · · · · · · · · · · · · · · · · ·
							-
***************************************							-
-							_ :
							-
<del></del>							
-							
				The state of the s			-
<del></del>							
		<u> </u>					
							-
	. 149 . 149						
***************************************	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4						-
							-
						3	9

9	10	11	12	13	-	14	1	5	RKS
							2	.5)	
	4						12	到	
		·					T.	<b>3</b>	-
	ş.	,							
	-	-			-				
		-							
		-							
		-							
		-							
		-							
		-							
		ŧ							
		-							
		-							
		-							
		-							-

	19	20	21	22	23	24	25	RKS
	2.5	2.5	2.5	2.5	2,5	2.5	2.5	
,	24	2.4	24	2.4	2,4	2.4	2,4	
_	2,2	2.2	22	22	22	22	2.2	
	4,6	4.6	4.6	4.6	4,6	4.6	4.6	
			-					
			-					•
			-					-
			-					
								•
			-					

29	30	31	Total in 24-hour Sec. Feet	REMARKS
2,5	2.5	25	40.0	
2.4	2.4	2.4	33.6	- 128 - 12 - 128 - 12 - 128 -
2.2	2,2	2.2	35.2	
4.6	4,6	4.6	73.6	
			182.4	
	-			

Form No. 300-W

#### WATERMASTER'S

# **DAILY RECORD**

Stream CANYON Cr	eek
Water District <u>b/-</u> A	
Month of APRIL	, 20 <u>/O</u>
Watermaster Terry Se	egnist
P.O. Address	

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

	<b>!</b>		<u> </u>	i	j	· · · · · · · · · · · · · · · · · · ·	
≀ RIGHT ION NO.	Amount Second Feet (CFS)	1	2	3	4	5	RKS
250							
1250				,			-
2250							-
1250		,					-
)250 246 247							-
257		22	2.2	2:2	2,2	22	-
25/ 258							
258	1142 K	2.4	2.4	2:4	2.4	2,4	
255							
268		4,6	4.1	4,6	46	4.6	-
252 A							_
252 B		(2)	12	12	2	,2_	
252 B 60 61 A+B	<u>.</u>	2,5	2.5	2.5	25	25	
61 A+B							-
							-
							-
							_
							_
							-

9	10	71	12	13	14	15	RKS
						(34)	
		ţ.				(33)	
		7				(34)	
2.2	2,2	22	2.2	22	2,2	2,2	
2.4	2.4	2.4	2.4	2.4	2.4	2.4.	
. 46	4,3	4.6	4,5	4,5	423	456	
.2	.2		2	12	2	-2.	
2-5	2.5	2,5	2.5	2,5	2.5	2.5	
		1					-
							<u>-</u>
		AANA					

	19	20	21	22	23	24	25	RKS
	24	,34	1341	<i>-</i> 34	34	134	134	
	, 14	,34	134	134	-234	,34	234	
	135	.31	33	,3s	-37	-33	-13	_
	.34	34	34	.54	.34	34	-34	
		(2.2)	2.2	22	22	22	2,2	
mic.	22	2,2	22	22	2,2	22	22	
,	2.4	2.4	2.4	2,4	2.4	24	2,4	
		(3, 6)	36	3.6	3.6	3.6	3,6	-
	4.6	19.6	4,6	4,6	46	4.6	46	
		(KY)	1,4	1.4	14/	1.4	1,51	
	.2	7.7	14	14	1.4	,2	12	
	25	2.5	2.5	25	25	2,5	25	-
					<u> </u>			_ :
			-					-
			-					
			-					
***************************************								
eganasa a								

29	30	31	Total in 24-hour Sec. Feet	REMARKS
1.34	.34		5, /	
-34	.34	4	5.11	·
.33	.33		4,95	
134	34		5,1	
22	2,2		22.6	1
22	2.2		66.0	·
27	2.4		72.0	
3.6	3,6		36.0	
41.6	4,5		138.0	
			8.4	
	2		6.0	
2,5	25		75.0	
			443.65	

Form No. 300-W

#### WATERMASTER'S

### DAILY RECORD

Stream CANYON	Creek
Water District 6/- A	
Month of MAY	, 20_ 10
Watermaster Jerby	Seegrist
P.O. Address	

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

R RIGHT TON NO.	Amount Second	1	2	3	4	5	RKS
	Feet (CFS)			<u> </u>			
<u>50</u>	2.7	-34	,34	.34	134	.34	
<u> </u>	1,13	34	.34	,34	-34	134	
	Ĭ.,,	33	3.3	, 33	33	,33	
, e tyf	\$1.5 <u>.</u>	134	,34	,341	,34	134	
147	41.54.	2,2	2,2	2.2	2.2	2.2	
257	top with the second	22	22	2.2	2,2	2.2	
251							·
258		2.4	2.4	2.4	2.4	2.4	
255	) h	3.8	3.6	3. \$	3.4	3.4	
2687	A <sub>k</sub> y	4,6	4,6	41.6	4,6	41.6	
252A				7.	(14)	1.4	
2528	9 % 11	.2	12	,2	1	.2	
10 11 A+8	##	2,5	2.5	2.5	2.5	2.5	
61 A+B							
							***

	1	r				produce and the	p	
	9	10	111	12	13	14	15	RKS
mistrica	234	,34	34	234	134.	,34	,34	
ř .	.34	-34	.34	134	341	34	234	
-	.33	.33	1.33	33	.33	.35	.33	
1	34	.34	-34	.34	.34	.34	134	:   
	2.2	2.2	2,2	2,2	2.2	2.2	2.2	
	2,2	2.2	22	2.2	2.2	2.2	2.2	
			_				(1,3)	
1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	
	3.6	3.4	3.6	3.5	3.4	3.4	3.4	
	4,5	4,6	-4.6	4/5	4/, 5	4,5	4/3	
P <sub>L</sub>	1,40							
	-2_	12	-2	-2	.2	-2	12	<u></u>
*	2.5	2.5	2.5	25	2.5	2.5	25	
								: <u>L</u>
								±
***************************************								
			-					
			_					
								=

	19	20	21	22	23	24	25	RKS
	.34/	,34	.34	134	.34	341	.34	
	34	-34	34	234	,34	34	,34/	
	33	.31	-33	.33	.5.3	33	-33	
	.34	.34/.	.34	23.4	34	341	.34	_
1111 8011	2.2	2.2	2.2	22	2.2.	2,4	22	
1 - 10 -	2.2	2.4	2.2	2.2	2,2	2.2	2,2	
	1.5	125	1.5	1.5	1.5	1.5	1.5	
*	2.4	2.4/	2.4	2.4	24	2.4	2.4	
	3.6	3.6	3.6	3.5	3.6	3.6	3, 4	_
	4, 5	4,6	46	4.6	4.6	46	4.	_ :
***************************************								-
	1.4	4	v . 2	,2	2	2	2	
<u></u>	2.5	2,5	2.5	25	2,5	25	25	_
								7.1 ···nu

29	30	31	Total in 24-hour Sec. Feet	REMARKS
134	34	.34	10.54	
.34	,34	3.4	10.54	
33	.33	,33	10.23	
.34	-34	-34	10.54	
2,2	2.2	2.2	68.2	
2.2	2,2	2,2	68.2	
4.5	7.5	1.5	24.0	
24	2.4	2.4	74.4	
3.6	3. 8	3.8	111.6	
4,6	4,6	4,5	142.6	
			20	
-2	-2	12_	6.2	
25	2,5	2.5	77.5	
		***************************************	0.	
		,	621.55	
	,			

Form No. 300-W

#### WATERMASTER'S

## DAILY RECORD

Stream CANYON	Creek
Water District 6/- A	
Month of Jave	, 20 <i>[O</i>
Watermaster <u>Terry</u>	Seegrist
P.O. Address	¥

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

	1 (14) 1 (14)				1	· [ · · · · · · · · · · · · · · · · · ·	
RIGHT	Amount Second Feet (CFS)	1	2	3	4	5	RKS
(50		34 0	<i>I</i> :				
		344					
		3: V					
	145	341					
47		22	2.2	22	22	2.2	
257		2,2	2,2	22	2.2	2,2	
351		15	1.5	1.5	1,5	125	
58		2.4	2.4	2.4	2.4	2.4	
\5 <b>.5</b>	× A	36	3.4	3,4	3.6	3,8	
₹68	1	4.6	41.6	4,8	4.6	41.6	
<u> 152 A</u>							
1528	93 85 93 93 94	12	4 300	.2	1.2	- 4	
261 A48	* . Ye	2.5	2.5	25	25	2,5	
S/ /NS							
		j.					
**************************************							
wowwww							

9	10	11	12	13	14	15	RKS
1							<u>-</u>
		1					
22.	22	2,2	122	2,2	22	12	<del>-</del> ₹
22	2	22	22	2.2	22	2.2	<del>-</del>
7.5	7.5	1.5		145	1.5	15	
2:47	2.4	2.4	24	24	24	2.4	
3. (	3.1	3.6	26	3.6	3/	3.6	
46	46	4.6	4,6	4,5	4,5	46	
		_				(1.4)	
12	12		-2	2	2	-1	
2,5	25	25	25	2,5	2.5	2,5	
		_					
		_					
		_					
		_					
		_					

19	20	-21	22	23	24	25	RKS
2	22	1221					
$\frac{2}{2}$	22	22	22	2 2	22	22	
1,5	1,5	145_	4.5	1/5	1,5	15	_
2.1/_	2.7	24	24	24	2.4	24	:
3.6	3,5	3 64	45	4,5	4/, (	4.6	
4,6	4, 6		1. 1	1.4	1,4	124	
2	2		12	12	_22_	12	
25	2,5	2.5	25	25	25	25	
			(\$)		1-5		
		-					<u> </u>
		]					
		-					

29	30	31	Total in 24-hour Sec. Feet	REMARKS
34	34		1236	
.34	134		1,31	
_33	333		11.32	
.34	.54		1/236	
			46.2	
2.2	2,2		86.0	
4,5	7,5		450	
12.3	24		72.0	
			756	
4,6	46		1380	
1.5/2			19,5	
12	12		62	
25	25		7.5	
44	-5	<i>in</i>	4,0	
			549.8	
<u></u>				
	:			

Form No. 300-W

#### WATERMASTER'S

### DAILY RECORD

Stream CAUGON (	Creek
Water District <u>bl-A</u>	
Month of The	, 20 <i>[7</i> ]
Watermaster <u>TSeeg</u> i	eist.
P.O. Address	

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

		Marie Service		r	į.	<u> </u>	
RIGHT ON NO.	Amount Second Feet (CFS)	1	2	3	4	5	\RKS
250		34	. 34/	,34	34	134	
. 20.5	N/N/ģ	34	. 34	134	234/	-34	
		138	133	.79	.37	.33	
	- N	-54	.34	34/	34	.34	
<u> 197 </u>	:						
357	Sil	2.2	22	22	2,2	2,2	
<u> 251 .</u>		1/5	1.5	1,5	1,5	1.5	{ · · · · · · · · · · · · · · · · · · ·
356	- <u> </u>	2,4/	2.41	2.4	2.4	24	
255							
288		4.5	46	4,5	4,6	46	
<u>2524</u>		Section 1					
2528 19 11/14/12			2	12	12	21	
		2.5	2.5	25	2.5	2,5/	
81 ASP				-5	15	15 /	
					·		
***************************************							
							-
<b></b>							

9	10	11	12	13	14	15	\rks
134/	.34	1341	.34	.34	234/	341	
234	.34	34	134	.34/	-34	134	
33	-33	.3.3	-33	.33	.33	.33	
-34	.3.4	-34	.34	.34	1,34	.34	
	(2.2)	2.2	2.2	2.2	2.2	2.2	
2.2	2.2	*	2.2	2.2	22	2.2.	
1.5	1.5	1.5	1.5	1.5	1.5	1.5	
2.4/	2.40	-				<u> </u>	
		-					
		-					
		-					
		,					
		1					

	19	20	21	22	23	24	25	\RKS
**********	2341	34	.34	34	-34	-3-1	334	
	34	.34	.34/	.34/	34	-34	134/	
	-33	-33	-38	33	-33	13.3	133	
	.34	-34	.34	34	.34	-34	. 3 4	
	2.2.	2.2	2.2	2.2	22	22	2.2	
	22	2.2	22	2.2	2.2	22	22	
	1.5	145	1.5	1.5	1.5	1.5	1.5	
			+					
			-					
Mariena								

29	30	31	Total in 24-hour Sec. Feet	REMARKS
34	3.4	34	10.54	
-341	.34	<i>,</i> 34/	10,54	
-33	-33	.33	10.23	
-34	-34	-34	10.54	
2,2	2.2	22	46.2	
2.2.	2.2	2.2	68.2	
1,5	1.5	1,5	46.5	Service Control of the Control of th
			240	
			0	
			22.6	
			0	
			12.5	
			2.5	
			270.1	5
		B. Golden and A.		

Form No. 300-W

#### WATERMASTER'S

## DAILY RECORD

Stream <u>C</u> A	NYON	Creek	
Water District	161-A		
Month of <u>A</u>	1645T	, 20	10
Watermaster _	Terry	Seegrist	
P.O. Address	/		

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

		, Januari II.	ator riginto,		grande en ee	<u>ئ</u> ان دائش	
RIGHT TON NO.	Amount Second Feet (CFS)	:1	2	3	4	5	RKS
250		34	.34	,34	.34	.34	
	n Defi	34	.34	,341	,34	.34	
2.1	\$ 5	233	.33	-33	133	-33	-
2 7	Ų v	34	134	34	-34	-34	
247	1,111 3	2.2	2:2	2.2	2,2	22	
257		2.2	2.2	2.2	2,2	2.2	-
251		1.5	1.5	1,5	1.5	1.5	-
							-
							-
							-
							-
							-
							-
							-
							-
		<u> </u>					-
							-
M		}					
							-
			-				
***************************************							-
Aboutection							-

1			janan da	<b>j</b> anatat mena			ī	i di
-	9	10	-11	12	13	14	15	RKS
	-34	134	-34	.34	-34	-34	-34	
	-34	-34/_	34	-34	-34	-34	-3.4	
	-33	.33	-33	-33	-33	33	-33	
	.34	-34	.34	.34	.34	.34	.34	
	2.2.	2.2	2-2	2.2	2,2	2.2	2.2	-
¥-	2.2	22	22	2,2	22	22	2.2	_
	1.5	1.5	1,5	1.5	1,50			_
		· .						
								:
								:
								:
			ĺ					
								:
appelosis								

								,				ì			
7	19	)	20	)	2	1	2:	2	2	3	2	4	25	5	RKS
	.3	4/	73	4	.3	4	.3.		.3			bg.	, ? .		
-	, S.	4	-3 -3		.3.	3 3	.3.	P.	. z.	4	, 3.	9 ?	.34 .3.		
	3	1		,	- <del> </del>	<i>3</i>	-3			hj	.J.	/		<u>-</u>	
	2	2	2	2	2.	2	2.	2	2.	2	gh.	2	â.	2	
-	2,7	X1.	2.2	) an. [j/								***			
					,		,								
_	-														
					1					*					
				:					•						
_															
		<del></del>													
				,											
					,										
															,
2000		5080000 AMARIA			traces and the			horeste de de la			***************************************				

	29		30	)	3	1	Tota in 24-h Sec.	l our Feet	REMARKS
	134	l	-34	/	, 3:	4	10	54	
	:34	,	.34		2	4	10.	54	
1	-3	3	3	7	3	3	10.	23	
1	.34	,	.34	7	. 3	4	10.	54	
1		2	1	2.	2.	2	681	2	
1							44	O	
							19.	<	
1						4000000	773.	56	
1					-				
+									
+									
-									
$\exists$					<b> </b>	<del>                                     </del>			
+					<u> </u> 				
-	-+					<u> </u>	THE STATE OF THE S		
$\dashv$									
-									
_									
-									

Form No. 300-W

#### WATERMASTER'S

## DAILY RECORD

Stream	Wyon	Cree	<u> </u>	
Water District	61-A			
Month of <u>S</u> €	ptembe	, jer	_ , 20 _	10
Watermaster _	Terry S	eegus	4	
P.O. Address	1	Sec.		

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

					ľ	r	
R RIGHT	Amount Second Feet (CFS)	T T	2	3	4	5	IRKS
250		34	234	.34	-34	.34	
; ?·	1,7	,34/	341	.34	.34	34	
	·	133	.33	133	-33	-23	•
- 2m ₹ .	. W	34	,54	-34	34	-34	
247		2.2	2.2	2.2	2,2	2.2	
							-
V		<u> </u>					
							-
		ļ					MATERIAL DESCRIPTION OF THE PROPERTY OF THE PR
***************************************							
		ļ					
		-					

	•	1		1						22.54	pa seri				
	9		10		1	1	1	2	1	3	1	4	1:	5	RKS
	23-7	/	,36	7	ß	4	,34	41	/	20002-0-3					
	-34		-34		.3.		.34		/						
	-33		133	7	-3.		.3:								,
	. 34	1	234	- 7	3		-3.		/						:
	2.	2		Page 1		2	2.	2	2	2	2	2	2,	2	
						***************************************									
_															
				S											
										·					
-															
	Vigaweik(1653)syamowo				S2000000000000000000000000000000000000	200			ersweets:		#2000 DECEMBER 1	************	Maria Maria		

19	20	21	22	23	24	25	RKS
	-						
		1					
2.2	2.2	2.2	2.2	2.2	2.2	2.2	

2

	29	9	3	0	3	1	Tota in 24-h Sec.	l our Feet	REMARKS
							4.0		
							4/20		
							3.0		
				,		190 <sup>20</sup>	40	8	
	2.	2	2.	2	. general file	4000	66.		To .
							82	2	
***************************************									
-									
					ì				
67/CY	L			Cyrengalitik	<u> </u>	ļ.	<b>.</b>	entikowania wija	

Form No. 300-W

#### WATERMASTER'S

# **DAILY RECORD**

Stream CAugas C	reek
Water District <u>&amp; A</u>	
Month of October	, 20 <i>_/O</i>
Watermaster Terry Ser	equist
P.O. Address	

After the irrigation season the Watermaster must forward this book or a suitable report of the records in this book, and the annual Watermaster report to the appropriate IDWR Regional Office.

+ 1 = 1		jana jana jana jana jana jana jana jana	p	r A	r	je se	
RIGHT ION NO.	Amount Second Feet (CFS)	1	2	3	4	5	RKS
50							
47		2,2	2.2	2.2	2.2	2.2	
<del></del>							
<del>- , , </del>							
							:
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
<del></del>							
~~~~							
***************************************							
			hanna ann an a			Les de la companya de	

9 10 11 12 13 14 15 RKS								
	9	10	11	12	13	14	15	RKS
						-		
			ļ <u></u>					
	2.20							
			-					
			_					
			_					
								<del>-</del>
			- <u>-</u>					
			7					
								-
			7					-
	+				-			7
			_					
			_					
			_					

5

1														
	19	20	)	2	21	2	2	2	:3	2	4	2	5	RKS
				<u></u>										Ţ.
														<del></del>
				·										
														<u> </u>
				•										<u>i</u>
				,										<u></u>
e	Na record de la constante de l											and the second		

!

7

29	30	31	Total in 24-hour Sec. Feet	REMARKS
			19.8	
		***************************************		(International)
			19.8	
		The state of the s		