

**HYDROMETRIC WORK
ON
UPPER BOISE RIVER, IDAHO
1916**



RECEIVED

NOV 1 1918

OFFICE OF STATE ENGINEER

Mr. D. W. Cole, P. E.

Boise, Idaho, November 6, 1916.

Mr. D. W. Cole,
Senior Engineer, U.S.R.S.,
Boise, Idaho.

Dear Sir:-

I take pleasure in transmitting herewith the final report of Mr. A. W. Harrington, Junior Engineer, U.S.G.S., summarizing his work on upper Boise River during the season of 1916.

This report has been prepared in compliance with your verbal request and supersedes all preliminary data heretofore furnished.

In general, the work has been carried on in accordance with our memorandum agreement dated March 24, 1916, copy of which is included herein. By mutual agreement, however, Mr. Harrington's field work was terminated on October 3 and he reported at Boise on the following day and began immediately the final preparation of the field data obtained. On this account and because of the very slight drop in the level of the water in Arrowrock Reservoir between October 1 and 15, it has been thought best to terminate all computations contained in this report at the end of September. Supplementary computations can be made covering the period from October 1 to 15 and submitted at a later date if desirable.

The work, both in the field and in the office, has been carried on under my general supervision, but except for the general plans and for later checking and revision of data, Mr. Harrington is primarily responsible for the data presented and he should be given most of the credit for the results obtained. In company with Mr. A. C. Price of your office, I made one field inspection trip during the early part of the season and, in addition, I have at all times been in close touch with the work through the medium of telephone conversation, correspondence, field records, and the review of preliminary computations. The results as presented herein by Mr. Harrington, as well as the methods followed in deriving them, are believed to be fully explained but it seems desirable to call your attention particularly to the following:

1. As the work was originally planned, it was not intended to attempt to compute capacities from data obtained on the rising stage of the reservoir, but this was later done in order to afford a check and comparison with the results obtained on the falling stage, during which the conditions pertaining in the field were much more favorable for securing accurate records. This comparison has proved especially valuable because of the additional information afforded concerning the ground storage or loss.

Mr. D. W. Cole, p. 2.

2. No data were obtained by Mr. Harrington which would furnish any check on the capacities of the Arrowrock Reservoir below elevation 3130 and, consequently, the capacity of 99,000 acre-feet at this elevation which was used as the initial point for all computations is based upon data compiled during 1915 by Messrs. Steward and Price of your office.

3. On account of the importance of determining just what storage capacity can be relied upon for the future, special emphasis should be placed upon the desirability of securing similar data next year and perhaps also during succeeding years in order to determine the variation in loss and return flow attributable to ground storage.

Acknowledgment is made to the United States Weather Bureau for gage heights at the station on Cottonwood Creek during the period covered by this investigation. A number of current meter measurements were also secured and made available by Messrs. Steward, Price, and others connected with your office.

Complete copies of this report are being furnished to the following:

Mr. J. H. Smith, State Engineer, Boise, Idaho; Chief Hydraulic Engineer, U. S. Geological Survey, Washington, D. C.; District Office, U. S. Geological Survey, Boise, Idaho; Mr. A. W. Harrington, author, U.S.G.S., Boise, Idaho.

Additional copies can be furnished upon request for the nominal expense of duplication.

Respectfully yours,

G. Clyde Baldwin
District Engineer.

Boise, Idaho, November 3, 1916.

Mr. G. Clyde Baldwin,
District Engineer, U.S.G.S.,
Boise, Idaho.

Dear Sir:-

I am pleased to submit herewith my report covering the special hydrometric work carried on by me in the upper Boise River drainage during the past season.

Headquarters were established at Arrowrock on April 1 and maintained until October 4, when field operations were terminated, and I returned to Boise.

The work was conducted as far as possible in accordance with the terms of the memorandum agreement dated March 24, 1916, and the results of the investigation are believed to cover fully the points outlined therein.

Yours respectfully,

Arthur W. Harrington

Junior Engineer.

UNITED STATES GEOLOGICAL SURVEY

WATER RESOURCES BRANCH

HYDROMETRIC WORK


ON

UPPER BOISE RIVER, IDAHO

1916

BY

ARTHUR W. HAWKING TON



Arrowrock Dam.

CONTENTS

	Table and page
Memorandum Agreement	
Object of the Investigation	1
Maintenance of Gaging Stations:	
Table I - Accurrock Reservoir Capacity (Falling Reservoir) ..	3
The Stations	1
Table II - Discharge Measurements	1
Transportation	2
Table III - Summary of Meteorological Data at Accurrock	2
Records of Gage Height and Discharge	2
Capacity of Accurrock Reservoir: Discharge Data	Appendix A
General Statement	3
Inflow into Reservoir	3
Outflow from Reservoir	4
Evaporation from Reservoir Surface	4
Net Storage and Total Stored Water Loss	6
Reservoir Gage Heights	6
Reservoir Volume	7
Ground Storage	9
Daily Gage Heights	10
Gage Height and Daily Discharge Data	Appendix A

TABLES

Following
Following
page.

Table A - Runoff of Boise River above Arrowrock Reservoir	2
(b) Gaging Station on Boise River below Moore Creek.	3
Table 1 - Arrowrock Reservoir Capacity (Filling Reservoir) ...	3
Table 2 - Arrowrock Reservoir Capacity (Emptying Reservoir) ..	3
Plate 3 - (a) Gaging Station on Long Gulch Creek near Laddit.	4
Table 3 - Summary of Meteorological Data at Arrowrock	5
Plate 4 - Gage Height and Daily Discharge Data Appendix A	
(a) Cuttawood Creek during high water of April, 1916	4
Plate 5 - (a) Waterfall on Smith Creek	5
(b) Arrowrock Reservoir	5
Plate 6 - (a) Evaporation Surface on Arrowrock Reservoir	5
(b) Temperature, precipitation, and evaporation station	5
Plate 7 - Hydrograph of Miscellaneous Flow into Reservoir ...	6
Plate 8 - Hydrograph of Inflow and Outflow	6
Plate 9 - Hydrograph of Reservoir Elevation	7
Plate 10 - Storage Capacity Curves	8
Plate 11 - Hydrograph showing Distribution of Ground Storage ..	9

PLATES

Following
page.

Frontispiece - Arrowrock Dam	
Plate 1 - (a) Gaging Station on Boise River at Dowling's	
(b) Gaging Station on Boise River below Moore Creek.	1
Plate 2 - (a) Gaging Station on Boise River near Twin Springs	
(b) Willow Creek near Lenox	1
Plate 3 - (a) Gaging Station on Long Gulch Creek near Lenox .	
(b) Canyon of South Fork of Boise River	2
Plate 4 - (a) Artificial Control on Cottonwood Creek	
(b) Cottonwood Creek during high water of April, 1916	4
Plate 5 - (a) Waterfall on Smith Creek	
(b) Arrowrock Reservoir	4
Plate 6 - (a) Evaporation Station on Arrowrock Reservoir	
(b) Temperature, precipitation, and evaporation station	5
Plate 7 - Hydrograph of Miscellaneous Flow into Reservoir ...	6
Plate 8 - Hydrographs of Inflow and Outflow	6
Plate 9 - Hydrograph of Reservoir Elevations	7
Plate 10 - Storage Capacity Curves	8
Plate 11 - Hydrograph showing Distribution of Ground Storage .	9

OUTLINE OF SPECIAL BOISE RIVER WORK AS AGREED UPON.

MARCH 20, 1916, BY J. H. SMITH STATE ENGINEER, E. H.

WILKIE, DEPUTY STATE ENGINEER, D. H. COLE, PROJECT

MANAGER, U.S.R.S., AND G. C. BALDWIN, DISTRICT ENGINEER,

Bureau of Reclamation, U.S.D.A. U.S.G.S.

Period of Field Work.

April 1, 1916, to October 15, 1916.

Object of Work.

1. To continue the maintenance of the following regular gaging-stations in the Boise drainage basin which are now being operated by either the United States Reclamation Service or the United States Geological Survey. The stations are:

Boise River near Twin Springs

Boise River at Dowling

Boise River below Moore Creek

Boise River, South Fork, near Lenox

Moore Creek near Arrowrock

Cottonwood Creek near Arrowrock

Smith Creek near Lenox

Long Gulch Creek near Lenox

Rattlesnake Creek near Lenox

Willow Creek near Lenox.

2. To obtain such additional hydrometric data concerning flow of the small streams entering the river or reservoir between the main river stations as may be necessary in order to check reservoir capacities at different water levels.

3. To make readily available to the State Engineer and to the United States Reclamation Service, daily throughout the summer low water period, as much of this information as may be required to determine (first) the total flow of the river below the mouth of Moore Creek and (second) to segregate this quantity correctly between normal flow and

stored water, records, and other data are to be open to inspection at any time and the finally used Personnel.

Mr. A. W. Harrington, Junior Engineer, U.S.G.S., will be in active charge of the above outlined work under the supervision of the local District Engineer, U.S.G.S. The employment of local gage readers, laborers, and other assistants, is authorized if necessary to accomplish the above outlined objects, but except in the case of an emergency, any increase in expenditures of this character over and above present amounts, must first be approved by the Project Manager for the Boise Project of the U. S. Reclamation Service.

Measurement proposed in Methods.

The standard methods to be followed will be those adopted by the United States Geological Survey for carrying on hydrometric work.

Records.

Mr. Harrington will establish field headquarters at Arrowrock. A telephone will be installed for Mr. Harrington and connected with the Government line in order to facilitate communication with local gage readers, and with the offices in Boise. All records will be received, computed, and recorded, first by Mr. Harrington at his field headquarters, after which they will be forwarded to the Boise office of the United States Geological Survey, by mail, where all computations will be checked. Gage heights and other current information will be phoned daily to the State Engineer and to the Boise office of the Reclamation Service, and those observers who do not have direct telephone connection will be instructed to send weekly reports of gage readings direct to these offices, when desired.

All notes, records, and other data are to be open to inspection at any time and the finally computed records of stream flow will be published in the Water-Supply Papers of the United States Geological Survey.

Cost.

It is understood that the cost of this work will be paid by the United States Reclamation Service by transfer of funds to the United States Geological Survey upon the presentation of approved claims in accordance with the inter-bureau system heretofore effective.

Memorandum prepared March 24, 1916, by

Mr. Baldwin, or the ten gauge-stations maintained during the period of the investigation, seven are shown and three below Amherst Reservoir.

(sgd.) G. CLYDE BALDWIN

The seven gauge stations consisted of District Engineer, U.S.G.S. River, Cimarron Creek, and the South Fork of Blue River with its tributaries Little, Long Creek, Rockhouse, and Willow creeks. These stations give a record of practically the entire surface flow entering Amherst Reservoir.

Below the reservoir two stations are located on Blue River at Loveland and about four miles below Amherst and on Komo Creek, which enters the Blue River above Loveland. Another station is located on the Highland River about one-half mile below Amherst Reservoir. The last two stations give a record of practically the only tributary streams which enter the river between the dam and Highland Reservoir.

Photographs of the different stations are shown on plates 1 to 5.

Hydrograph Measurements. During the course of the work, 200 current measurements were made at regular intervals, and 100 measurements at other points. At each station, at least one and in some cases two frequent measurements, but not at first, were made to secure good enough measurements, but such measurements at varying stages of the stream, so that first class readings could be preserved for all stages of flow.

OBJECT OF THE INVESTIGATION

The object of this investigation was understood to be threefold, as follows:

First, to continue the maintenance of ten stream-gaging stations on Boise River and tributaries heretofore operated by either the United States Reclamation Service or the United States Geological Survey.

Second, to secure information concerning the capacity of Arrowrock Reservoir at different levels, from a study of inflow and outflow data.

Third, to furnish during part of the season such daily information as gage heights, etc., as might be required to segregate the total flow of the river below Arrowrock Dam between normal stream-flow and stored water.

These subjects will be considered in their order.

1. MAINTENANCE OF GAGING-STATIONS

The Stations. Of the ten gaging-stations maintained during the period of the investigation, seven are above and three below Arrowrock Reservoir.

The seven upper stations consisted of Boise River with one tributary, Cottonwood Creek, and the South Fork of Boise River with four tributaries: Neith, Long Gulch, Rattlesnake, and Willow creeks. These stations give a record of practically the entire surface flow entering Arrowrock Reservoir.

Below the reservoir one station was located on Boise River at Dowling's ranch about four miles below Arrowrock; one on Moore Creek, and one on Boise River below Moore Creek commonly called the Highland station. There is practically no inflow between Arrowrock Dam and the Dowling station, and Moore Creek is the only tributary stream which enters the river between the Dowling and Highland stations.

Photographs of some of the different stations are shown on plates 1 to 9.

Hydrography Measurements. During the course of the work, 194 current meter measurements were made at regular stations, and four measurements at other points. At each station, an effort was made to secure not only frequent measurements, but also measurements at varying stages of the streams, so that first class ratings might be prepared for all stages of flow.



Gaging Station on Boise River at Dowling's.



Gaging Station on Boise River below Moore Creek, looking downstream.



Gaging Station on Boise River near Twin Springs.



Willow Creek near Lenox, looking downstream. Gage is
on large boulder near center of picture.

MILES

Gaging Sta. Plan

transpiration. Since the upper stations are at considerable distances from Arrowrock, much time was necessarily expended in travel. The station on the South Fork is distant about 23 miles from Arrowrock by the most direct route and the upper Boise River station near Twin Springs is about 19 miles away. The use of a motor boat belonging to the United States Reclamation Service greatly facilitated visiting the upper stations, it being possible to travel by boat nearly 17 miles from Arrowrock to backwater on either the main river or the South Fork when the reservoir was full. A saddle horse was used when practicable to supplement the boat in reaching the most distant stations. In visiting the stations below the reservoir, a hand speeder was used to advantage on the tracks of the Arrowrock Railroad.

Records of Gage Height and Discharge. Gage height records at all four main river stations were secured from Fries water stage recorders which are permanently installed at these points. These recorders are in charge of competent observers, and received also considerable personal attention from the writer. Most excellent gage height records were secured at these stations, and the discharge records are considered correspondingly good.

Staff gage readings were made twice daily on Cottonwood Creek by a reliable observer, and as permanent rating conditions are assured at this station by a concrete artificial control, this record, also, is a first class one.

The gage height record on Rattlesnake Creek was furnished jointly by two observers, and staff gage readings were made during the season about five times per week. A large number of discharge measurements were made at this station, and the record is considered good.

On account of their inaccessible location, it was not considered feasible to make staff gage readings on Smith, Long Gulch, and Willow creeks oftener than about three times per week. The local observer was fairly reliable, but as these streams are more or less subject to sudden changes of stage, the records of flow secured can at best be considered only fair.

Daily gage readings were made at the station on Moore Creek during most of the period, and a large number of current meter measurements were secured. This record may be classed as good.

In Appendix "A" are presented records of daily discharge at each of the ten stations, together with monthly summaries of flow, and, where practicable, data on run-off from drainage areas are given.

Table "A" shows the run-off of Boise River at the Twin Springs station and of the South Fork for the last five years for which United States Geological Survey records are available. It will be noted that the run-off for 1916 was the highest during the period.

TABLE A
RUNOFF OF BOISE RIVER ABOVE ARROWBACK RESERVOIR

YEAR ENDING SEPT. 30	BOISE R. NEAR TWIN SPRINGS		S. FORK BOISE R. NEAR LENOX	
	RUNOFF (ACRE FEET)	DEPTH IN INCHES ON DRAINAGE AREA	RUNOFF (ACRE FEET)	DEPTH IN INCHES ON DRAINAGE AREA
1912	1,030,000	23.27	871,000	15.01
1913	918,000	20.74	752,000	12.94
1914	924,000	20.97	869,000	14.95
1915	541,000	12.22	469,000	8.03
1916	1,110,000	25.06	1,000,000	17.25
5 Year Means	905,000	20.43	792,000	13.65



Gaging Station on Long Gulch Creek near Lenox.



Canyon of South Fork of Boise River looking downstream from road just above mouth of Smith Creek.

2. CAPACITY OF ARROWROCK RESERVOIR

General Statement. One very important object of this investigation was to secure information on the capacity of Arrowrock Reservoir by using the figures for inflow and outflow from the regular stream-flow records, and by obtaining such further data on evaporation losses, reservoir gage heights, and miscellaneous inflow as might be required. It was thought that it would be of interest to compare the capacity figures derived in this way with those based on the topographical survey of the reservoir site made during the construction period by engineers of the United States Reclamation Service.

Table 1 has been prepared to cover the period during which the elevation of the reservoir surface was raised from 3130.0 feet on April 15 to 3212.6 feet on July 8. Table 2 covers the period from July 8 to September 30, during which the reservoir was drawn down to 3130.0 feet. It is a coincidence that both periods were of the same duration, 84 days. The change in level in the reservoir is the same for both, 82.6 feet. An excellent opportunity is thus afforded for studying the behavior of the reservoir under exactly opposite conditions. The methods of computation can best be followed by reference to the tables, which will now be considered.

Inflow into Reservoir. In columns 2 to 7, tables 1 and 2, is given the daily flow into the reservoir from the principal tributary streams in second-feet, beginning April 15. These figures are taken directly from the daily discharge records in Appendix "A".

It was necessary, however, to estimate the amount of water entering the reservoir from the numerous small streams and waterways on which no gages could be maintained, and these estimates are shown in column 8. The actual base data from which this estimate was made, are somewhat meager, and depend largely on the intimate acquaintance of the writer with all of these streams. During the rising period, these figures may be somewhat in error, but the amount of inflow from these sources diminished rapidly as the season progressed, and during the period of reservoir subsidence their total discharge was so small that accurate estimates were easily possible. On Plate 7 are shown results of estimates of this unmeasured flow, stream by stream, for several different days, which estimates are believed to be reasonably accurate. The assumption was made that the flow in these small streams varied in general from day to day in about the same manner as Cottonwood Creek, since the characteristics of the smaller watersheds resemble closely conditions in the Cottonwood Creek drainage. Plate 7 presents a hydrograph of Cottonwood Creek from April 15 to July 8, together with a graph derived therefrom upon which the data in column 8 are based.

Practically no water entered the South Fork from Long Gulch Creek subsequent to May 14 when the flow of the stream was entirely diverted,

Office of U.S. Geological Survey
Boise, Idaho
Oct. 17, 1916

ARROWROCK

Computed from water measurements

R.W.M.

R.W.M. 2164 2180	INFLOW INTO RESERVOIR IN SECOND- FEET									10 OUTFLOW BOISE R. AT DOWLING'S [Sec. feet.]	11 DIFFERENCE BETWEEN 9 AND 10 [Sec. feet.]	12 EVAP. LOSS [Acres]
	2 Boise River	3 5. Fork Boise R.	4 Rattle- Snake Creek	5 Smith Creek	6 Cotton- Wood Creek	7 Wit. Cr.	8 Long Cr.	9 Misc.	TOTAL			
15	3550	3990	128	213	99	126	24	99	8230	6090	2140	17
16	3460	3990	122	202	89	124	23	98	8110	6090	2020	18
17	3200	3840	116	192	89	113	22	97	7670	6520	1150	18
18	3020	3990	110	181	75	102	20	96	7590	6810	780	18
19	2690	3400	114	168	66	91	18	95	6640	6520	120	19
20	2360	2870	119	156	68	88	16	95	5170	6230	-460	18
21	2360	2940	92	143	69	85	14	94	5800	6230	-430	18
22	2460	3130	99	156	72	81	14	93	6080	6230	-150	18
23	2520	3260	106	169	77	78	13	92	6320	6230	90	18
24	3280	3840	112	182	101	70	12	92	7690	6230	1460	18
25	4260	4640	119	195	101	62	11	91	9480	6370	3110	19
26	5270	5610	119	239	107	55	11	91	11400	6370	5030	20
27	6030	6240	119	232	123	53	11	90	12900	6660	6240	21
28	5460	5880	119	224	121	51	10	90	11960	6950	5010	22
29	4540	4990	117	205	92	50	10	89	10090	7100	2990	23
30	3900	4310	114	187	92	48	10	89	8750	7250	1500	23
1	3810	4150	112	168	89	45	9	88	8470	7420	1030	28
2	4170	4310	110	168	82	41	8	87	8980	7420	1560	28
3	4720	4640	113	168	85	37	8	86	9860	7570	2290	29
4	5650	5510	116	168	85	33	7	85	11650	7730	3920	29
5	6410	6240	119	168	89	31	7	83	13150	8050	5100	30
6	6800	6620	117	175	94	29	6	81	13920	8210	5710	31
7	7390	7180	114	182	89	29	6	74	15060	8540	6520	33
8	6220	6430	112	188	79	24	4	67	13130	8870	4260	34
9	5650	5880	110	195	69	26	4	65	12000	9040	2960	34
10	4720	4990	98	170	69	24	4	65	10140	9040	1100	35
11	3990	4310	86	146	71	23	3	64	8690	9040	-350	35
12	3370	3690	74	121	69	22	3	58	7410	9040	-1630	35
13	2440	3260	56	111	63	20	2	52	6500	8870	-2370	34
14	2600	2940	59	105	53	20	2	50	3830	8870	-3040	34

OWROCK RESERVOIR CAPACITY

Measurements and records of inflow, outflow and evaporation

Rising
Sheet

REFERENCE BETWEEN AND 10 SC. FEET]	12 EVAP. LOSS	13 NET STORAGE	RESERVOIR GAGE HT		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA OF CAPACI-	
			14 8:30 A.M. (Corrected)	15 INTERMEDIATE NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [ft.-it.]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [ft.-it.]	22 RESERVOIR ELEVATION	23 AREA IN ACRES
2140	17	4220	3129.0	3129.4	98,060	80,090	17,970	1700	1390	310	3213	4400
2020	18	3982	3131.8	3132.1	102,160	83,930	18,230	1800	1440	360	3212	4300
1150	18	2259	3133.7	3133.8	105,280	86,410	18,870	1800	1470	380	3211	4300
780	18	1526	3134.5	3134.55	107,170	87,530	19,640	1800	1480	320	3210	4200
120	19	219	3134.9	3134.9	108,040	88,050	19,990	1800	1490	310	3209	4100
-460	18	-929	3134.8	3134.75	107,690	87,820	19,870	1800	1480	320	3208	4000
-430	18	-869	3134.3	3134.25	106,790	87,080	19,710	1800	1470	330	3207	4000
-150	18	-315	3134.0	3134.0	106,200	86,710	19,490	1800	1470	330	3206	3900
90	18	160	3134.0	3134.05	106,120	86,780	19,340	1800	1470	330	3205	3800
1460	18	2873	3134.4	3134.7	107,640	87,750	19,890	1800	1480	320	3204	3700
3110	19	6139	3136.3	3136.9	112,140	91,070	21,070	1900	1520	380	3203	3700
5030	20	9939	3140.3	3141.2	120,180	97,790	22,390	1900	1590	310	3202	3700
6240	21	12334	3146.3	3147.1	131,320	107,510	23,810	2100	1690	410	3201	3600
5010	22	9898	3151.7	3152.3	142,440	116,560	25,880	2200	1770	430	3200	3600
2990	23	5897	3155.7	3156.0	150,340	123,250	27,090	2300	1830	470	3199	3400
1500	23	2947	3157.7	3157.85	154,760	126,680	28,080	2300	1860	440	3198	3200
1050	28	2051	3158.6	3158.75	157,260	128,310	28,950	2400	1870	530	3197	3100
1560	28	3061	3159.5	3159.7	159,810	130,150	29,660	2400	1890	510	3196	3000
2290	29	4505	3160.7	3161.05	163,600	133,110	30,490	2400	1910	490	3195	3000
3920	29	7733	3163.0	3163.5	169,710	137,460	32,250	2400	1950	450	3194	2900
5100	30	10068	3166.3	3167.0	178,610	144,400	34,210	2400	2000	400	3193	2900
5710	31	11275	3170.95	3171.75	189,290	154,150	35,110	2500	2080	420	3192	2900
6520	33	12877	3176.35	3176.95	201,360	165,700	35,660	2600	2170	430	3191	2900
4260	34	8401	3180.55	3180.95	212,000	174,160	37,840	2600	2260	340	3190	2900
2960	34	5827	3183.35	3183.6	219,120	180,220	38,900	2800	2300	500	3189	2900
1100	35	2143	3185.05	3185.1	223,100	183,710	34,540	2800	2340	460	3187	2800
-350	35	-728	3185.25	3185.15	223,810	183,830	34,980	2800	2340	480	3186	2800
-1630	35	-3263	3186.65	3184.45	221,810	182,190	34,620	2800	2320	480	3185	2800
-2370	34	-4727	3183.15	3182.9	217,820	178,600	39,220	2800	2300	500	3184	2800
-3040	34	-6053	3181.25	3180.95	212,430	174,160	38,270	2600	2260	340	3184	2800

X RESERVOIR CAPACITY

and records of inflow, outflow and evaporation.

Table 1

Rising Reservoir
Sheet (1-2-3)

13 NET STORAGE [acre-feet]	RESERVOIR GAGE HT. 14 8:30 A.M. (Corrected) 15 NOON		RESERVOIR VOLUME - ACRE FEET 16 BY WATER MEASUREMENT 17 BY SURVEY 18 DIFF. [16-17]			RESERVOIR AREA - ACRES 19 BY WATER MEAS. 20 BY SURVEY 21 DIFF. [19-20]			AREA OF CAPACITY TABLE		
	14 8:30 A.M. (Corrected)	15 NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [19-20]	1 RESERVOIR ELEVATION	2 AREA IN ACRES	3 VOLUME IN ACRE FEET
4220	3129.0	3129.4	98,060	80,090	17,970	1700	1390	310	3213	320,400	
3982	3131.8	3132.1	102,160	83,930	18,230	1800	1440	360	3242	316,000	
2259	3133.7	3133.8	105,280	86,410	18,870	1800	1470	330	3241	313,000	
1526	3134.5	3134.35	107,170	87,530	9,640	1800	1480	320	3210	307,400	
219	3134.9	3134.9	108,040	88,050	9,990	1800	1490	310	3209	303,200	
-929	3134.8	3134.75	107,690	87,820	9,870	1800	1480	320	3208	299,100	
-869	3134.3	3134.25	106,790	87,080	9,710	1800	1470	330	3207	295,100	
-315	3134.0	3134.0	106,200	86,710	9,490	1800	1470	330	3206	291,100	
160	3134.0	3134.05	106,120	86,780	9,340	1800	1470	330	3205	287,200	
2873	3134.4	3134.7	107,640	87,750	9,890	1800	1480	320	3204	283,400	
6139	3136.3	3136.9	112,140	91,070	21,070	1900	1520	380	3203	279,700	
9939	3140.3	3141.2	120,180	97,790	22,390	1900	1590	310	3202	276,000	
12334	3146.3	3147.1	131,320	107,510	23,810	2100	1690	410	3201	272,300	
9898	3151.7	3152.3	142,640	116,560	25,880	2200	1770	430	3200	268,700	
5897	3155.7	3156.0	150,340	123,250	27,090	2300	1830	470	3199	265,100	
2947	3157.7	3157.85	154,760	126,680	28,080	2300	1860	490	3198	261,700	
2051	3158.6	3158.75	157,260	128,310	28,950	2400	1870	530	3197	256,500	
3061	3159.5	3159.7	159,810	130,150	29,660	2400	1890	510	3196	255,900	
4505	3160.7	3161.05	163,600	133,110	30,490	2400	1910	490	3195	252,400	
7733	3163.0	3163.5	169,710	137,460	32,250	2400	1950	450	3194	249,400	
10068	3166.3	3167.0	178,610	144,400	34,210	2400	2000	400	3193	246,500	
11275	3170.95	3171.75	189,290	154,150	35,140	2500	2080	420	3192	243,600	
12877	3176.35	3176.75	201,360	165,760	35,660	2600	2170	430	3191	240,700	
8401	3180.55	3180.95	212,000	174,160	37,840	2600	2260	340	3190	237,800	
5827	3183.35	3183.6	219,120	180,220	38,900	2800	2300	500	3189	234,900	
2143	3185.05	3185.1	223,100	183,710	39,390	2800	2340	460	3188	232,000	
-728	3185.25	3185.15	223,810	183,830	39,980	2800	2340	460	3187	229,200	
-3263	3184.65	3184.45	221,810	182,190	39,620	2800	2320	480	3186	226,400	
-4727	3183.15	3182.9	217,820	178,400	39,220	2800	2300	500	3185	223,600	
-6053	3181.25	3180.95	212,430	174,160	38,270	2600	2260	340	3184	220,800	

Office of U.S. Geological Survey
Boise, Idaho
Oct 17 1946

ARROWROCK

Computed from water measurements

R.M.H.

DATE 1946	INFLOW INTO RESERVOIR IN SECOND - FEET								10 OUTFLOW BOISE R. AT DOWLING'S [Sec. feet]	11 DIFFERENCE BETWEEN 9 AND 10 [Sec. feet]	EV. LOS. [Sec.]
	1 Boise River	2 S. Fork Boise R.	3 Rattle- Snake Creek	4 Smith Creek	5 Cotton Wood Creek	6 Willow Creek	7 MISC.	8 TOTAL			
13	2520	2750	62	99	43	20	46	5540	8710	-3170	31
14	2520	2630	63	93	43	19	45	5420	8540	-3120	32
15	2690	2630	60	93	43	20	44	5580	8370	-2790	32
16	3110	2870	60	110	58	21	42	6280	6820	-540	31
17	3640	3590	65	126	53	22	41	7490	5700	1790	32
18	3810	3540	74	121	50	23	40	7660	6240	1420	32
19	3990	3690	71	116	48	24	39	7980	6820	1160	32
20	3810	3640	68	111	40	25	38	7780	7260	520	32
21	3370	3400	65	106	38	26	37	7040	7730	-690	32
22	3110	3130	62	100	42	27	36	6510	7570	-1060	32
23	2850	3000	59	95	46	26	36	6110	7110	-1000	32
24	2400	2750	56	89	42	24	35	5600	6380	-780	32
25	2440	2570	58	90	38	23	35	5250	5300	-50	32
26	2520	2460	60	92	40	22	35	5230	4500	730	32
27	2690	2520	60	93	40	22	35	5460	4100	1360	32
28	2770	2570	60	94	39	21	35	5590	4100	1490	32
29	2940	2690	60	95	39	18	36	5880	4100	1780	33
30	2940	2750	60	97	39	15	35	5940	4210	1730	37
31	2850	2690	60	98	40	15	35	5790	4210	1580	37
32	3200	2810	64	108	40	18	35	6280	4320	1960	38
33	3900	3260	67	118	40	20	35	7440	4770	2670	38
34	3540	3890	70	129	42	18	35	8670	5880	2790	39
35	4110	4150	74	139	42	17	35	9270	6280	2990	39
36	4900	4150	83	149	43	15	35	9380	6410	2970	40
37	5090	4310	83	143	42	14	34	9720	6410	3310	41
38	5860	4690	78	138	43	12	33	10400	6970	3430	42
39	5650	4810	76	136	40	11	33	10760	7550	3210	42
40	5270	4980	74	135	36	11	31	10040	7700	2340	43
41	4720	4150	74	139	33	10	30	9150	7700	1450	44
42	5630	3540	65	132	33	7	28	8740	7700	1040	44

Table

Rising Reservoir Sheet (2 of 2)

ELEV. FEET (Sea level)	NET STORAGE (Acre feet)	RESERVOIR GAGE NT. 14 8:30 AM (corrected) 15 NOON INTERPOLATED	RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA & CAPACITY TAB.		
			16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. (16-17)	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. (19-20)	1 RESERVOIR ELEVATION	2 AREA IN ACRES	3 VOLU ACRE
33	-6310	3179.05	3178.7	206,240	169,120	37,120	2600	2210	390	3183	2800
32	-6210	3176.55	3176.2	199,980	163,630	36,350	2600	2160	440	3182	2700
32	-5556	3174.05	3173.75	194,100	158,370	35,730	2500	2120	380	3181	2700
31	-1100	3171.95	3172.05	190,770	154,780	35,990	2500	2090	410	3180	2600
32	3512	3172.55	3172.75	191,980	156,250	35,730	2500	2100	400	3179	2600
32	2780	3179.05	3178.2	195,130	159,330	35,800	2500	2130	370	3178	2600
32	2265	3175.05	3175.2	197,650	161,470	36,180	2500	2140	360	3177	2600
32	948	3176.05	3176.05	199,280	163,300	35,980	2600	2160	440	3176	2600
32	-1398	3176.05	3175.95	199,080	163,090	35,990	2500	2150	350	3175	2500
32	-6131	3175.45	3175.3	197,310	161,690	35,620	2500	2140	360	3174	2500
32	-2012	3174.55	3174.45	195,240	159,860	35,380	2500	2130	370	3173	2500
32	-1576	3173.85	3173.8	193,450	158,480	34,970	2500	2120	380	3172	2500
32	-131	3173.35	3173.4	192,600	157,630	34,970	2500	2110	390	3171	2500
32	1413	3173.55	3173.65	193,240	158,160	35,080	2500	2120	380	3170	2500
32	2661	3174.35	3174.5	195,270	159,470	35,300	2500	2130	370	3169	2500
32	2918	3175.55	3175.7	198,060	162,550	35,510	2500	2150	350	3168	2400
33	3491	3176.75	3176.95	201,270	165,260	36,010	2600	2170	430	3167	2400
32	3388	3178.05	3178.2	204,710	168,010	36,700	2600	2200	400	3166	2400
32	3091	3179.25	3179.4	207,950	170,670	37,280	2600	2200	400	3165	2400
32	3843	3180.45	3180.7	211,420	173,590	37,830	2600	2250	350	3164	2400
32	5249	3182.25	3182.5	215,960	177,670	38,290	2700	2280	420	3163	2400
32	5485	3184.05	3184.35	221,330	181,960	39,370	2800	2320	480	3162	2400
32	5881	3184.1	3184.4	227,010	186,770	40,240	2800	2360	440	3161	2400
32	3841	3188.0	3188.3	232,870	191,310	41,560	2900	2400	500	3160	2400
32	3190.1	3190.55	3190.050	196,780	168,270	2900	2440	460	3159	2400	
32	6510	3193.1	3193.3	245,630	203,630	42,030	2900	2510	490	3158	2400
32	6749	3194.3	3194.8	252,210	207,420	44,790	3000	2530	450	3157	2300
32	6314	3194.5	3194.8	257,660	212,580	45,080	3100	2590	510	3156	2300
32	4590	3196.4	3196.4	261,370	215,580	45,790	3200	2610	590	3155	2300
32	2827	3197.8	3197.95	263,790	218,070	45,700	3400	2630	770	3154	2300
32	2015	3198.9	3198.9	263,790	218,070	45,700	3400	2630	770	3153	2200

RESERVOIR CAPACITY

Area of inflow, outflow and evaporation.

Table 1
Rising Reservoir
Sheet 2 of 3

RESERVOIR GAGE NO.	RESERVOIR VOLUME - acre feet				RESERVOIR AREA - ACRES				VOLUME & CAPACITY TABLE			
	14 8 to 12 (corrected)	15 MEASURED MARCH	16 BY WATER MANAGEMENT	17 BY SURVEY	18 DIFF. (16-17)	19 BY WATER MANAGEMENT	20 BY SURVEY	21 DIFF. (19-20)	22 RESERVOIR EVAPORATION	23 AREA IN ACRES	24 VOLUME IN ACRE FEET	
3179.05	3178.7	206,240	169,120	37,120	2600	2210	390	3183	2800	20,800	199,800	
3176.55	3176.2	199,980	163,630	36,350	2600	2160	440	3182	2700	198,300	198,300	
3174.05	3173.75	194,100	158,370	35,730	2500	2120	380	3181	2700	192,800	192,800	
3171.95	3172.05	190,770	154,780	35,990	2500	2090	410	3180	2600	190,000	190,000	
3172.55	3172.75	191,980	156,250	35,730	2500	2100	400	3179	2600	197,400	197,400	
3174.05	3174.2	195,130	159,330	35,800	2500	2130	370	3178	2600	204,800	204,800	
3175.05	3175.2	197,650	161,470	36,180	2500	2140	360	3177	2600	202,200	202,200	
3176.05	3176.05	199,280	163,300	35,980	2600	2160	440	3176	2600	199,800	199,800	
3175.95	3175.95	199,080	163,090	35,990	2500	2150	360	3175	2500	197,100	197,100	
3175.45	3175.3	197,310	161,690	35,620	2500	2140	360	3174	2500	194,800	194,800	
3174.55	3174.45	195,240	159,860	35,380	2500	2130	370	3173	2500	192,200	192,200	
3173.85	3173.8	193,450	158,480	34,970	2500	2120	380	3172	2500	189,800	189,800	
3173.35	3173.4	192,600	157,630	34,970	2500	2110	390	3171	2500	187,200	187,200	
3173.55	3173.65	193,240	158,160	35,080	2500	2120	380	3170	2500	184,800	184,800	
3174.35	3174.5	195,270	159,970	35,300	2500	2130	370	3169	2500	182,200	182,200	
3175.55	3175.7	198,060	162,530	35,530	2500	2150	350	3168	2500	189,400	189,400	
3176.75	3176.95	201,270	165,260	36,010	2600	2170	430	3167	2400	199,800	199,800	
3178.05	3178.2	204,710	168,010	36,700	2600	2200	400	3166	2400	194,900	194,900	
3179.25	3179.4	207,950	170,670	34,980	2600	2200	400	3165	2400	191,100	191,100	
3180.45	3180.7	211,420	173,590	37,830	2600	2280	350	3164	2400	188,700	188,700	
3182.25	3182.5	215,960	177,670	38,290	2700	2280	460	3163	2400	185,700	185,700	
3184.05	3184.35	221,330	181,960	39,390	2800	2320	460	3162	2400	183,300	183,300	
3186.1	3186.4	227,610	186,770	40,840	2800	2340	440	3161	2400	180,900	180,900	
3188.0	3188.3	232,870	191,310	41,560	2900	2400	360	3160	2400	178,500	178,500	
3190.1	3190.55	239,050	196,780	42,270	2900	2440	460	3159	2400	176,100	176,100	
3193.1	3193.3	245,680	203,630	42,050	2900	2510	390	3158	2400	173,700	173,700	
3194.5	3194.8	252,210	207,920	44,790	3000	2530	430	3157	2400	171,400	171,400	
3196.4	3196.8	257,660	222,580	45,080	3100	2540	310	3156	2400	169,700	169,700	
3197.8	3197.95	261,370	223,580	45,190	3200	2610	390	3155	2400	168,400	168,400	
3198.9	3198.9	263,790	218,090	45,700	3400	2630	770	3154	2400	166,300	166,300	

Office of U.S. Geological Survey
Boise, Idaho
Oct. 17, 1916.

ARROWOOD

100

Computed from water measurements

+ 11 -

K RESERVOIR CAPACITY

and records of inflow, outflow and evaporation

Table
Rising Reservoir
Sheet (3 OF 3)

12 YR. 033	13 NET STORAGE [Acre-feet]	RESERVOIR GAGE HT.		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA of CAPACITY TABLE		
		14 8:30 A.M. (Corrected)	15 INTERPOLATED NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [19-20]	1 RESERVOIR ELEVATION	2 AREA IN ACRES	3 VOLUME ACRE
44	2946	3199.0	3199.05	266,270	218,480	47,790	3600	2640	960	3153	2200	1463
44	4728	3199.5	3199.8	270,110	220,470	49,640	3600	2650	950	3152	2200	1421
45	6568	3201.7	3201.95	275,760	226,240	49,520	3700	2640	1010	3151	2200	139.9
46	8131	3203.5	3204.65	283,110	233,060	50,050	3800	2750	1050	3150	2200	137.70
46	5359	3206.35	3206.65	289,850	234,180	50,670	4000	2790	1210	3149	2100	135.60
47	2171	3207.68	3207.8	293,620	242,420	51,200	4000	2820	1180	3148	2100	133.50
47	1814	3207.75	3207.55	295,620	241,710	53,910	4000	2810	1190	3147	2100	131.40
47	2725	3208.6	3208.75	297,890	245,110	52,780	4100	2840	1260	3146	2100	129.30
40	-337	3208.9	3208.8	299,080	245,260	53,820	4100	2840	1260	3145	2000	127.30
49	-2267	3208.27	3208.05	297,780	243,120	54,660	4100	2820	1280	3144	2000	125.300
49	-1059	3207.42	3207.35	296,120	241,150	54,970	4000	2810	1190	3143	2000	123.300
58	21	3206.95	3206.95	295,600	240,020	55,580	4000	2800	1200	3142	2000	121.300
47	2784	3207.05	3207.2	297,000	240,720	56,280	4000	2800	1200	3141	2000	119.300
54	5287	3208.1	3208.45	301,030	244,260	56,770	4100	2830	1270	3140	1900	117.600
72	5670	3209.7	3210.0	306,510	248,690	57,820	4300	2860	1440	3139	1900	115.500
53	2204	3211.1	3211.2	310,450	252,150	58,300	4300	2890	1410	3138	1900	113.600
46	-581	3211.2	3211.1	311,260	251,860	59,400	4300	2890	1410	3137	1900	111.700
60	237	3210.7	3210.7	311,090	250,710	60,380	4300	2880	1420	3136	1900	109,800
12	2542	3211.0	3211.1	312,480	251,860	60,620	4300	2890	1410	3135	1800	108,000
44	669	3211.5	3211.5	314,080	253,030	61,050	4300	2900	1400	3134	1800	106,200
53	-231	3211.5	3211.45	314,300	252,880	61,420	4300	2900	1400	3133	1800	104,400
60	594	3211.3	3211.35	314,490	252,590	61,900	4300	2890	1410	3132	1800	102,600
65	2353	3211.5	3211.6	315,960	253,320	62,640	4300	2900	1400	3131	1800	100,800
51	1988	3212.1	3212.2	316,130	255,070	63,060	4400	2910	1490	3130	1700	99,000
78	595	3212.6	3212.6	319,420	256,240	63,180	4400	2920	1480	3129		97,300

SERVOIR CAPACITY

inches of inflow, outflow and evaporation.

Table 1
Rising Reservoir
Sheet 3 of 3

TIME foot]	RESERVOIR GAGE HT.		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA OF CAPACITY TABLE		
	14 8:30 A.M. (corrected)	15 NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. (16-17)	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. (19-20)	1 RESERVOIR ELEVATION	2 AREA IN ACRES	3 VOLUME IN ACRE FEET
246	3199.0	3199.05	266,270	218,480	47,790	3600	2640	960	3153	2200	146,300
128	3199.5	3199.8	270,110	220,470	49,640	3600	2650	950	3152	2200	142,100
568	3201.7	3201.95	275,760	226,240	49,520	3700	2640	1010	3151	2200	139,900
131	3203.5	3204.45	283,110	233,060	50,050	3800	2750	1050	3150	2200	137,700
359	3206.35	3206.65	289,850	234,180	50,670	4000	2790	1210	3149	2100	135,600
271	3207.68	3207.8	293,620	242,420	51,200	4000	2820	1180	3148	2100	133,500
1814	3207.75	3207.55	295,620	241,710	53,910	4000	2810	1190	3147	2100	131,400
2725	3208.6	3208.75	297,890	245,110	52,780	4100	2840	1260	3146	2000	129,300
337	3208.9	3208.8	299,080	245,260	53,820	4100	2840	1260	3145	2000	125,300
2267	3208.27	3208.05	297,780	243,120	54,660	4100	2820	1280	3144	2000	123,300
1059	3207.42	3207.35	296,120	241,150	54,970	4000	2810	1190	3143	2000	121,300
21	3206.95	3206.45	295,600	240,020	55,580	4000	2800	1200	3142	2000	119,300
2784	3207.05	3207.2	297,000	240,720	56,280	4000	2830	1270	3140	1900	117,400
5287	3208.1	3208.45	301,030	244,260	56,770	4100	2860	1450	3139	1900	115,500
5670	3209.7	3210.0	306,510	248,690	57,820	4300	2890	1410	3138	1900	113,600
2204	3211.1	3211.2	310,450	252,150	58,300	4300	2890	1410	3137	1900	111,700
-581	3211.2	3211.1	311,260	251,860	59,400	4300	2880	1420	3136	1900	109,800
237	3210.7	3210.7	311,090	250,710	60,380	4300	2890	1410	3135	1800	108,000
2542	3211.0	3211.1	312,480	251,860	60,620	4300	2900	1400	3134	1800	106,200
669	3211.5	3211.5	314,080	253,030	61,050	4300	2900	1400	3133	1800	104,400
-231	3211.5	3211.45	314,300	252,880	61,420	4300	2900	1400	3132	1800	102,600
594	3211.3	3211.35	314,490	252,590	61,900	4300	2890	1410	3131	1800	100,800
2353	3211.5	3211.6	315,960	253,320	62,640	4300	2900	1490	3130	1700	99,000
1988	3212.1	3212.2	318,130	255,070	63,060	4400	2910	1490	3129	1700	97,300
595	3212.6	3212.6	319,420	256,240	63,180	4400	2920	1480	3128		

Office of U.S. Geological Survey
Boise, Idaho.
Oct. 11, 1916

ARROWROCK
Computed from water measurements

DATE 1916	INFLOW INTO RESERVOIR IN SECOND FEET								10 OUTFLOW BOISE R. AT COWLING'S [SEC. FEET]	11 DIFFERENCE BETWEEN 9 AND 10 [SEC. FEET]	12 EVAP. LOSS [SEC. FEET]
	2 Boise River	3 S. Fork Boise R.	4 Rattle- Snake Creek	5 Smith Creek	6 Cotton- wood Creek	7 Willow Creek	8 Misc.	9 TOTAL			
JULY 8	4350	2520	52	81	12	8	6	7029	6690	-339	78
9	4440	2570	46	75	12	4	6	7153	7400	247	63
10	3900	2350	48	69	8	5	5	6385	6690	305	70
11	3460	2140	50	63	7	6	5	5731	5500	-231	70
12	3370	2000	45	57	7	6	5	5490	5250	-240	65
13	3280	1900	41	51	7	5	5	5289	5130	-159	114
14	3110	1770	36	48	7	3	5	4979	4890	-89	77
15	2850	1650	35	45	7	4	5	4596	4540	-56	102
16	2600	1560	35	41	7	5	5	4253	4210	-43	60
17	2770	1600	34	38	7	4	5	4458	4210	-248	67
18	2280	1440	32	35	7	4	5	3803	4100	297	55
19	1980	1330	31	33	7	4	5	3390	3580	-10	70
20	1770	1220	29	31	6	4	4	3064	3380	316	77
21	1710	1150	28	29	6	3	4	2930	3680	750	84
22	1680	1080	28	28	6	2	4	2728	3490	1262	79
23	1470	1010	26	26	6	2	4	2546	3890	1344	76
24	1400	980	25	25	6	2	4	2442	3780	1338	80
25	1350	916	24	22	6	3	4	2325	3780	1455	72
26	1320	916	24	19	6	3	4	2292	3680	1388	72
27	1250	855	24	16	6	3	4	2158	3680	1522	67
28	1170	826	25	14	5	3	3	2046	3580	1534	68
29	1100	790	22	12	5	2	3	1934	3580	1646	77
30	1040	745	22	11	5	2	3	1828	3580	1752	78
31	1010	707	21	6	4	2	3	1753	3480	1727	82
AUG 1	980	680	20	4	3	2	2	1691	3290	1599	79
2	943	665	19	3	2	2	2	1636	3290	1654	67
3	908	634	20	4	3	2	2	1573	3190	1617	69
4	882	619	20	5	3	2	2	1533	3190	1657	68
5	847	610	19	5	3	2	2	1488	3190	1702	61
6	805	605	19	4	2	2	2	1439	3100	1661	61

PROWROCK RESERVOIR CAPACITY.

Measurements and records of inflow, outflow and evaporation.

Fall
3

11 DIFFERENCE BETWEEN 9 AND 10 (Sec. feet)	12 EVAP. LOSS (Sec. ft.)	13 TOTAL STORED WATER LOSS (Sec. feet)	RESERVOIR GAGE HT.		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			14 OBSERVED 8:30 AM	15 INTERPOLATED NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [19-20]	22 RESERVOIR ELEVATION
			14 OBSERVED 8:30 AM	15 INTERPOLATED NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [19-20]									
-339	78	-593	3212.6	3212.6	280,730	256,240	24,490	3000	2980	80	3213								
247	63	552	3212.8	3212.25	280,750	255,210	25,540	3000	2910	90	3212								
305	70	674	3212.1	3212.05	280,140	254,630	25,510	3000	2910	90	3211								
-231	70	-387	3211.8	3211.8	280,000	253,900	26,100	3000	2900	100	3210								
-240	65	-410	3211.9	3211.9	280,400	254,190	26,210	3000	2910	90	3209								
-159	114	-201	3211.9	3211.9	280,700	254,190	26,510	3000	2910	90	3208								
-89	77	-99	3211.8	3211.8	280,850	253,900	26,950	3000	2900	100	3207								
-56	102	-9	3211.65	3211.6	280,910	253,320	27,590	3000	2900	100	3206								
-43	60	-25	3211.47	3211.45	280,920	252,830	28,040	3000	2900	100	3205								
-248	67	-424	3211.38	3211.35	281,150	252,590	28,560	3000	2890	110	3204								
297	55	643	3211.25	3211.2	281,040	252,150	28,890	3000	2890	110	3203								
-10	70	50	3211.05	3211.0	280,690	251,570	29,120	3000	2890	110	3202								
316	77	703	3210.95	3210.9	280,320	251,280	29,040	3000	2880	120	3201								
750	84	1569	3210.5	3210.4	279,180	249,840	29,340	3000	2870	130	3200								
1262	79	2578	3209.8	3209.7	277,110	247,830	29,280	3000	2860	140	3199								
1344	76	2737	3209.0	3208.95	274,450	245,400	28,050	3000	2840	160	3198								
1338	80	2729	3208.1	3207.95	271,720	242,840	28,880	3000	2820	180	3197								
1455	72	2953	3207.1	3206.95	268,870	240,020	28,850	2950	2800	180	3196								
1388	72	2820	3206.15	3206.0	265,990	237,360	28,630	2950	2780	190	3195								
1522	67	3081	3205.17	3205.0	263,040	234,580	28,460	2950	2760	190	3194								
1534	68	3105	3204.21	3204.05	259,940	231,960	27,980	2950	2740	210	3193								
1646	77	3336	3203.02	3202.85	256,720	228,680	28,040	2900	2690	210	3192								
1752	78	3547	3201.83	3201.65	253,280	225,430	27,850	2900	2660	240	3190								
1727	82	3501	3200.7	3200.5	249,760	222,340	27,420	2900	2640	240	3189								
1599	79	3245	3199.4	3199.2	246,390	219,880	27,510	2900	2640	240	3188								
1654	67	3342	3198.2	3198.05	243,090	215,850	27,040	2850	2610	240	3187								
1617	69	3271	3197.1	3196.9	239,790	212,840	26,980	2850	2560	190	3186								
1657	68	3349	3195.9	3195.7	236,480	209,740	26,740	2850	2540	180	3185								
1702	61	3431	3194.7	3194.5	233,090	206,660	26,430	2850	2540	180	3184								
1661	61	3350	3193.4	3193.2	229,700	203,380	26,320	2850	2510	180	3183								

RESERVOIR CAPACITY.

inches of inflow, outflow and evaporation.

TER 17	14 OBSERVED 8:30 AM	15 INTERPOLATED NOON	RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA & CAPACITY TABLE		
			16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [19-20]	1 RESERVOIR ELEVATION	2 AREA IN ACRES.	3 VOLUME IN ACRE-FEET
	3212.6	3212.6	280,730	256,240	24,490	3000	2920	80	3213		287,000
	3212.8	3212.25	280,750	255,210	25,540	3000	2910	90	3212	3000	284,000
	3212.1	3212.05	280,140	254,630	25,510	3000	2910	90	3211	3000	281,000
	3211.8	3211.8	280,000	253,900	26,100	3000	2900	100	3210	3000	278,000
	3211.9	3211.9	280,400	254,190	26,210	3000	2910	90	3209	3000	275,000
	3211.9	3211.9	280,700	254,190	26,510	3000	2910	90	3208	3000	272,000
	3211.8	3211.8	280,850	253,900	26,950	3000	2900	100	3207	3000	269,000
	3211.65	3211.6	280,910	253,320	27,590	3000	2900	100	3206	2950	266,050
	3211.47	3211.45	280,920	252,880	28,040	3000	2900	100	3205	2950	263,100
	3211.38	3211.35	281,130	252,590	28,560	3000	2890	110	3204	2950	260,150
	3211.28	3211.2	281,040	252,150	28,890	3000	2890	110	3203	2900	257,250
	3211.05	3211.0	280,690	251,570	29,120	3000	2890	110	3202	2900	254,350
	3210.95	3210.9	280,320	251,280	29,040	3000	2880	120	3201	2900	251,450
	3210.85	3210.4	279,180	249,840	29,340	3000	2870	130	3200	2900	248,550
	3209.8	3209.7	277,110	247,830	29,280	3000	2860	140	3199	2850	245,650
	3209.0	3208.95	276,450	245,400	28,050	3000	2840	160	3198	2800	242,800
	3208.1	3207.95	271,720	242,840	28,880	3000	2820	180	3197	2750	240,000
	3207.1	3206.95	268,870	240,020	28,850	2950	2800	150	3196	2750	237,250
	3206.15	3206.0	265,990	237,360	28,630	2950	2780	170	3195	2700	234,500
	3205.17	3205.0	263,040	234,580	28,460	2950	2760	190	3194	2650	231,800
	3204.21	3204.05	259,940	231,960	27,980	2950	2740	210	3193	2600	229,150
	3203.62	3202.85	256,720	228,620	28,040	2900	2710	190	3192	2550	226,650
	3201.83	3201.65	253,280	225,430	27,850	2900	2690	210	3191	2500	224,000
	3200.7	3200.6	249,760	222,340	27,420	2900	2660	240	3190	2500	221,500
	3199.4	3199.2	246,390	219,880	27,510	2900	2640	260	3189	2500	219,000
	3198.2	3198.05	243,090	215,850	27,240	2850	2610	240	3188	2500	216,500
	3197.1	3196.9	239,790	212,840	26,950	2750	2590	160	3187	2450	214,000
	3195.9	3195.7	236,480	209,740	26,740	2750	2560	190	3186	2450	211,550
	3194.7	3194.5	233,090	206,660	26,430	2700	2590	160	3185	2450	209,100
	3193.4	3193.2	229,700	203,380	26,320	2650	2510	140	3184	2450	206,650

Table 2
Falling Reservoir
Sheet 1 of 3

Office of U.S. Geological Survey

Boise, Idaho

Oct. 11, 1916

ARROWROCK
Computed from water measurements.

DATE 1961 20-21	INFLOW INTO RESERVOIR IN SECOND-FEET								10 OUTFLOW BOISE R. AT DOWLING'S [Sec.-feet]	11 DIFFERENCE BETWEEN 9 AND 10 [Sec.-feet]	12 EVAP. LOSS [Acre-ft]
	2 Boise River	3 S. Fork Boise R.	4 Rattle- Snake Creek	5 Smith Creek	6 Cotton- wood Creek	7 Willow Creek	8 MISC	9 TOTAL			
AUG 7	772	585	19	4	3	2	2	1387	3100	1713	91
8	756	566	19	3	2	2	2	1350	3100	1750	57
9	740	552	18	1	3	2	2	1318	3100	1782	63
10	724	547	18	0	2	2	2	1295	3010	1715	45
11	700	529	17	0	2	2	2	1252	3010	1758	59
12	685	516	17	0	2	2	2	1224	2490	1266	62
13	677	498	17	0	2	2	2	1198	1400	202	54
14	662	489	17	0	2	2	2	1174	1480	306	52
15	646	476	16	0	2	2	2	1144	1900	756	58
16	638	476	15	0	2	2	2	1135	2260	1125	42
17	677	480	18	4	4	2	3	1188	2420	1232	26
18	882	524	21	7	5	3	3	1445	2340	895	26
19	724	524	19	5	4	3	3	1282	2340	1058	26
20	662	502	18	2	3	4	2	1193	2340	1147	39
21	638	485	16	0	3	3	2	1147	2340	1193	40
22	608	472	15	0	3	3	2	1103	2260	1157	47
23	586	451	15	0	2	2	2	1058	2260	1202	54
24	564	427	14	0	2	2	2	1011	2260	1249	71
25	556	415	13	0	2	2	2	990	2260	1270	32
26	535	407	13	0	2	2	2	961	2180	1219	52
27	528	400	14	0	2	2	2	948	2180	1232	52
28	528	396	14	0	2	2	2	944	2180	1236	48
29	521	392	13	0	2	2	2	932	2180	1248	32
30	535	443	12	0	2	2	2	996	2260	1304	47
31	514	423	13	0	2	2	2	956	2260	1342	56
JULY 1	499	400	13	0	2	2	2	918	2260	1447	54
2	485	389	13	0	2	2	2	893	2340	1451	36
3	492	378	13	0	2	2	2	889	2340	1422	35
4	514	385	13	0	2	2	2	918	2340	1431	33
5	499	392	12	0	2	2	2	909	2340		

RESERVOIR CAPACITY.

and records of inflow, outflow and evaporation.

Table 2
Falling Reservoir
Sheet 3 of 3

13 TOTAL STORED WATER [feet-feet]	RESERVOIR GAGE HT.		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA OF CAPACITY TABLE		
	14 OBSERVED 8:30 AM	15 INTERPOLATED NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF. [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF. [19-20]	22 RESERVOIR ELEVATION	23 ACRES IN ACRES	24 VOLUME IN ACRE FEET
3483	3182.1	3181.9	224,280	200,120	26,160	2330	2470	80	3183	2130	204,200
3522	3180.6	3180.4	222,780	196,410	26,370	2500	2440	60	3182	2400	201,800
3591	3189.3	3189.1	219,220	193,240	25,980	2500	2420	80	3181	2400	199,400
3449	3187.9	3187.7	215,700	189,870	25,830	2500	2380	120	3180	2400	197,000
3540	3186.5	3186.3	212,210	186,530	25,680	2450	2350	100	3179	2350	194,650
2569	3185.05	3184.9	209,160	183,240	25,920	2450	2340	110	3178	2350	192,300
454	3184.0	3184.05	207,640	181,250	26,390	2450	2300	150	3177	2300	190,000
658	3184.25	3184.2	207,090	181,600	25,490	2450	2310	140	3176	2300	187,700
1555	3183.9	3183.8	205,980	180,680	25,300	2450	2300	150	3175	2250	185,450
2270	3183.15	3183.0	204,070	178,830	25,240	2400	2300	100	3174	2200	183,250
2465	3182.1	3181.95	201,700	176,420	25,280	2400	2260	140	3173	2150	181,050
1798	3181.2	3181.1	199,570	174,490	25,080	2400	2260	140	3172	2150	178,900
2121	3180.4	3180.25	197,610	172,570	25,040	2400	2240	160	3171	2150	176,750
2310	3179.35	3179.2	195,390	170,230	25,160	2350	2220	130	3170	2150	174,600
2402	3178.35	3178.2	193,040	168,010	25,030	2350	2200	150	3169	2150	172,450
2328	3177.45	3177.3	190,670	166,030	24,640	2300	2180	120	3168	2150	170,300
2434	3176.4	3176.2	188,280	163,630	24,650	2300	2160	140	3167	2150	168,150
2544	3175.2	3175.05	185,790	161,150	24,640	2250	2140	110	3166	2150	166,000
2547	3174.15	3174.0	183,250	158,900	24,350	2200	2120	80	3165	2100	163,850
2466	3173.0	3172.85	180,740	156,460	24,280	2150	2100	50	3164	2100	160,650
2491	3171.9	3171.75	178,260	154,150	24,110	2150	2080	70	3163	2100	157,550
2495	3170.82	3170.65	175,770	151,860	23,910	2150	2060	90	3162	2050	155,300
2503	3169.6	3169.4	173,270	149,280	23,990	2150	2040	110	3161	2050	153,150
2547	3168.4	3168.25	170,750	146,940	23,810	2150	2030	120	3160	2050	151,400
2629	3167.25	3167.05	168,160	144,500	23,660	2150	2010	140	3159	2000	149,400
2713	3166.0	3165.75	165,490	141,900	23,590	2150	1980	170	3158	2000	147,400
2919	3164.45	3164.25	162,670	138,930	23,740	2100	1940	160	3156	2000	145,400
2909	3163.2	3163.0	159,760	136,490	23,270	2100	1920	130	3155	1950	143,400
2851	3161.9	3161.7	156,830	133,970	22,910	2050	1900	150	3154	1950	141,450
2866	3160.55	3160.35	154,020	131,390	22,630	2050	1900	150	3153	1950	141,450

RESERVOIR CAPACITY

LOSS OF INLEAD, DRAINAGE AND EVAPORATION.

Table 2
Falling Reservoir
Size Sect 3

RESERVOIR BASE HT.		RESERVOIR VOLUME - CUBE FEET		RESERVOIR AREA - ACRES		AREA OF PROPERTY TABLE	
16	17	16	17	18	19	20	21
BY WATER MEASUREMENT	BY SURVEY	BY WATER MEASUREMENT	BY SURVEY	BY WATER MEASUREMENT	BY SURVEY	BY SURVEY	RESERVOIR ELEVATION
2188.0	2188.0	226,280	210,120	26,160	2330	2470	80
2188.1	2188.1	226,280	210,120	26,160	2330	2470	80
2188.2	2188.2	226,280	210,120	26,160	2330	2470	80
2188.3	2188.3	219,220	193,120	25,980	2500	2420	80
2188.4	2188.4	215,700	189,870	25,820	2500	2380	120
2188.5	2188.5	212,210	184,530	25,680	2450	2350	100
2188.6	2188.6	209,160	183,240	25,520	2450	2340	100
2188.7	2188.7	207,640	181,250	25,390	2450	2300	150
2188.8	2188.8	207,090	181,600	25,490	2450	2310	140
2188.9	2188.9	205,980	180,680	25,300	2450	2300	150
2188.10	2188.10	204,870	178,830	25,240	2400	2300	100
2188.11	2188.11	201,700	176,420	25,280	2400	2260	140
2188.12	2188.12	199,570	174,490	25,080	2400	2260	140
2188.13	2188.13	197,610	172,570	25,090	2400	2240	160
2188.14	2188.14	197,610	172,570	25,090	2400	2240	160
2188.15	2188.15	195,590	170,230	25,160	2350	2220	130
2188.16	2188.16	193,040	168,010	25,030	2350	2200	150
2188.17	2188.17	190,670	166,630	24,640	2300	2180	120
2188.18	2188.18	188,280	163,630	24,650	2300	2160	140
2188.19	2188.19	185,790	161,150	24,490	2250	2140	110
2188.20	2188.20	183,250	158,900	24,350	2200	2120	80
2188.21	2188.21	180,740	156,460	24,280	2150	2100	50
2188.22	2188.22	178,260	154,150	24,110	2150	2080	70
2188.23	2188.23	176,770	151,860	23,910	2150	2060	90
2188.24	2188.24	173,270	149,280	23,790	2150	2040	110
2188.25	2188.25	170,750	146,940	23,610	2150	2030	120
2188.26	2188.26	168,160	144,500	23,460	2150	2010	140
2188.27	2188.27	165,490	141,900	23,390	2150	1980	170
2188.28	2188.28	162,670	138,930	23,240	2100	1960	140
2188.29	2188.29	159,760	136,490	23,270	2100	1940	160
2188.30	2188.30	156,880	133,470	23,410	2050	1920	130
2188.31	2188.31	153,770	130,470	23,610	2000	1900	150
2188.32	2188.32	150,620	127,340	22,630	2050	1900	150

Office of U.S. Geological Survey
Boise, Idaho
Oct. 11, 1916

ARROWROCK

Computed from water measurements and

ARROWROCK RESERVOIR CAPACITY.

water measurements and records of inflow, outflow and evaporation.

10 OUTFLOW BOISE R. AT DOWLING'S [Sec.-feet]	11 DIFFERENCE BETWEEN 9 AND 10 [Sec.-feet]	12 EVAP LOSS [Acre-ft]	13 TOTAL STORED WATER LOSS [Acre-feet]	RESERVOIR GAGE HT.		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRE		
				14 OBSERVED 8:30 A.M.	15 INTERPOLATED NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF [16-17]	19 BY WATER MEAS.	20 BY SURVEY	21 Diff [19-20]
2340	1445	47	2908	3159.1	3158.9	151,130	126,640	22,490	2000	1870	130
2340	1456	26	2909	3157.7	3157.5	148,220	126,020	22,200	2000	1850	150
2340	1473	29	2946	3156.25	3156.05	145,300	123,340	21,960	2000	1830	170
2260	1380	30	2762	3154.8	3154.6	142,440	120,700	21,740	1950	1810	140
2260	1301	18	2594	3153.3	3153.1	139,760	117,990	21,770	1950	1790	160
2180	1240	25	2480	3151.9	3151.75	137,230	115,580	21,650	1900	1760	140
2180	1258	34	2525	3150.75	3150.55	134,720	113,470	21,250	1900	1750	150
2260	1363	27	2726	3149.3	3149.1	132,100	110,940	21,160	1850	1720	130
2180	1313	30	2630	3147.95	3147.75	129,420	108,620	20,800	1850	1700	150
2180	1317	28	2636	3146.5	3146.3	126,790	106,160	20,630	1800	1680	120
2040	1193	28	2390	3145.15	3144.95	124,230	103,900	20,380	1800	1650	150
1970	1144	35	2300	3143.75	3143.55	121,930	101,590	20,360	1800	1630	170
1970	1168	27	2340	3142.45	3142.25	119,610	99,470	20,160	1750	1610	140
1900	1110	29	2227	3141.1	3140.9	117,330	97,310	20,020	1750	1590	160
1830	1040	23	2082	3139.8	3139.65	115,170	95,330	19,840	1750	1660	190
1690	807	30	1628	3138.75	3138.6	113,320	93,690	19,630	1750	1550	200
1610	832	22	1669	3137.75	3137.6	111,670	92,140	19,530	1700	1530	170
1600	832	21	1668	3136.8	3136.65	110,000	90,690	19,310	1700	1510	190
1640	879	24	1764	3135.75	3135.6	108,280	89,100	19,180	1700	1500	200
1600	839	17	1678	3134.7	3134.55	106,560	87,530	19,030	1650	1480	170
1560	799	15	1597	3133.6	3133.45	104,930	85,900	19,030	1650	1460	190
1600	833	25	1674	3132.6	3132.45	103,290	84,440	18,850	1650	1440	210
1600	845	17	1690	3131.7	3131.55	101,610	83,140	18,470	1600	1430	170
1640	884	14	1764	3130.7	3130.55	99,880	81,710	18,170	1600	1410	190
1470	704	9	1403	3129.6	3129.45	98,300	80,160	18,140	1550	1400	150
				3128.7							

RESERVOIR CAPACITY.

records of inflow, outflow and evaporation

13 STAL. WATER LOSS [cu. feet]	RESERVOIR GAGE HT		RESERVOIR VOLUME - ACRE FEET			RESERVOIR AREA - ACRES			AREA CAPACITY TABLE		
	14 OBSERVED 8:30 A.M.	15 INTERPOLATED NOON	16 BY WATER MEASUREMENT	17 BY SURVEY	18 DIFF (16-17)	19 BY WATER MEAS.	20 BY SURVEY	21 DIFF (19-20)	1 RESERVOIR ELEVATION	2 AREA IN ACRES	3 VOLUME IN ACRE FEET
2908	3159.1	3158.9	151,130	128,640	22,490	2000	1870	130	3153	1950	139,500
3909	3157.7	3157.5	148,220	126,020	22,200	2000	1850	150	3152	1950	137,350
2946	3156.25	3156.05	145,300	123,340	21,960	2000	1830	170	3151	1900	135,650
2762	3154.8	3154.6	142,440	120,700	21,740	1950	1810	140	3150	1900	133,750
2594	3153.3	3153.1	139,760	117,990	21,770	1950	1790	160	3149	1850	131,900
2480	3151.9	3151.75	137,230	115,580	21,650	1900	1760	140	3148	1850	130,050
2325	3150.75	3150.55	134,720	113,470	21,250	1900	1750	150	3147	1800	128,200
2726	3149.3	3149.1	132,100	110,940	21,160	1850	1720	130	3146	1800	126,400
2630	3147.95	3147.75	129,420	108,620	20,800	1850	1700	150	3145	1800	124,600
2636	3146.5	3146.3	126,790	106,160	20,630	1800	1680	120	3144	1800	122,800
2390	3145.15	3144.95	124,280	103,900	20,380	1800	1650	150	3143	1750	121,000
2300	3143.75	3143.55	121,930	101,590	20,340	1800	1630	170	3142	1750	119,250
2340	3142.45	3142.25	119,610	99,470	20,140	1750	1610	140	3141	1750	117,500
2227	3141.1	3140.9	117,330	97,310	20,020	1750	1590	160	3140	1750	115,750
2082	3139.8	3139.65	115,170	95,330	19,840	1750	1560	190	3139	1750	114,000
1628	3138.75	3138.6	113,320	93,690	19,630	1750	1550	200	3138	1700	112,250
1669	3137.75	3137.6	111,670	92,140	19,530	1700	1530	170	3137	1700	110,550
1668	3136.8	3136.65	110,000	90,690	19,310	1700	1510	190	3136	1700	108,850
1764	3135.75	3135.6	108,280	89,100	19,180	1700	1500	200	3135	1650	107,150
1678	3134.7	3134.55	106,560	87,530	19,030	1650	1480	170	3134	1650	105,500
1597	3133.6	3133.45	104,930	85,900	19,030	1650	1460	190	3133	1650	103,850
1674	3132.6	3132.45	103,290	84,440	18,850	1650	1440	210	3132	1600	102,200
1690	3131.7	3131.55	101,610	83,140	18,470	1600	1430	170	3131	1600	100,600
1764	3130.7	3130.55	99,880	81,710	18,170	1600	1410	190	3130	1550	99,000
1603	3129.6	3129.45	98,300	80,160	18,140	1550	1400	150	3129	1550	97,450
	3128.7										

Table E
Falling Reservoir
Sheet 3 of 3

Plate 4

just below the gage, by Krall's ditch. Prior to May 14, only a part of the flow of the creek reached the river. The record for this period, given in column 7a, sheet 1, Table 1, is the record at the gaging-station less the diversion by Krall's ditch, an approximate record of which was kept by the writer.

Column 9 shows the total inflow which entered the reservoir from all tributary streams.

Outflow from Reservoir. The daily discharge record at the Dowling station, four miles below Arrowrock, is used as a measure of the outflow from the reservoir. The outflow record given in column 10 is the Dowling record unchanged except between April 15 and 30 when the Dowling figures were decreased by 10 second-feet to allow for the mean estimated flow of Deer Creek. Deer Creek enters the river just below Arrowrock Dam.

Column 11 shows the difference between total inflow and total outflow, or vice versa, representing storage in Table 1 and the amount of stored water drawn off in Table 2, evaporation not considered. Attention is called to the fact that in Table 1, negative quantities in column 11 indicate negative storage, or a loss, while in Table 2, the reverse is true, and the negative sign indicates storage.

Evaporation from Reservoir Surface. An effort was made during the course of the work to secure data on the probable loss of stored water due to evaporation. Although the results are to some extent inconclusive, they furnish a very good basis for estimating the amount of this loss.

A standard cooperative weather station has been maintained at Arrowrock for several years by the United States Weather Bureau in cooperation with the Reclamation Service. The original station was located at the camp below the dam, and records of precipitation and temperature were made by employees of the Reclamation Service. This work was taken over by me in April and continued until the old station was abandoned in June.

A new station was established about June 15, on the south side of the reservoir, above the dam, and additional equipment for securing a record of evaporation was provided. The station is equipped with maximum and minimum thermometers, rain gage, evaporation pan, and anerometer. (See Plate 6). Here a daily record of evaporation was kept under the writer's supervision during the remainder of the period of investigation.

An attempt was made to secure also a record of evaporation from a floating pan on the reservoir, but this record was of too short duration to be of much value in determining just what coefficients should be applied to the evaporation from the land pan to reduce to the true quantity which would be lost from the surface of the reservoir. This

Plate 4.



Artificial control on Cottonwood Creek during low water.



Cottonwood Creek during high water of April, 1916.



Waterfall on Smith Creek about one-half mile below gaging-station.



Arrowrock Reservoir, September 1916, looking downstream from point 1 mile above mouth of South Fork.

pan (see Plate 6) was established about August 15, and records were obtained during the latter part of August and part of September. Both evaporation pans were constructed of galvanized sheet iron, 45 inches in diameter and 10 inches deep, and both were kept filled within two or three inches of the top. The lake pan was provided with a number of vertical sheet iron baffles to prevent slopping. Daily readings were made in the land pan with a micrometer heck gage, and readings on the lake pan were taken with a carpenter's rule to sixteenths of inches.

In Table 3 is given a summary of meteorological conditions at Arrowrock during the period of investigation. No attempt to analyse the daily records minutely has been made, but the following conclusions are apparent from a study of the summary.

1. Evaporation from the land pan tended to vary with the mean temperature of the atmosphere. The effect of wind was very slight, as the station is so sheltered that the wind movement at this point is practically negligible.
2. The effect of wind in increasing evaporation seems to be much greater on the surface of the reservoir than at the station on the shore.
3. So far as temperature of the water is a factor, the resultant evaporation during the warmest months is probably considerably greater on shore. In the fall, however, with the coming of colder nights, the temperature of the water in the land pan would be relatively much reduced, and would probably approximate the temperature of the water in the reservoir. A definite relation between the evaporation quantities from the two stations could hardly be established, however, since it is believed that wind will be a very active agent in increasing evaporation from the reservoir, while at the same time of very little effect at the station on shore.
4. From the small amount of data available, it appears that the evaporation figures obtained at the land pan during the past season may be taken direct to indicate the evaporation from the lake throughout the period, or in other words, a coefficient of 1.00 should be used.

Evaporation losses are shown in column 12, in acre-feet. These losses are figured from the daily evaporation record, where available. During April a mean daily evaporation of 0.15 inch was assumed; during May 0.18 inch; and during the first half of June 0.20 inch. Reservoir areas for use in figuring total daily evaporation were taken for the proper lake levels from the capacity tables based on the topographic survey, which areas are given in column 20.

SUMMARY OF METEOROLOGICAL DATA AT ARROWROCK, IDAHO

Table 3

MONTH 1916	AIR TEMPERATURE			EVAPORATION			WIND MOVEMENT			REMARKS
	Year Min.	Mean Min.	Mean Max.	Precipitation (Inches)	Total (Inches)	Daily Mean (Inches)	Pan Reservoir	Daily Mean (Inches)	Total Miles	
April	68.3	37.9	53.1	0.50						
May	64.8*	38.5	51.6	1.27						
June	75.7*	46.1	60.9	1.68*	1.90 ^a	0.211 ^a				
July	86.6	54.2	70.4	0.83	8.86	.286			25.5 ^d	0.82
August	85.1	53.9	69.5	0.55	8.55	.275 ^b	3.30 ^b	0.236 ^b	74.6	1.00
September	76.7*	44.3	61.5	7.00 ^c	6.14 ^c	.205 ^c	4.13 ^c	0.217 ^c	79.4 ^c	0.91
										See note below
										See note above

* Arrowrock record incomplete; figures given have been taken from Boise record.

^a June 22-30 only; 9 days.

^b August 10-14 only; 5 days.

^c September 12-30 only; 19 days.

^d June 10-30 only; 13 days.

NOTE: Evaporation from land pan Aug. 18-31 totaled 3.31 inches or 0.236 inch per day, the same as on the reservoir. (See above.) Evaporation from land pan Sept. 12-30 totaled 3.56 inches or 0.27 inch per day, as against 0.217 inch on the reservoir. (See above.)

Plate 6.



Evaporation Station on Arrowrock Reservoir.



Temperature, precipitation, and evaporation station,
1916.

Net Storage and Total Stored Water Loss. The results shown in column 13, tables 1 and 2, are derived from the quantities in columns 11 and 12. Values in column 11 are reduced to acre-feet through the use of the factor 1.96 and evaporation added algebraically. It should be noted that the evaporation quantity always means a reduction in inflow, and hence is of opposite sign. In other words, in Table 1, Storage = (Inflow - Evaporation) - Outflow or = Inflow - Outflow - Evaporation, and in Table 2, Total Stored Water Loss = Outflow - (Inflow - Evaporation) or = Outflow - Inflow + Evaporation.

Plate 6 shows hydrographs of total inflow less evaporation and of outflow. The graphs are largely of general interest as showing the relation between the two quantities, and indicating graphically the periods during which water was being stored or released.

The following statement of storage and of stored water delivery summarizes the figures of inflow, outflow, and evaporation:

(A) Rising period April 15-July 8:

Total inflow	1,399,266	acre-feet
Evaporation	<u>1,035</u>	" "
Net Inflow	1,396,226	" "
Outflow	<u>1,174,673</u>	" "
Storage	222,353	" "

(B) Falling period July 8-September 30:

Total inflow	296,315	acre-feet
Evaporation	<u>4,239</u>	" "
Net inflow	292,586	" "
Outflow	<u>475,022</u>	" "
Stored water released	182,434	" "

Excess of fill over draw, representing loss from reservoir presumably as ground storage or seepage, 38,921 acre-feet.

Reservoir Gage Heights. Reservoir gage readings are made by the gate-keeper at Arrowrock Dam every morning at about 5:30 o'clock. In column 14 are given these morning readings, corrected, however, to true datum.

No permanent gages have yet been installed at Arrowrock Dam, and during the past season several different methods of making gage readings have been followed.



ESTIMA

STREAM

Lambing Creek
Dutch Lucy Cr.
Willow Creek Cr.
Grouse Creek
Birch Creek
Trail Creek
Slide Creek
Others trib. to Camp Creek
Soap Creek
Buffalo Creek
Smith Cr. (Spring)
Others trib. to TOT P.

PLATE 7
HYDROGRAPH OF MISCELLANEOUS FLOW
INTO
ARROWROCK RESERVOIR
AS DERIVED FROM RECORD ON
COTTONWOOD CREEK

Boise, Idaho, Oct. 28, 1916
ANH



Cottonwood Creek
Gauge Station

File No. Washington
Field


PLATE 7

PHOTOGRAPH OF MISCELLANEOUS FLOW
INTO
ARROWROCK RESERVOIR
AS DERIVED FROM RECORD ON
COTTONWOOD CREEK

Boise, Idaho, Oct. 28, 1916
MMH

ESTIMATES OF FLOW

STREAM	APR. 24	JULY 8	SEPT. 30
Lambing Creek	15	0.6	0.3
Dutch Louy Creek	10	.3	-
Willow Creek (N. Fork)	12	-	-
Grouse Creek	15	1.0	.4
Birch Creek	5	.5	.1
Trail Creek	5	.1	-
Slide Creek	3	.2	.1
Others trib. to N. Fork	5	1.0	.5
Camp Creek	2	.2	-
Soap Creek	3	.2	-
Buffalo Creek	5	.2	-
Smith Cr. (Springs)	-	1.0	.5
Others trib. to S. Fork	10	.5	.1
TOTAL	92	5.8	2.0



9-279b


20000

DEPARTMENT OF THE INTERIOR

UNITED STATES GEOLOGICAL SURVEY


(WATER RESO)

PLATE 8
HYDROGRAPHS
OF
INFLOW AND OUTFLOW
FOR
ARROWROCK RESERVOIR
1916
Boise, Idaho, Oct. 21, 1916
A.W.H.




UNITED STATES GEOLOGICAL SURVEY (WATER RESOURCES BRANCH)

flow less Evaporation




Washington
File No.
Field



Washington

File No.

Field



A series of vertical staff gages is located on the south side of the reservoir a few hundred feet above the dam, and readings were made on these gages during the early part of the period. Between 3130 feet and a full reservoir, it is necessary to read on six different sections of this gage. Levels carried from a bench mark on the dam by the writer on several occasions during the summer showed that all of these gages read incorrectly, giving elevations too low by amounts varying up to 0.30 foot. Gage readings made on these sections have been corrected to true datum from the level notes.

During the period of highest water, reservoir heights were secured by measuring down with a graduated pole to the water surface from a point of known elevation on the parapet wall. Readings during this period probably require no correction.

On August 10, the writer installed a temporary chain gage near the south end of the dam. The chain was provided with a wooden float on one end and a counterweight on the other end, and passed over pulleys at either end of a 10 foot scale attached horizontally to the parapet wall. Index points at intervals of 10 feet were marked on the chain, and the reservoir elevation was read directly on the scale at the point opposite one of the markers. The gage was checked at frequent intervals and consequently no corrections are necessary to gage heights after August 10.

The need for a permanent reservoir gage is very apparent, and until some such provision is made, gage readings on the reservoir can never be entirely satisfactory.

Interpolation has been used to furnish the reservoir elevations of column 15, which apply to noon of each day.

Plate 9 is a hydrograph of elevations of the reservoir surface from April 15 to September 30. It shows graphically variations in the lake level and indicates the period during which water was being discharged through the spillway.

Reservoir Volume. In column 17 are given capacities, in acre-feet, of the reservoir as taken from the tables based on the topographic survey of the reservoir site, heretofore referred to. These figures apply to the noon gage heights in column 15. Areas of reservoir surface are shown in column 20, having been obtained in the same way.

The determination of reservoir capacities by the successive combination of quantities in column 15 required that some starting point be assumed, from which to work. A capacity of 99,000 acre-feet was taken at elevation 3130.0. This figure was taken from a capacity curve derived from 1915 water measurements by engineers of the United States Reclamation Service, and probably serves as well as a place of beginning as any other that could be used.

315

Top of Parapet Wall

310

PLATE 9

300

HYDROGRAPH
SHOWING WATER ELEVATIONS
OF
ARROWROCK RESERVOIR

1916

Boise, Idaho, Oct. 18, 1916.

A.W.H.

3180

3160

3140

3120

3100

3080

3060

RESERVOIR ELEVATIONS IN FEET

APRIL

5

10

15

20

25

30

5

10

15

20

25

30


5

10

15

MAY


JUNE




UNITED STATES GEOLOGICAL SURVEY

(WATER RESOURCES BRANCH)

Top of Parapet Wall ↴






Washington

File No.

Field

Crest of Movable Gates Raised Position

Crest of Spillway Wall f



Interpolation shows that the reservoir was at an elevation of 3130.0 feet at 5:20 P. M., April 15, at which point the capacity of the reservoir was assumed at 99,000 acre-feet. Using the figures of column 13, a total capacity of 102,160 acre-feet is indicated at noon on April 16, at a gage height of 3132.1. A capacity of 105,280 acre-feet is obtained at noon on April 17 by adding to 102,160 half of 3982 and half of 2259, or 3120, since these latter figures run from midnight to midnight. Carrying this process through, on July 8, at noon, 319,420 acre-feet of water have been accounted for.

In table 2, 3130.0 feet came at midnight, September 29. The same assumptions were made here as on April 15, and computations carried back in the same way as in Table 1 to July 8, when a capacity of 280,730 acre-feet is indicated.

In Plate 10, three capacity curves are given. Curve "A" gives capacities from the table which was made up from the results of the topographic survey. Curve "B" is an average of plotted points for each day of the period from July 8 to September 30. Noon gage heights are plotted against reservoir volumes in column 16. Curve "C" is a curve similarly constructed from data obtained on the rising stage.

Since the capacity of any reservoir is for all practical purposes no greater than the amount of water that may be drawn therefrom, and since Curve "B" is based on the actual amount of water so drawn off during the period of investigation, this curve may be considered the true capacity curve of the reservoir between 3130.0 and 3212.6 feet. An area and capacity table has been prepared from this curve and is presented in Table 2. This table gives the capacity for each foot of reservoir level, and indicates as reservoir areas the difference between successive capacities at one foot intervals. It will be noted that during the ten days immediately following July 8, the reservoir remained practically stationary, and the points plot eccentrically. It appears probable that a large amount of water was being absorbed, presumably as ground storage, during this period, and was thus not available as stored water.

It is of interest to note that at 3130.0 feet the survey table gives a capacity of 30,930 acre-feet against the assumed value of 99,000 acre-feet, a difference of 18,070 acre-feet. At 3212.6 feet, the survey gives 256,240 acre-feet, and this investigation shows (column 16, sheet 1, table 2) 280,730 acre-feet, a difference of 24,690 acre-feet. This means that at least 6,620 acre-feet more water was available in the reservoir between elevations 3130.0 and 3212.6 than the survey would indicate. The fact that the figured capacity appears to decrease above 3210 feet is perhaps a result of the peculiar conditions which obtained during this period. The record shows that in the aggregate, no stored water left the reservoir while the level was falling from 3212.6 to 3211.0, which consumed a period of 11 days. Very probably if the water had been rapidly lowered immediately after July 8, most of the water impounded

3210

3205

3200

3195

3190

3185

3180

3175

PLATE 10
ARROWROCK RESERVOIR
STORAGE CAPACITY CURVES, SEASON OF 1916

Office of U.S. Geological Survey

Boise, Idaho, Oct. 17, 1916.

A.N.H.

RESERVOIR
ES, SEASON OF 1916

ical Survey
17. 1916.

C
Capacities based
of reservoir


CURVE "B"


Capacities based on 1916 inflow, outflow
and evaporation during emptying of reservoir


CURVE 'A'
Capacities based on topographical survey
of reservoir by U.S.R.S.

CURVE 'B'
Set out lake bottom, bottom
during emptying of reservoir

CURVE C
Capacities based on 1916 inflow, outflow
and evaporation during filling of reservoir







3175

3170

3165

3160

3155

3150

3145

3140

3135

3130

3125

RESERVOIR ELEVATIONS IN FEET

2 Holi
num
sur

Column
Thanks
Day of the


Assumed capacity of 99,000 cu


Assumed capacity of 99,000 acre feet at elevation 3133.0

Curve C

*Capacities based on 1916 inflow, outflow
and evaporation during filling of reservoir.*

Elevation 3430.0





3120

3125

3130

3135

3140

3145

3150

3155

3160

3165

3170

RESERVOIR ELEVATIONS IN FEET

80

90

100

110

120

130


Assumed capacity of 99,000 acre feet

Cap
and elev

Assumed capacity of 99,000 acre feet at elevation 3130.0

RESERVOIR CAPACITIES IN T

90 100 110 120 130 140 150 160 170 180



CURVE C

*Capacity based on 1916 inflow, outflow
operation during filling of reservoir.*

IN THOUSANDS OF ACRE FEET

190

190

200

210

220

230

240

250

260

27

220

240

260

280

260


270

280

290

300

310



260

260

270

280

290

300

310

320

PLATE 10
ARROWROCK RESERVOIR

STORAGE CAPACITY CURVES, SEASON OF 1916

Office of U.S. Geological Survey

Boise, Idaho, Oct. 17, 1916.


A.W.H.

CURVE "A"

Capacities based on topographical
of reservoir by U.S.R.S.

CURVE "B"

Capacities based on 1916 inflow, outflow,
and evaporation during emptying of reservoir




CURVE "A"

*Capacities based on topographical survey
of reservoir by U.S.R.S.*

CURVE "B"

*1916 inflow, outflow,
emptying of reservoir*





CURVE C

*Capacities based on 1916 inflow, outflow
and evaporation during filling of reservoir,*



Assumed capacity of 95




CURVE 'A'


based on topographical survey
reservoir by U.S.R.S.

outflow
reservoir

CURVE 'C'

Capacities based on 1916 inflow, outflow
and evaporation during filling of reservoir.





feet at elevation 3130.0

RESERVOIR CAPACITIES IN THOUSANDS

130

150

160

170

180

190

VES IN THOUSANDS OF ACRE FEET

170

180

190

200

210

220

8-2796

DEPARTMENT OF THE INTERIOR

UNITED STATES GEOLOGICAL SURVEY

WATER

60000

55000

50000

45000

40000

35000

30000

25000

20000

15000

Differences in feet between capacities derived from 1916
water measurements and capacities from U.S.R.S. topographic survey


PLATE II

HYDROGRAPH
SHOWING DISTRIBUTION OF
GROUND STORAGE
IN
ARROWROCK RESERVOIR

1916

Boise, Idaho Oct 21, 1916

R.M.




UNITED STATES GEOLOGICAL SURVEY WATER RESOURCES BRANCH

PH
ION OF
AGE

RESERVOIR


21, 1916




Wash

File No.

Field



Washington
Pile No. _____
Field



There is a possibility that a portion of this loss may be a total loss due to percolation through the lava of the South Fork. Air bubbles rising to the surface during the entire season just above the mouth of Willow Creek have suggested this. It is not thought that the gasses released from decaying vegetable matter would entirely explain the phenomenon, since very few air bubbles have been observed in other parts of the reservoir. Even though this theory is accepted as accounting for a small portion of the loss, it is believed that very large amounts of water were absorbed by the ground.

The reservoir was completely filled for the first time in 1916, and we should expect that the loss from seepage and ground storage would be very much less in succeeding years, as the ground becomes more and more impervious. Chemical processes, too, will probably play an important part in the future reduction of this loss. This ground water appears to be released comparatively slowly, as the reservoir falls, by the lowering of the ground water plane. Attention has already been called to the gain in capacity during the falling period, and it is shown very clearly on the hydrograph beginning July 21. The return water from this source would be expected to increase to a maximum during the fall months when the reservoir is ordinarily at its lowest stage.

This uncertain amount of loss or storage in the reservoir necessarily introduces a variable factor into any computations of capacity. As indicated by the results of the past season's work, the available capacity of the reservoir undoubtedly now exceeds materially the amount computed from the topographic survey but without further investigation and comparison during succeeding years it is impossible to determine the extent of dependable or permanent increase.

3. DAILY GAGE HEIGHTS

During the period of stored water delivery, beginning about July 15, daily gage readings were received by telephone by the writer at headquarters in Arrowrock, from gage readers at the river stations, and on Moore and Cottonwood creeks. Gage readings on the less important streams were received at less frequent intervals.

These gage heights were reported every morning by telephone to the Boise office of the Reclamation Service where they were directly available to interested parties.

Rating tables, based on the best information available from discharge measurements, were prepared by the writer and revised from time to time, as necessary. Copies of these tables were furnished to the Reclamation Service, to the State Engineer, and to the Special Deputy of the State Engineer who was charged with the apportionment of the flow of Boise River among the various water users in the Boise Valley.

Appendix "A"

GAGE HEIGHT AND DAILY DISCHARGE TABLES

the
daily gage height, in feet, and discharge, in second-feet, of

Boise

River

TWIN 5

Drainage area 8.30

square miles.

ROY CALL

	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUAR	
	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Disch
1	209	339	206	321	207	327			205	314
2	206	321	206	321	205	314			314	
3	208	333	206	321	218	397			314	
4	212	358	206	321	224	437			314	
5	209	339	205	314	227	458			314	
6	208	333	205	314	221	417			314	
7	207	327	204	308	220	410		300	314	
8	207	327	203	302	217	390			314	
9	206	321	207	327	216	384			314	
10	206	321	206	321	208	333			314	
11	207	327	205	314	208	333			314	
12	207	327	209	339	204	308			314	
13	207	327	195	256	212	358	214	315	205	314
14	208	333	187	211	217	390		314	316	
15	208	333	210	345	203	302	205	314	318	
16	207	327	217	390	186	206			321	
17	206	321	206	321	204	308			323	
18	206	321	209	329	208	333		315	325	
19	206	321	210	345	194	250	213	207	327	
20	205	314	211	352	213	364			329	
21	205	314	214	371	233	449			331	
22	204	308	213	364	241	556	206	321	308	333
23	205	314	211	352	240	549			332	
24	205	314	215	378	224	437			331	
25	207	327	208	333	220	440	219		329	
26	207	327	209	327	217	390		207	327	
27	208	333	207	327	217	390		315	208	333
28	208	333	200	284	205	314		202	296	
29	208	333	187	211	214	371	214	197	267	
30	207	327	205	314	208	333				
31	206	321	217	390		300				
32	205	314	211	352		300		9389	9220	
33					9706	11478				
	TOTAL	10121								
	HEAD	326		324		370		309	318	
	B.R. H. P.D.	343		390		446		372	383	
	ROCKING LENGTH	.45		444		.51		.43	.41	
	POWER PLANT	20,000		19,300		22,800		19,000	18,300	
	MAXIMUM	358		390		556		—	322	
	AVERAGE	308		211		206		—		
	ADDITIONAL	4		1		8		C		

Estimated Dec 30 - Jan 12; Jan 18-21 1900 to 1900 account of 1900

Used results of actual measurement Jan 8

1900 discharge at 4 ft

= 7112

second-feet, of

BOISE

River

the year ending September 30

TWIN SPRINGS, IDAHO 1916.

ROY CALL

[observer]

UNITED STATES

Daily gage height, in feet, and discharge,

Drainage area 820 square miles

NOVEMBER	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY
Discharge,	Gage height,	Discharge,	Gage height,	Discharge,	Gage height,	Discharge,
6 321	207	327	7 205	314	1.93	244
6 321	205	314	8 218	314	1.83	217
6 321	218	397	9 224	314	1.85	201
6 321	224	1.37	10 227	314	1.83	191
5 314	227	458	11 221	314	1.93	244
5 314	221	447	12 308	314	1.92	238
4 308	220	410	13 302	314	1.87	211
3 302	217	390	14 327	314	1.89	222
7 327	216	384	15 321	314	1.99	278
6 321	208	333	16 314	314	2.31	506
5 314	208	333	17 339	314	2.68	764
9 339	204	308	18 256	314	2.86	917
5 256	212	358	19 211	315	3.07	1110
7 211	217	390	20 345	314	3.00	1040
10 345	203	302	21 321	318	2.98	1030
17 390	1.86	206	22 323	314	3.14	1180
6 321	2.04	308	23 325	314	3.47	1550
9 339	2.08	333	24 325	315	3.65	1710
10 345	1.94	250	25 327	315	3.75	1910
11 352	2.13	364	26 329	315	4.0	2280
14 371	2.33	499	27 331	321	3.95	2200
13 364	2.41	556	28 333	321	3.7	1840
11 352	2.40	549	29 332	321	3.5	1580
15 378	2.24	497	30 331	321	3.31	1360
28 333	2.20	410	31 329	321	3.19	1230
27 327	2.17	390	32 327	321	3.10	1140
20 284	2.05	314	33 315	321	3.07	1110
27 211	2.14	371	34 202	321	3.28	1330
25 314	2.08	333	35 1.97	321	3.31	1360
17 390	300	300	36 2.24	321	3.24	1290
	300	300	37 325	321	3.25	1300
9706	11478	9589	38 207	321	3.10	1140
324	370	309	39 327	321	1030	3.080
390	446	372	40 383	321	124	3.870
144	.51	43	41 .41	321	1.43	3.71
19,300	22,800	19,000	42 18,300	321	63,300	4.66
390	556	—	43 333	321	2280	5.37
211	206	C	44 267	321	191	183,000
A	B	C	45 C	321	191	238,000
						6,030
						1,370
						2,490
						A
						A

ear ending September 30

RINGS, IDAHO 1916.

Observation

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCES BRANCH)

10

Daily gage height, in feet, and discharge, in second-feet, of

Beise

River

The year

Drainage area 8.30 square miles.

CAMP & HIGGINS

UNITED STATES GEOLOGICAL SURVEY, (WATER RESOURCES BRANCH)

the year ending September 30

height, in feet, and discharge, in second-feet, of

Boise River near Twin Falls, Idaho 1916
Cain & Middleton, owners

Drainage area 830 square miles.

PERIOD	MAY		JUNE		JULY		AUGUST		SEPTEMBER		DAYS
	Discharge	Gage height									
1	1310	4.9	3810	4.4	2940	4.9	3810	2.93	980	2.93	491
2	1470	5.1	4170	4.35	2850	5.35	4630	2.89	943	2.31	485
3	1710	5.4	4720	4.55	3200	5.15	4360	2.85	908	2.32	492
4	1980	5.9	5650	4.95	3900	4.75	3550	2.82	882	2.35	514
5	1980	6.3	6410	5.3	4540	4.65	3370	2.78	847	2.33	491
6	1840	6.5	6800	5.45	4810	4.95	3900	2.73	805	2.32	472
7	1910	6.8	7390	5.5	4900	5.1	4170	2.69	772	2.31	485
8	2130	6.2	6220	5.6	5090	5.2	4350	2.67	756	2.29	471
9	2280	5.9	5650	5.8	5460	5.25	4440	2.65	740	2.31	485
10	2070	5.4	4720	5.9	5650	4.95	3900	2.63	724	2.38	535
11	3900	5.0	3990	5.7	5270	4.7	3460	2.60	700	2.34	506
12	3990	4.65	3370	5.4	4720	4.65	3270	2.58	685	2.32	492
13	3370	4.4	2940	5.35	4630	4.6	3280	2.57	677	2.30	478
14	3370	4.2	2600	5.6	5090	4.5	3110	2.55	662	2.28	464
15	3550	4.15	2520	5.9	5650	4.35	2850	2.53	646	2.28	464
16	3460	4.15	2520	6.2	6220	4.2	2600	2.52	638	2.27	458
17	3200	4.25	2690	6.5	6800	4.3	5770	2.57	677	2.25	444
18	3020	4.5	3110	6.8	7390	4.0	5280	2.82	882	2.23	420
19	2690	4.8	3640	7.1	7990	3.8	1980	2.63	724	2.22	424
20	2360	4.9	3810	6.4	6610	3.65	1770	2.55	662	2.22	424
21	2360	5.0	3990	5.6	5090	3.6	1710	2.52	638	2.21	417
22	2440	4.9	3810	5.1	4170	3.5	1580	2.48	608	2.21	417
23	2520	4.65	3370	4.75	3550	3.41	1470	2.45	586	2.20	410
24	3280	4.5	3110	4.7	3460	3.34	1400	2.42	564	2.19	404
25	4260	4.35	2850	4.95	3900	3.30	1350	2.41	536	2.19	404
26	5870	4.2	2600	5.35	4630	3.27	1320	2.38	535	2.19	404
27	10030	4.1	2440	5.6	5090	3.21	1250	2.37	528	2.20	410
28	5460	4.15	2520	5.7	5270	3.13	1170	2.37	528	2.18	397
29	4540	4.25	2690	5.6	5090	3.06	1100	2.36	521	2.18	397
30	1700	4.3	2770	5.05	4080	3.00	1040	2.38	535	2.19	404
31		4.4	2740			2.96	1010	2.35	514		
32	42350		114,820		148,040		82,250		21,423		13,605
33	3,080		3,870		4,930		2,650		691		454
34	3,71		4,66		5,94		3,19		833		547
35	14,14		5,37		6,63		3,68		96		.61
36	183,000		238,000		293,070		163,000		42,500		27,000
37	6,030		7,390		7,990		4,630		980		535
38	1,370		2,440		2,850		1,010		574		397
39	A		A		A		A		A		A

Gage heights checked from old books
10-3 Gage heights checked by E.A.C.
Compared by E.A.C. Discharge checked by E.A.C.

Dates Discharge checked by E.A.C.
10-3 Gage heights checked by E.A.C.

Checked by E.A.C.

Checked by E.A.C.

9-192-a

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCES BRANCH.)

Daily gage height, in feet, and discharge, in second-feet, of

BOISE

RIVER ~~at~~ DOWLING,
FRANCES E. DOWLING.

Drainage area

square miles.

Day.	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge
1	3.11	940	2.37	441	2.35	430	2.27	391	2.78	687
2	2.99	841	2.35	430	2.35	430	2.30	405	2.79	693
3	2.90	772	2.37	441	2.35	430	2.31	410	2.79	693
4	2.87	750	2.37	441	2.37	441	2.33	420	2.76	673
5	2.90	772	2.38	446	2.40	456	2.33	420	2.88	758
6	2.92	787	2.37	441	2.42	467	2.33	420	3.19	1010
7	2.88	758	2.41	462	2.39	451	2.33	420	3.31	1150
8	2.85	736	2.43	472	2.36	436	2.33	420	3.45	1270
9	2.83	722	2.37	441	2.37	441	2.34	425	3.66	1500
10	2.81	707	2.33	420	2.38	446	2.34	425	3.60	1430
11	2.79	693	2.37	441	2.38	446	2.34	425	3.52	1340
12	2.79	693	2.41	462	2.38	446	2.55	540	3.52	1340
13	2.78	687	2.37	441	2.40	456	2.60	570	3.53	1350
14	2.81	707	2.32	415	2.40	456	2.60	570	3.52	1340
15	2.82	714	2.33	420	2.40	456	2.60	570	3.34	1150
16	2.82	714	2.38	446	2.40	456	2.80	660	3.35	1160
17	2.96	818	2.42	467	2.41	462	2.88	690	3.53	1350
18	2.96	818	2.44	478	2.41	462	2.79	693	3.74	1600
19	2.86	743	2.46	489	2.42	467	2.79	693	3.8	1670
20	2.85	736	2.47	494	2.42	467	2.84	690	3.8	1670
21	2.84	729	2.46	489	242	467	2.98	690	3.57	1400
22	2.87	750	2.48	500	2.43	472	2.88	700	3.42	1230
23	2.78	687	2.48	500	2.43	472	2.77	680	3.53	1350
24	2.71	640	2.46	489	2.43	472	2.78	687	3.60	1430
25	2.67	614	2.37	441	2.41	478	2.79	693	3.66	1500
26	2.73	653	2.29	400	2.44	478	2.85	693	3.66	1500
27	2.73	653	2.30	405	2.41	462	2.90	693	3.73	1590
28	2.73	653	2.31	410	2.31	410	2.79	693	3.78	1650
29	2.69	627	2.32	415	2.30	405	2.81	690	3.77	1640
30	2.64	595	2.33	420	2.33	420	2.82	690	5.0	50
31	2.51	517								
	TOTAL	22,226		13,457		13,944		17,856		37,124
	Mean		717		449			576		867
	Sec. - ft. per square mile									
	Run-off, depth in inches									
	Run-off in acre-feet		44,100		26,700		27,700		35,400	
	Maximum		940		500		478		—	
	Minimum		517		400		405		391	
	Accuracy		A		A		A		A	

Daily gauge height, in feet, and discharge, in second-feet, of

5

Date	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY	
	Gage height	Discharge												
430	2.27	391	2.78	687	3.76	1620	5.0	3690	6.45	7420	5.3	4210	6.25	
430	2.30	405	2.79	693	3.73	1590	5.25	4230	6.45	7420	5.3	4210	6.25	
430	2.31	410	2.79	693	3.64	1480	5.45	4690	6.5	7570	5.35	4320	6.45	
441	2.33	420	2.76	673	3.58	1410	5.5	4810	6.55	7730	5.55	4770	6.2	
456	2.33	420	2.88	758	3.58	1410	5.65	5180	6.65	8050	6.0	5880	5.9	
467	2.33	420	3.19	1010	3.58	1410	5.75	5430	6.7	8210	6.15	6280	5.8	
451	2.33	420	3.31	1150	3.55	1380	5.8	5560	6.8	8540	6.2	6440	6.0	
436	2.33	420	3.45	1270	3.47	1290	5.8	5560	6.9	8870	6.2	6410	6.3	
441	2.34	425	3.66	1500	3.45	1270	5.8	5560	6.95	9040	6.4	6970	6.55	
476	2.34	425	3.60	1430	3.51	1330	5.8	5560	6.95	9040	6.6	7550	6.3	
446	2.34	425	3.52	1340	3.85	1740	5.85	5700	6.95	9040	6.65	7700	5.85	
446	2.55	540	3.52	1340	4.95	3530	5.9	5830	6.95	9040	6.65	7700	5.75	
456	2.60	570	3.53	1350	5.2	4040	5.95	5970	6.9	8870	6.65	7700	5.7	
456	2.60	570	3.52	1340	5.15	3940	6.0	6100	6.9	8870	6.7	7850	5.6	
456	2.60	570	3.34	1150	5.1	3830	6.0	6100	6.85	8710	6.7	7850	5.45	
456	2.80	660	3.35	1160	5.1	3830	6.0	6100	6.8	8540	6.75	8000	5.3	
462	2.88	690	3.53	1350	5.1	3830	6.15	6530	6.75	8370	6.8	8150	5.3	
462	2.79	693	3.74	1600	5.1	3830	6.25	6820	6.25	6820	7.5	10500	5.25	
467	2.79	693	3.8	1670	5.15	3940	6.15	6530	5.85	5700	8.2	13100	4.9	
467	2.84	690	3.8	1670	5.15	3940	6.05	6240	6.05	6240	7.7	11200	4.9	
467	2.98	690	3.57	1400	4.5	2710	6.05	6240	6.25	6820	6.75	8000	5.05	
472	2.88	700	3.42	1230	3.00	849	6.05	6240	6.4	7260	6.75	8000	5.2	
472	2.77	680	3.53	1350	5.85	5700	6.05	6240	6.55	7730	6.7	7850	5.15	
472	2.78	687	3.60	1430	5.35	4450	6.05	6240	6.5	7570	6.4	6770	5.1	
478	2.79	693	3.66	1500	4.5	2740	6.1	6380	6.35	7110	6.4	6970	5.1	
478	2.85	693	3.66	1500	4.5	2740	6.1	6380	6.1	6380	6.25	6550	5.05	
462	2.90	693	3.73	1590	4.5	2740	6.2	6670	5.7	5300	6.05	6010	5.05	
410	2.79	693	3.78	1650	4.7	3100	6.3	6960	5.4	4500	6.15	6280	5.0	
405	2.81	777	1640	5.0	3690	6.35	7110	5.25	4100	6.65	7700	5.0	3580	
420	2.82	690	5.0	3090	5.0	3090	6.4	7260	5.25	4100	6.6	7550	5.0	
406	2.81	17,856	37,124	86,739			177,910		227,060		218,640	4.95	3480	
3,944		576	1,280	2,800			5,930		7,320		7,290		11,956	
450													4,820	
7,700	35,400	73,600	172,000				353,000		450,000		431,000		296,00	
478		1,670	5,700				7,260		9,040		13,100		7,400	
405	391	673	849				3,690		4,100		4,210		3,380	
A	A	A	A				7		A		A		A	

UNITED STATES GEOLOGICAL SURVEY. WATER RECONCILED BRANCH.

Daily gage height, in feet, and discharge, in second-feet, of **Boise** River at **DOWLING, IDAHO**, 100 ft E

Drainage area

square miles.

FRANCES E. DOWLING

Gauge No. 100-100000

No.	MAY		JUNE		JULY		AUGUST		SEPTEMBER		Days	
	Gage height	Discharge										
20	5.0	3690	6.45	7420	5.3	4210	6.25	6550	4.85	3290	4.25	2260
10	5.25	4230	6.45	7420	5.3	4210	6.25	6550	4.85	3290	4.3	2340
30	5.45	4690	6.5	7570	5.35	4320	6.45	7110	4.8	3190	4.3	2340
10	5.5	4810	6.55	7730	5.55	4770	6.2	6440	4.8	3190	4.3	2340
10	5.65	5180	6.65	8050	6.0	5880	5.9	5620	4.8	3190	4.3	2340
10	5.75	5430	6.7	8210	6.15	6280	5.8	5370	4.75	3100	4.3	2340
30	5.8	5560	6.8	8540	6.2	6440	6.0	5880	4.75	3100	4.3	2340
10	5.8	5560	6.9	8870	6.2	6410	6.3	6690	4.75	3100	4.3	2340
70	5.8	5560	6.95	9040	6.4	6970	6.55	7400	4.75	3100	4.25	2260
30	5.8	5560	6.95	9040	6.6	7550	6.3	6690	4.7	3010	4.25	2260
140	5.85	5700	6.95	9040	6.65	7700	5.85	5500	4.7	3010	4.2	2180
530	5.9	5830	6.95	9040	6.65	7700	5.75	5250	4.4	2490	4.2	2180
040	5.95	5970	6.9	8870	6.65	7700	5.7	5130	3.60	1400	4.25	2260
940	6.0	6100	6.9	8870	6.7	7850	5.6	4890	3.67	1480	4.2	2180
830	6.0	6100	6.85	8710	6.7	7850	5.45	4540	4.0	1900	4.2	2180
830	6.0	6100	6.8	8540	6.75	8000	5.3	4210	4.25	2260	4.1	2040
830	6.15	6530	6.75	8570	6.8	8150	5.3	4210	4.35	2420	4.05	1970
830	6.25	6820	6.25	6820	7.5	10500	5.25	4100	4.3	2340	4.05	1970
940	6.15	6530	5.85	5700	8.2	13100	4.9	3380	4.3	2340	4.0	1900
940	6.05	6240	6.05	6240	7.7	11200	4.9	3380	4.3	2340	3.95	1830
710	6.05	6240	6.25	6820	6.75	8000	5.05	3680	4.3	2340	3.76	1590
249	6.05	6240	6.4	7260	6.75	8000	5.2	3790	4.25	2260	3.78	1610
700	6.05	6240	6.55	7730	6.7	7850	5.15	3890	4.25	2260	3.77	1600
1450	6.05	6240	6.5	7570	6.4	6970	5.1	3780	4.25	2260	3.8	1640
710	6.1	6380	6.35	7110	6.4	6970	5.1	3780	4.25	2260	3.77	1600
249	6.1	6380	6.1	6380	6.25	6550	5.05	3680	4.2	2180	3.74	1560
710	6.2	6670	5.7	5300	6.05	6010	5.05	3680	4.2	2180	3.77	1600
249	6.3	6960	5.4	4500	6.15	6280	5.0	3530	4.2	2180	3.77	1600
249	6.35	7110	5.25	4100	6.65	7700	5.0	3580	4.2	2180	3.8	1640
249	6.4	7260	5.25	4100	6.6	7550	5.0	3580	4.25	2260	3.66	1470
249	6.4	7260	5.25	4100	6.6	7550	4.95	3480	4.25	2260		
739		177,910		227,060		218,640		147,560		78,160		59,760
2800		5,930		7,320		7,290		4,820		2,520		1,990
												3,010
2,000		353,000		450,000		431,000		296,000		155,000		118,000
5,700		7,260		9,040		13,100		7,400		3,290		2,340
8,447		3,690		4,100		4,210		3,390		1,400		1,470
A		4		4		4		4		4		3,91

Length 64.7 miles from head to mouth
 Discharge at mouth 3,910 cusecs.
 Gage No. 100-100000
 Date of record 10-2-39

Length 64.7 miles from head to mouth
 Discharge at mouth 3,910 cusecs.
 Gage No. 100-100000
 Date of record 10-2-39

Length 64.7 miles from head to mouth
 Discharge at mouth 3,910 cusecs.
 Gage No. 100-100000
 Date of record 10-2-39

Length 64.7 miles from head to mouth
 Discharge at mouth 3,910 cusecs.
 Gage No. 100-100000
 Date of record 10-2-39

Length 64.7 miles from head to mouth
 Discharge at mouth 3,910 cusecs.
 Gage No. 100-100000
 Date of record 10-2-39

Length 64.7 miles from head to mouth
 Discharge at mouth 3,910 cusecs.
 Gage No. 100-100000
 Date of record 10-2-39

UNITED STATES GEOLOGICAL SURVEY. WATER RESOURCES BRANCH.

1 discharge, in second-test, of

Boise

DOWLING, IDAHO, for 1916.

FRANCES E. DOWLING, *Montgomery.*

Daily gage height, in feet, and discharge, in second-feet, of

BOLSE

RIVER ~~at~~ BELOW Moore

EDGAR KIRK

Day	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge								
1	1.2	1060	0.4	505	3.73	498	3.68	473	4.37	833
2	1.0	895	0.35	480	3.72	493	3.72	493	4.36	819
3	0.9	820	0.35	480	3.76	514	3.79	529	4.36	819
4	0.85	785	0.35	480	3.83	550	3.83	550	4.35	812
5	0.85	785	0.35	480	3.87	572	3.81	539	4.52	928
6	0.9	820	0.35	480	3.87	572	3.80	534	4.88	1290
7	0.85	785	0.4	505	3.84	556	3.80	534	5.1	1440
8	0.85	785	0.45	532	3.82	545	3.78	524	5.35	1730
9	0.8	750	0.45	532	3.81	539	3.77	519	5.55	1970
10	0.8	750	0.3	455	3.78	524	3.76	514	5.45	1840
11	0.8	750	0.35	480	3.79	529	3.76	514	5.4	1760
12	0.8	750	0.4	505	3.79	529	3.91	594	5.4	1760
13	0.8	750	0.45	532	3.83	550	4.02	657	5.35	1700
14	0.8	750	0.25	432	3.87	572	4.03	657	5.35	1690
15	0.8	750	0.3	455	3.80	534	4.04	663	5.2	1520
16	0.8	750	3.76	514	3.72	493	4.06	720	5.2	1510
17	0.8	750	3.77	519	3.76	514	745	5.4	1740	7.2
18	1.0	895	3.79	529	3.75	508	4.24	778	5.65	2060
19	0.85	785	3.85	561	3.75	508	4.25	785	5.7	2130
20	0.85	785	3.87	572	3.77	519	4.22	764	5.7	2130
21	0.85	785	3.88	577	3.81	539	4.18	732	5.5	1860
22	0.85	785	3.90	588	3.89	583	4.3	812	5.35	1680
23	0.9	820	3.90	588	3.98	634	846	5.45	1800	8.0
24	0.7	685	3.90	588	3.92	599	880	5.45	1800	7.4
25	0.7	685	3.78	524	3.92	599	913	5.6	2000	6.6
26	0.75	718	3.67	469	3.91	594	898	5.6	2000	6.6
27	0.75	718	3.68	473	3.86	566	884	5.7	2130	6.6
28	0.75	718	3.66	464	3.76	514	847	5.7	2130	7.0
29	0.75	718	3.69	478	3.72	493	840	5.65	2060	7.35
30	0.75	718	3.73	498	3.73	498	840	7.25	47881	7.2
31	0.65	652				486	486	21,418	47,881	
TOTAL		23,952		15,275		16,724		691	1,650	
Mean		773		509		539				
Sec.-ft. per square mile										
Run-off, depth in inches										
Run-off in acre-feet		47,500		30,300		33,100		42,500	94,900	
Maximum		1,060		588		634		913	2,130	
Minimum		652		432		486		473	812	

BOLSE

三

RIVER ~~is~~ BELOW! MOORE GREEN 1916
EDGAR KIRK observer

UNITED S

UNITED STATES GEOLOGICAL SURVEY. WATER RESOURCES BRANCH.

on Moore CREEK 1916

Dolly gage height, in feet, and discharge, in second-feet, of

Boise

Ever ~~the~~ **BELONG**

EDGAR KIRK

Boise

Elev. below Moore Creek 1916.

30.

height, in feet, and discharge, in second-feet, of

square miles.

EDGAR KIRK

R.R.	MAY		JUNE		JULY		AUGUST		SEPTEMBER		Total
	Gage height	Discharge									
	8.4	8960	7.05	4980	7.85	7190	6.35	3460	5.75	2420	1
	8.4	8960	7.05	4980	7.85	7190	6.3	3360	5.75	2420	2
	8.4	8960	7.1	5110	8.1	7980	6.3	3360	5.75	2420	3
	8.5	9310	7.3	5620	7.8	7040	6.25	3270	5.75	2420	4
	8.6	9660	7.65	6600	7.55	6310	6.3	3360	5.75	2420	5
	8.7	10000	7.8	7040	7.35	5760	(6.25)	3270	5.75	2420	6
	8.7	10000	7.85	7190	7.5	6170	(6.25)	3270	5.75	2420	7
	8.7	10000	7.85	7190	7.85	7190	6.25	3270	5.75	2420	8
	8.8	10400	8.1	7980	8.0	7660	6.2	3180	5.75	2420	9
	8.7	10000	8.2	8300	7.75	6890	6.2	3180	5.75	2420	10
	8.7	10000	8.2	8300	7.35	5760	6.15	3090	5.7	2350	11
	8.7	10000	8.2	8300	7.3	5620	5.85	2580	5.7	2350	12
	8.6	9660	8.2	8300	7.25	5490	5.0	1450	5.7	2350	13
	8.6	9660	8.2	8900	7.1	5110	5.1	1560	5.7	2350	14
	8.5	9310	8.3	8630	6.95	4740	5.45	2000	5.65	2280	15
	8.5	9310	8.3	8630	(6.8)	4400	5.7	2350	5.55	2130	16
	8.5	9310	8.4	8960	(6.8)	4400	5.8	2500	5.55	2130	17
	8.0	7660	9.1	11500	6.75	4270	5.8	2500	5.5	2060	18
	7.65	6600	9.9	14600	6.4	3550	5.8	2500	5.45	2000	19
	7.85	7190	9.3	12200	6.4	3550	5.8	2500	5.4	1930	20
	7.45	7500	8.4	8960	6.55	3860	5.8	2500	5.2	1680	21
	7.1	7980	8.4	8960	6.7	4180	5.75	2420	5.2	1680	22
	8.2	8300	8.4	8960	6.6	3960	5.75	2420	5.2	1680	23
	8.2	8300	8.0	7660	6.6	3960	5.75	2420	5.25	1740	24
	8.1	7980	8.0	7660	6.55	3860	5.75	2420	5.2	1680	25
	7.8	7040	7.85	7190	6.55	3860	5.7	2350	5.15	1620	26
	7.4	5890	7.65	6600	6.55	3860	5.7	2350	5.2	1680	27
	7.1	5110	7.8	7040	6.5	3750	5.65	2280	5.2	1680	28
	6.95	4740	8.2	8300	6.5	3750	5.7	2350	5.2	1680	29
	6.95	4740	8.2	8300	6.45	3650	5.7	2350	5.1	1560	30
	7.0	4860	8.2	8300	6.45	3650	5.75	2420			31
242,120	257,390	242,340		158,630			82,290		62,810	1,276,190	
8070	8,300	8,080		5,120			2,650		2,090	3,540	
1,300,000	510,000	481,000		315,000			163,000		124,000	2,570,000	
8960	10,600	14,600		7,980			3,460		2,120	14,600	
5,620	4,740	4,130		3,550			1,450		1,560	4,320	
A	A	A		A			A		A	A	

10-11 Dist. Eas.
12-9 Gage Ms. checked by E.K.
C.W.H. Discharge checked by E.K. Gage Ms. checked by E.K.
10-12 Discharge checked by E.K. Gage Ms. checked by E.K.
10-13 Discharge checked by E.K. Gage Ms. checked by E.K.
10-14 Discharge checked by E.K. Gage Ms. checked by E.K.
10-15 Discharge checked by E.K. Gage Ms. checked by E.K.
10-16 Discharge checked by E.K. Gage Ms. checked by E.K.
10-17 Discharge checked by E.K. Gage Ms. checked by E.K.
10-18 Discharge checked by E.K. Gage Ms. checked by E.K.
10-19 Discharge checked by E.K. Gage Ms. checked by E.K.
10-20 Discharge checked by E.K. Gage Ms. checked by E.K.
10-21 Discharge checked by E.K. Gage Ms. checked by E.K.
10-22 Discharge checked by E.K. Gage Ms. checked by E.K.
10-23 Discharge checked by E.K. Gage Ms. checked by E.K.
10-24 Discharge checked by E.K. Gage Ms. checked by E.K.
10-25 Discharge checked by E.K. Gage Ms. checked by E.K.
10-26 Discharge checked by E.K. Gage Ms. checked by E.K.
10-27 Discharge checked by E.K. Gage Ms. checked by E.K.
10-28 Discharge checked by E.K. Gage Ms. checked by E.K.
10-29 Discharge checked by E.K. Gage Ms. checked by E.K.
10-30 Discharge checked by E.K. Gage Ms. checked by E.K.
10-31 Discharge checked by E.K. Gage Ms. checked by E.K.

10-11 Dist. Eas.
12-9 Gage Ms. checked by E.K.
C.W.H. Discharge checked by E.K. Gage Ms. checked by E.K.
10-12 Discharge checked by E.K. Gage Ms. checked by E.K.
10-13 Discharge checked by E.K. Gage Ms. checked by E.K.
10-14 Discharge checked by E.K. Gage Ms. checked by E.K.
10-15 Discharge checked by E.K. Gage Ms. checked by E.K.
10-16 Discharge checked by E.K. Gage Ms. checked by E.K.
10-17 Discharge checked by E.K. Gage Ms. checked by E.K.
10-18 Discharge checked by E.K. Gage Ms. checked by E.K.
10-19 Discharge checked by E.K. Gage Ms. checked by E.K.
10-20 Discharge checked by E.K. Gage Ms. checked by E.K.
10-21 Discharge checked by E.K. Gage Ms. checked by E.K.
10-22 Discharge checked by E.K. Gage Ms. checked by E.K.
10-23 Discharge checked by E.K. Gage Ms. checked by E.K.
10-24 Discharge checked by E.K. Gage Ms. checked by E.K.
10-25 Discharge checked by E.K. Gage Ms. checked by E.K.
10-26 Discharge checked by E.K. Gage Ms. checked by E.K.
10-27 Discharge checked by E.K. Gage Ms. checked by E.K.
10-28 Discharge checked by E.K. Gage Ms. checked by E.K.
10-29 Discharge checked by E.K. Gage Ms. checked by E.K.
10-30 Discharge checked by E.K. Gage Ms. checked by E.K.
10-31 Discharge checked by E.K. Gage Ms. checked by E.K.

Daily gage height, in feet, and discharge, in second-feet, of COTTONWOOD CREEK

the year

Drainage area

23

square miles.

near ARROWROCK

MRS. ELDORA HEDRICK

D.	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge								
1	0.20	1.8								
2	.20	1.8								
3	.20	1.8								
4	.20	1.8								
5	.21	2.0								
6	.22	2.1								
7	.22	2.1								
8	.20	1.8								
9	.20	1.8								
10		1.								
11										
12									0.90	4.0
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24	.81	1.9								
25	.82	2.1								
26										
27										
28										
29										
30										
31										
		58.2								
TOTAL		188								
Mean		.817								
Sec. ft. per										
square mile										
Run-off, depth										
in inches										
Run-off in acre-										
-feet										
Maximum										
Minimum										

GROTONWOOD CREEK near ARROWROCK, IDAHO for 1916.
MRS. ELDORA HEDRICK, observer.

the year ending September 30,

UNITED STATES GEOLOGIC

DAILY GAGE HEIGHT, IN FEET, AND DISCHARGE, IN SECOND-LEAF,

Drainage area, 25 square miles.

DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE	
Gage height	Discharge												
1.20	13	1.73	62	1.92	89	1.61	39						
1.20	13	1.85	77	1.88	82	1.62	40						
1.20	13	1.82	72	1.90	85	1.62	40						
1.15	11	1.85	77	1.90	85	1.62	40						
1.30	18	1.85	77	1.92	89	1.64	42						
	16	1.88	82	1.95	94	1.64	42						
	1.20	13	1.90	85	1.92	89	1.65	43					
	1.30	18	1.98	99	1.86	79	1.64	42					
	1.50	33		1.06	1.80	67	1.65	43					
	1.50	33		1.12	1.80	69	1.62	40					
	1.52	35		2.08	119	1.81	71	1.37	36				
0.90	40	1.55	38	2.07	117	1.80	69	1.54	33				
		1.55	38	1.98	99	1.76	63	1.54	33				
		1.65	38	1.95	94	1.68	53	1.54	33				
		1.65	49	1.98	99	1.60	43	1.48	29				
		1.65	49	1.92	89	1.60	43	1.44	26				
		1.65	49	1.92	89	1.60	43	1.41	24				
		1.75	62	1.84	75	1.72	58	1.42	24				
		1.75	62	1.78	66	1.74	53	1.30	30				
		1.75	66	1.79	68	1.72	50	1.31	31				
		1.85	77	1.80	69	1.70	48	1.46	27				
		1.95	94	1.82	72	1.62	40	1.43	25				
		1.95	94	1.86	77	1.60	38	1.40	23				
		1.82	72	1.99	101	1.64	42	1.37	22				
		1.80	69	1.99	101	1.68	46	1.33	20				
		1.60	43	2.02	107	1.64	42	1.32	19				
		1.65	49	2.1	123	1.60	38	1.30	18				
		1.68	53	2.04	121	1.62	40	1.28	17				
		1.72	58	1.94	92	1.62	40	1.24	16				
		1.72	58	1.94	92	1.61	39	1.23	15				
		1.72	58			1.61	39						
		1.392		2.719		1.828		912					
		44.69				90.6		59.0					
		1.75				3.94		2.57					
		225				4.40		2.96					
		2760				53.90		26.80					
		94				12.8		9.4					
		11				6.2		3.8					
		A				H		A					

ptember 30,
for 1916.

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCES BRANCH)

Daily gage height, in feet, and discharge, in second-feet, of COTTONWOOD CREEK

the year ending Septe

near ARROW ROCK, IDAHO for

MRS. ELDORA HEDRICK, observer.

Drainage area, 23

square miles.

D	Date	APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		Day
		Gage height	Discharge											
13	1	175	62	192	89	161	39	120	14	090	3.2	082	18	1
13	2	185	77	188	82	162	40	128	17	86	2.5	82	1.8	2
13	3	182	72	190	85	162	40	130	18	87	2.7	82	1.8	3
11	4	185	77	190	85	162	40	124	16	87	2.7	82	1.8	4
18	5	185	77	192	89	164	42	114	↑	88	2.9	82	1.8	5
16	6	188	82	195	94	164	42	106	.86	2.5	.83	2.0	6	
13	7	190	85	192	89	165	43	102	12	87	2.7	82	1.8	7
18	8	198	99	186	79	164	42	97	.86	2.5	.82	1.8	8	
33	9		106	180	69	165	43	94	↓	87	2.7	83	2.0	9
33	10		112	180	69	162	40	90	84	86	2.5	84	2.2	10
35	11	208	119	181	71	157	36	86	↑	.84	2.2	.84	2.2	11
38	12	207	117	180	69	154	33	90	.84	2.2	.84	2.2	12	
38	13	198	99	176	63	154	33	91	.84	2.2	.83	2.0	13	
38	14	195	94	168	53	154	33	87	.84	2.2	.84	2.2	14	
49	15	198	99	160	43	148	29	83	70	84	2.2	84	2.2	15
49	16	192	89	160	43	144	26	82	.84	2.2	.84	2.2	16	
49	17	192	89	160	43	141	24	80	.92	3.7	.83	2.0	17	
62	18	184	75	172	58	142	24	80	.97	4.8	.81	1.7	18	
62	19	178	66	174	58	150	30	80	↓	92	3.7	.80	1.5	19
66	20	179	68	172	50	151	31	87	59	90	3.2	.80	1.5	20
77	21	180	69	170	48	146	27	100	55	.88	2.9	.82	1.8	21
94	22	182	72	162	40	143	25	100	5.5	.88	2.9	.82	1.8	22
94	23	185	77	160	38	140	23	100	5.5	.86	2.5	.80	1.5	23
72	24	199	101	164	42	137	22	100	5.5	.85	2.4	.79	1.4	24
69	25	199	101	168	46	133	20	100	5.5	.85	2.4	.80	1.5	25
43	26	202	107	164	42	132	19	100	5.5	.84	2.2	.80	1.5	26
49	27	123	160	38	130	18	100	5.5	.84	2.2	.80	1.5	27	
53	28	121	162	40	128	17	.97	4.8	.84	2.2	.82	1.8	28	
58	29	92	162	40	124	16	.96	4.6	.84	2.2	.84	2.2	29	
58	30	92	161	39	123	15	.96	4.6	.84	2.2	.84	2.2	30	
58	31	92	161	39	123	15	.92	3.7	.84	2.2	.84	2.2	31	
1392		2719		1828		912		258.5		81.8		55.7		
4419		90.6		59.0		30.4		8.34		264		1.86		
1.95		3.94		2.57		1.32		.363		.115		.0809		
225		4.40		2.96		1.47		.42		.13		.09		
2760		53.90		36.30		18.10		51.3		162		111		14,500
94		123		94		43		18		48		22		
11		62		38		15		37		22		14		
A		A		A		A		B		A		A		

Gage heights checked from old book.

Compared by _____

the year ending September 30,

30.

discharge, in second-feet, of COTTONWOOD CREEK near ARROW ROCK, IDAHO for 1916.

square miles.

MRS. ELDORA HEORICK, observer.

DAY	JUNE		JULY		AUGUST		SEPTEMBER		Day
	Discharge	Gage height							
89	161	39	120	14	0.90	3.2	0.82	1.8	1
82	162	40	128	17	.86	2.5	.82	1.8	2
85	162	40	130	18	.87	2.7	.82	1.8	3
85	162	40	124	16	.87	2.7	.82	1.8	4
89	164	42	114	↑	.88	2.9	.82	1.8	5
94	164	42	106		.86	2.5	.83	2.0	6
89	165	43	102	12	.87	2.7	.82	1.8	7
79	164	42	97		.86	2.5	.82	1.8	8
69	165	43	94	↓	.87	2.7	.83	2.0	9
69	162	40	90	84	.86	2.5	.84	2.2	10
71	157	36	86	↑	.84	2.2	.84	2.2	11
69	154	33	90		.84	2.2	.84	2.2	12
63	154	33	91		.84	2.2	.83	2.0	13
53	154	33	87		.84	2.2	.84	2.2	14
42	148	29	83	7.0	.84	2.2	.84	2.2	15
43	144	26	82		.84	2.2	.84	2.2	16
43	141	24	.80		.92	3.7	.83	2.0	17
58	142	24	.80		.97	4.8	.81	1.7	18
53	130	30	.80	↓	.92	3.7	.80	1.5	19
50	151	31	.87	5.9	.90	3.2	.80	1.5	20
48	146	27	100	5.5	.88	2.9	.82	1.8	21
40	143	25	100	5.5	.88	2.9	.82	1.8	22
38	140	23	100	5.5	.86	2.5	.80	1.5	23
42	137	22	100	5.5	.85	2.4	.79	1.4	24
40	133	20	100	5.5	.85	2.4	.80	1.5	25
42	132	19	100	5.5	.84	2.2	.80	1.5	26
38	130	18	100	5.5	.84	2.2	.80	1.5	27
40	128	17	.97	4.8	.84	2.2	.82	1.8	28
40	124	16	.96	4.6	.84	2.2	.84	2.2	29
39	123	15	.96	4.6	.84	2.2	2.2	3.0	30
39	123	15	.92	3.7	.84	2.2			31
1828		912		258.5		81.8		55.7	
59.0		30.4		8.34		264		186	
257		1.32		.363		.115		.0809	
296		1.47		.42		.13		.09	
3630		1810		513		162		111	
94		43		18		.98		2.2	
38		15		37		.22		1.4	
A		A		B		A		A	J

Gage No. checked from obs. book

Compared by ELDORA Discharge checked by ELDORAChecked by ELDORA Discharge checked by ELDORA

Gage No. checked from obs. book

Compared by ELDORA Discharge checked by ELDORAChecked by ELDORA Discharge checked by ELDORA

Gage No. checked from obs. book

Compared by ELDORA Discharge checked by ELDORAChecked by ELDORA Discharge checked by ELDORA

Gage No. checked from obs. book

Compared by ELDORA Discharge checked by ELDORAChecked by ELDORA Discharge checked by ELDORA

Gage No. checked from obs. book

Compared by ELDORA Discharge checked by ELDORAChecked by ELDORA Discharge checked by ELDORA

Daily gage height, in feet, and discharge, in second-feet, at **50. F.M. OF BOISE**, River **near LENOX, IDAHO**
the year ended

Drainage area **1090** square miles.

R.S. SANDLIN

Day	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY		Gage height
	Gage height	Discharge									
1	2.30	292	2.26	281	2.49	337	2.15	↑	2.50	340	2.7
2	2.28	286	2.26	286	2.47	337	2.70		2.55	357	1.21
3	2.28	286	2.30	292	2.54	354			2.60	374	1.26
4	2.31	295	2.30	292	2.63	385			2.50	340	1.26
5	2.32	298	2.29	289	2.73	423			2.58	367	2.7
6	2.31	295	2.29	289	2.59	371	2.60		2.53	350	2.73
7	2.31	295	2.28	286	2.51	343	2.55	↓	2.77	439	2.66
8	2.31	295	2.27	284	2.43	334	2.45		324	278	1.43
9	2.30	292	2.30	292	2.43	318	2.46		328	262	1.81
10	2.29	289	2.31	295	2.38	303	2.45		324	265	1.20
11	2.29	289	2.25	278	2.30	281	2.43		318	277	1.39
12	2.30	292	2.29	289	2.32	287	2.55		357	267	4.00
13	2.31	295	2.26	281	2.38	303	2.54		354	257	3.9
14	2.33	301	2.07	232	2.55	357	2.54		354	256	3.60
15	2.32	298	2.30	281	2.36	298	2.42		315	256	3.8
16	2.32	298	2.60	374	2.10	231		↑	2.62	381	3.8
17	2.32	298	2.42	315	2.26	271			320	267	4.00
18	2.32	298	2.38	303	2.43	318			2.63	385	4.35
19	2.32	298	2.42	315	2.23	263			273	423	4.5
20	2.32	298	2.48	334	2.42	315		↓	272	419	4.3
21	2.31	295	2.53	350	2.70	411	2.90		193	273	4.23
22	2.30	292	2.45	324	2.84	468	2.20		634	274	4.27
23	2.27	284	2.43	318	2.83	464	2.87		480	282	4.59
24	2.26	281	2.43	318	2.55	357	2.68		404	283	4.25
25	2.26	281	2.37	301	2.37	301	2.64		389	283	4.64
26	2.27	284	2.32	287	2.41	312		↑	281	455	4.05
27	2.27	284	2.39	306	2.36	298			320	285	472
28	2.27	284	2.26	271	2.43	318		↓	2.86	476	4.35
29	2.26	281	2.39	306	2.41	312	2.39		306	278	443
30	2.26	281	2.62	381			300		321	337	4.4
31	2.26	281					300		349	337	1.65
TOTAL	9016		9050		10270		10708		11797		3.
Mean	291		302		331		345		407		
Sec. - ft. per square mile	.267		.277		.304		.317		.373		
Rained, depth in inches	.31		.31		.35		.37		.40		
Run-off in acre-feet	17,900		18,000		20,400		21,200		23,400		62
Maximum	301		381		468		634		476		13
Minimum	281		232		231		23		340		
Acre-feet	A		B		C		D		E		

215E River near LENOX, IDAHO, for 1916
R.S. SANDLIN, observer

Daily gage height, in feet, and discharge, in second-feet, of 50 FR OF

JANUARY		FEBRUARY		MARCH		Day	APRIL		MAY		JUNE		JULY		
Gage height	Discharge	Gage height	Discharge	Gage height	Discharge		Gage height	Discharge							
215		2.50	340	2.74	427	1	4.6	1560	6.8	4150	5.8	2750	5.75	2690	
270		2.55	357	(271)	415	2	4.8	1730	6.9	4310	5.75	2640	6.0	3000	
		2.60	374	(269)	407	3	5.05	1950	7.1	4640	5.85	2810	6.0	3000	
		3.00	250	340	268	4	5.3	2190	7.6	5510	6.2	3260	5.65	2570	
		2.58	367	277	439	5	5.4	2300	8.0	6240	6.6	3840	5.5	2400	
260		2.53	350	273	423	6	5.4	2300	8.2	6620	6.8	4150	5.6	2520	
255	↑	2.77	429	266	396	7	5.45	2350	8.5	7180	6.8	4150	5.65	2570	
245	324	2.78	443	(271)	415	8	5.65	2570	8.1	6430	6.9	4310	5.6	2520	
246	328	2.62	381	238	485	9	5.8	2750	7.8	5880	7.1	4640	5.65	2570	
245	324	2.65	392	3.26	665	10	6.2	3260	7.3	4990	7.2	4810	5.45	2350	
243	318	2.77	439	3.55	826	11	6.7	3990	6.9	4310	7.0	4480	5.25	2140	
255	357	267	400	3.7	916	12	6.8	4150	6.5	3690	6.8	4150	5.1	2000	
254	351	2.57	364	3.9	1050	13	6.6	3840	6.2	3260	6.6	3840	5.0	1900	
254	351	2.56	360	3.9	1050	14	6.6	3840	5.95	2940	6.7	3990	4.85	1770	
242	315	2.56	360	3.8	980	15	6.7	3990	5.8	2750	6.9	4310	4.7	1650	
	↑	2.62	381	3.8	980	16	6.7	3990	5.7	2630	7.2	4810	4.6	1560	
		267	400	4.05	1150	17	6.6	3840	5.7	2630	7.4	5160	4.65	1600	
	320	2.63	385	4.35	1370	18	6.7	3990	5.9	2870	7.6	5510	4.45	1440	
		273	423	4.5	1480	19	6.3	3400	6.4	3540	7.8	5880	4.3	1330	
	↓	272	419	4.3	1730	20	5.9	2870	6.4	3540	7.4	5160	4.15	1220	
		2.62	423	4.85	1770	21	5.95	2940	6.5	3690	6.7	3990	4.05	1150	
290	493	2.73	423	4.85	1770	22	6.1	3130	6.5	3690	6.3	3400	3.95	1080	
320	634	2.74	427	4.7	1650	23	6.2	3260	6.3	3400	5.95	2940	3.85	1010	
287	480	2.82	459	4.5	1480	24	6.6	3840	6.1	3130	5.8	2750	3.8	980	
268	404	2.83	464	4.25	1290	25	7.1	4640	6.0	3000	5.9	2870	3.7	916	
264	389	2.83	464	4.15	1220	26	7.6	5510	5.8	2750	6.1	3130	3.7	916	
	↑	281	455	4.05	1150	27	8.0	6240	5.65	2570	6.3	3400	3.6	855	
		320	2.85	472	4.05	1150	28	7.8	5880	5.55	2460	6.5	3690	3.55	826
	↓	286	476	4.35	1370	29	7.3	4990	5.6	2520	6.4	3540	3.49	790	
		2.78	443	4.4	1410	30	6.9	4310	5.65	2570	6.0	3000	3.41	745	
239	306	2.78	443	4.4	1410				5.75	2690		3.41	3.74	707	
247	331			4.44	1440										
247	337			1645	1440										
247	10708			11797	31348			105600		120580		117410		52775	
								3520		3890		3910		1700	
				407	1010			323		357		359		156	
				.373	927			360		412		400		180	
				440	107			209000		239000		233000		105000	
				37	62100			6240		7180		5880		3000	
				23400	1770			1560		2460		2690		707	
				476	1770			A		A		A		A	
				340	396			B		B		B		B	
				C	D			O		O		O		B	

UNITED STATES GEOLOGICAL SURVEY, WATER RESOURCES BRANCH

Daily gage height, in feet, and discharge, in second-feet, of SO. FR. OF BOISE RIVER AT LENOX, IDAHO, for the year ending September 30, 1916.

Drainage area, 60.00

square miles.

R. S. SANDLIN, observed

Date	APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		Day
	Day	Gage height	Discharge	Day	Gage height	Discharge	Day	Gage height	Discharge	Day	Gage height	Discharge	
4/27	1	4.6	1560	6.8	4150	5.8	2750	575	2690	3.29	680	2.67	400
4/28	2	4.8	1730	6.9	4310	5.75	2670	6.0	3000	3.26	665	2.64	389
4/29	3	5.05	1950	7.1	4640	5.85	2810	6.0	3000	3.20	634	2.61	378
4/30	4	5.3	2190	7.6	5510	6.2	3260	5.65	2570	3.17	619	2.63	385
5/1	5	5.4	2300	8.0	6240	6.6	3840	5.5	2400	3.15	610	2.65	392
5/2	6	5.4	2300	8.2	6620	6.8	4150	5.6	2520	3.14	605	2.63	385
5/3	7	5.45	2350	8.5	7180	6.8	4150	5.65	2570	3.10	585	2.62	381
5/4	8	5.65	2570	8.1	6430	6.9	4310	5.6	2520	3.06	566	2.61	378
5/5	9	5.8	2750	7.8	5880	7.1	4640	5.65	2570	3.03	552	2.60	374
5/6	10	6.2	3260	7.3	4990	7.2	4810	5.45	2350	3.02	547	2.68	404
5/7	11	6.7	3990	6.9	4310	7.0	4480	5.25	2140	2.98	529	2.71	415
5/8	12	6.8	4150	6.5	3690	6.8	4150	5.1	2000	2.95	516	2.70	411
5/9	13	6.6	3840	6.2	3260	6.6	3840	5.0	1900	2.91	498	2.67	400
5/10	14	6.6	3840	5.95	2940	6.7	3990	4.85	1770	2.89	489	2.63	385
5/11	15	6.7	3990	5.8	2750	6.9	4310	4.7	1650	2.86	476	2.62	381
5/12	16	6.7	3990	5.7	2630	7.2	4810	4.6	1560	2.86	476	2.59	371
5/13	17	6.6	3840	5.7	2630	7.4	5160	4.65	1600	2.87	480	2.57	364
5/14	18	6.7	3990	5.9	2870	7.6	5510	4.45	1440	2.97	524	2.54	354
5/15	19	6.7	3400	6.4	3540	7.8	5880	4.3	1330	2.97	524	2.52	347
5/16	20	5.9	2870	6.4	3540	7.4	5160	4.15	1220	2.92	502	2.52	347
5/17	21	5.95	2940	6.5	3690	6.7	3990	4.05	1150	2.88	485	2.52	347
5/18	22	6.1	3130	6.5	3690	6.3	3400	3.95	1080	2.85	472	2.51	343
5/19	23	6.2	3260	6.3	3400	5.95	2940	3.85	1010	2.80	451	2.50	340
5/20	24	6.6	3840	6.1	3130	5.8	2750	3.8	980	2.74	427	2.50	340
5/21	25	7.1	4640	6.0	3000	5.9	2870	3.7	916	2.71	415	2.50	340
5/22	26	7.6	5510	5.8	2750	6.1	3130	3.7	916	2.69	407	2.50	340
5/23	27	8.0	6240	5.65	2570	6.3	3400	3.6	855	2.67	400	2.50	340
5/24	28	7.8	5880	5.55	2460	6.5	3690	3.55	826	2.66	396	2.50	340
5/25	29	7.3	4990	5.6	2520	6.4	3540	3.49	790	2.65	392	2.50	340
5/26	30	6.9	4310	5.65	2570	6.0	3000	3.41	745	2.78	443	2.51	343
5/27	31							3.34	707	2.73	423		31
5/31	32												
3/348		105,600		120,580		117,410		52,775		15,788		11,054	
													505,396
10/10		3,520		3,890		3,910		1,700		509		368	
9/27		3,23		3,57		3,59		1,56		447		338	
10/7		3,60		4,12		4,00		1,80		.54		.38	
6/2,100		209,000		239,000		233,000		105,000		31,300		21,900	
17/90		62,40		7,180		5,880		3,000		680		415	
3/96		1560		2460		2690		707		392		340	
A		A		A		A		A		A		A	
		0		0		0		B		B		B	
													111

Gage height checked from observations made at LENOX, IDAHO by R. S. SANDLIN on July 2, 1916.

Discharge calculated by W. H. DAVIS on July 2, 1916.

T. C. M. calculated by W. H. DAVIS on July 2, 1916.

Year

UNITED STATES GEOLOGICAL SURVEY. WATER RESOURCES BRANCH.

and discharge, in second-class, of SO. FK. OF BOISE River ~~near~~ LENOX, IDAHO, for 1916.

LOGO square miles.

R. S. SANDLIN

www.elsevier.com

Date M.	MAY		JUNE		JULY		AUGUST		SEPTEMBER	
	Discharge.	Gage height.								
8	+150	5.8	2750	5.75	2690	3.29	680	267	400	1
9	4210	5.75	2690	6.0	3000	3.26	665	264	389	2
1	4640	5.85	2810	6.0	3000	3.20	634	261	378	3
6	5510	6.2	3260	5.65	2570	3.17	619	263	385	4
0	6240	6.6	3840	5.5	2400	3.15	610	265	392	5
2	6620	6.8	4150	5.6	2520	3.14	605	263	385	6
5	7180	6.8	4150	5.65	2570	3.10	585	262	381	7
1	6430	6.9	4310	5.6	2520	3.06	566	261	378	8
8	5880	7.1	4640	5.65	2570	3.03	552	260	374	9
3	4990	7.2	4810	5.45	2350	3.02	547	268	404	10
6.9	4310	7.0	4480	5.25	2140	2.98	529	271	415	11
6.5	3690	6.8	4150	5.1	2000	2.95	516	270	411	12
6.2	3260	6.6	3840	5.0	1900	2.91	498	267	400	13
5.95	2940	6.7	3990	4.85	1770	2.89	489	263	385	14
5.8	2750	6.9	4310	4.7	1650	2.86	476	262	381	15
5.7	2630	7.2	4810	4.6	1560	2.86	476	257	371	16
5.7	2630	7.4	5160	4.65	1600	2.87	480	257	364	17
5.9	2870	7.6	5510	4.45	1440	2.97	524	254	354	18
6.4	3540	7.8	5880	4.3	1330	2.97	524	252	347	19
6.4	3540	7.4	5160	4.15	1220	2.92	502	252	347	20
6.5	3690	6.7	3990	4.05	1150	2.88	485	252	347	21
6.5	3690	6.3	3400	3.95	1080	2.85	472	251	343	22
6.3	3400	5.95	2940	3.85	1010	2.80	451	250	340	23
6.1	3130	5.8	2750	3.8	980	2.74	427	250	340	24
6.0	3000	5.9	2870	3.7	910	2.71	415	250	340	25
5.8	2750	6.1	3130	3.7	910	2.69	407	250	340	26
5.65	2570	6.3	3400	3.6	855	2.67	400	250	340	27
5.55	2460	6.5	3690	3.55	826	2.66	396	250	340	28
5.6	2520	6.4	3540	3.49	790	2.65	392	250	340	29
5.65	2570	6.0	3000	3.41	745	2.78	443	251	343	30
5.75	2690	3.34	707	2.73	422	4.2				31
	120,580		117,410		52,775		15,788		11,054	
	3890		3,910		1,700		309		368	
	3,57		3,59		1,56		1467		338	
	4,612		4,00		1,80		.54		.38	
	239,000		233,000		105,000		31,300		21,900	
	7,180		5,880		3,000		680		415	
	2460		2690		707		392		340	
	A		A		A		A		A	
	v		o		B		B		B	

9-192-4

UNITED STATES GEOLOGICAL SURVEY. [WATER RESOURCES BRANCH]

Daily gage height, in feet, and discharge, in second-feet, of SMITH CREEK

Drainage area

square miles.

the year

near LENOX, 102

A.R. KRELL

Day.	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge								
1									23	60
2									23	15
3									25	15
4									25	14
5									27	13
6									26	13
7							0.63	10	19	35
8									18	32
9									16	28
10									15	25
11						70			14	22
12									13	23
13									12	24
14						50			12	25
15									13	26
16									13	27
17					0.40				13	29
18									13	31
19									13	31
20						70			13	32
21									13	32
22									15	32
23									17	32
24									18	31
25							75	72	20	31
26									20	32
27									19	32
28									18	32
29									17	32
30									16	32
31									15	32
TOTAL									529	770
Mean									13.1	266
Sec.-ft. per square mile										
Run-off, depth in inches										
Run-off in acre-feet										
Maximum										
Minimum										
Accuracy									C	0

Table of 100, Half-trials

First rating table dated 8/12/16

FRAGMENTARY GAGE HEIGHT RECORD IN DECEMBER AND JANUARY. NO ESTIMATES MADE FOR THESE MONTHS.

ge, in second-dec, of SYLVIA CREEK

the year ending September 30

near LENOX, IDAHO for 1916

Learning Indicators

A.R.KRAL

for 1914

Daily gage height, in feet, and discharge

Dokumento 0001

10

ED BRANCH 1

the year ending September 30,

near LENOX, 10240

for 1916

A.R. KRALL

(observer.)

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCE)

Daily gage height, in feet, and discharge, in second-feet, of SMITH CREEK

JAN	FEBRUARY		MARCH		APRIL	MAY		JUNE		JULY		AUG
	Discharge	Gage height	Discharge	Gage height		Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	
23	0.60	15			2.8	181	27	168	97	111		
23		15	0.97		1	196		168	98	125	116	0.10
25		14	.95		3	190		168	108		110	
27		13			4	2.9	195	168	118	104	.26	
28	.53	13			5	195	27	168	129	58		
22		24			6		195	175	139	92		
19	1.10	35			7	2.9	195	182	255	147	86	
18		32	1.10		8		222	188	250	143	81	.10
16		28			9		248	29	195	128	75	-.17
15		25			10		275	170	136	69		0
14	.78	22	205		11	3.6	302	146	135	63	-.20	0
13		23			12		276	230	121	134	57	0
12		24			13		250	220	111	132	51	0
12		25			14	3.1	224	105	250	143	43	-.20
13	.88	26			15		213	91	156	45		0
13		27			16		202	200	93	168	41	-.20
13		29			17		192	200	93	28	38	3.1
13	1.00	31			18	2.8	181	110	195	115	35	7.1
13		31			19		168	235	126	210	105	3.1
13		32			20		156	121	3.1	227	31	2.1
13		32			21	250	142	116	190	96	27	0.2
15	1.03	32			22		156	111	155	98	28	0.2
17		32			23		167	215	106	230	121	-.28
18	.59	31			24		182	100	121	85	25	0.2
20		31			25	2.9	195	95	121	22	-.26	0.2
20		32			26	3.2	237	195	89	121	69	17
19		32			27		232	92	230	121	10	0.2
18	1.03	32			28	3.1	224	92	116	.58	14	-.27
17	1.02	32			29		205	93	111	12		0.2
16					30		187	74	215	106	47	-.28
15							6178	3956	4216	1592		36.6
524		770					206	128	141	51.4		18.
17.1		266										
							12,300	7870	8390	3160		113
1050		1530					302	195	224	116		72
27		35					143	89	97	6		.2
12		13					C	C	C	C		D
C										B		

UNITED STATES GEOLOGICAL SURVEY, WATER RESOURCES BRANCH

the year ending September 30,

SMITH. GREEK

SMITH CREEK near LENOK, IDAHO.

for 1916

age height, in feet, and discharge, in second-feet, of

Document ID: 1000

www.wiley.com

A.P.KREALL

J. obsoletus

for 1916

APRIL	MAY		JUNE		JULY		AUGUST		SEPTEMBER			
	Discharge.	Gage height.	Discharge.									
	181	27	168		97		111		4.5		0.2	1
	186		168	205	98	225	116	0.10	3.0		0.2	2
	172		168		108		110		4.2		0.2	3
	195		168		118		104	.26	5.2		0.2	4
	195	27	168		129		98		4.7		0.2	5
	195		175		139		92		4.2		0.2	6
9	195		182	255	147		86		3.6	-.25	0.2	7
	222		188	250	143		81	.10	3.0	-.26	0.2	8
	248	29	195	245	138		75	-.17	0.6	-.25	0.2	9
	275		170		136		69		0.5		0.2	10
6	302		146		135		63	-.20	0.4	-.22	0.3	11
	276	230	121		134		57		0.4		0.3	12
	250	220	111	240	132	140	51		0.4	-.22	0.3	13
3.1	224		105	250	143	135	48	-.20	0.4		0.3	14
	213		99		156		45		0.4	-.25	0.2	15
	202	200	93		163		41	-.20	0.4	-.20	0.4	16
	192	200	93	28	181	115	38		3.8		0.4	17
28	181		110		195	110	35	.35	7.2	-.20	0.4	18
	168	235	126		210	105	33		4.7		0.4	19
	156		121	31	224		31		2.5	-.20	0.4	20
250	143		116		190	.96	29	-.25	0.2		0.4	21
	156		111		155	92	28		0.2		0.4	22
	149	215	106	230	121	.88	20	-.28	0.2	-.20	0.4	23
	182		100		121	85	25		0.2		0.4	24
2.9	195		95		121		22	-.26	0.2	-.19	0.5	25
3.2	237	195	89		121	69	19		0.2		0.5	26
	232		90	230	121		16		0.2	-.18	0.5	27
3.1	224		72		116	.58	14	-.27	0.2		0.4	28
	205		93		111		12		0.2	-.17	0.6	29
	187		74	215	106	47	11	-.28	0.2		0.6	30
			95			30	6		0.2			31
	6178		3956		4216		1592		56.6		10.4	
	206		128		141		51.4		1.83		347	
	12,300		7870		8390		3160		113		20.6	
	302		195		224		116		7.2		.6	
	143		89		97		6		.2		.2	
	C		C		C		C		D		D	
									B		B	

Daily gage height, in feet, and discharge, in second-feet, of LONG GULCH CREEK

Drainage area

square miles.

LENO

A.R.KRALL

Day	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge
1									2.6	.029
2									2.6	
3									2.8	
4									1.0	
5									2.9	
6									2.7	
7									2.5	
8							0.15		2.3	
9									2.3	
10									2.4	
11									2.4	
12						1.6			2.5	
13									2.6	
14								1.4	2.7	
15							2.3		2.2	
16									2.2	
17									2.2	
18								0.9	2.2	.68
19									2.2	
20									2.2	
21								0.9	2.2	
22									3.2	.79
23									4.2	
24									5.2	.77
25									6.1	
26									5.5	
27									4.9	
28									4.3	.75
29									4.3	.69
30									4.4	
31									4.6	
									97.4	
									3.04	
	Total									
	Mean									
	Sec - ft. per square mile									
	Run-off, depth in inches									
	Run-off in water feet									
	Maximum									
	Minimum									
	Accuracy									

PAGE 125

{ NO 220 GAGE HAVING 0.20 TO 0.30 FEET HEIGHTS.

ADJUSTED NOV 1. 1940. 30 DIRECT.

JULY 3-12 ON ACCOUNT OF MISSING GAGE HEIGHTS.

INCORRECT PASTING PRIOR TO NOV 1. NO ESTIMATES MADE AFTER NOV 1. NO PASTING.

Table of sec. of water.

Live filling last day.

ESTIMATED INCORRECT PASTING.

Mean

Sec - ft. per

square mile

Run-off, depth

in inches

Run-off in water

feet

Maximum

Minimum

Accuracy

19.3

6.1

6.2

D

the year ending September 30,

TULCH CREEK

LENOK, IDAHO for 1946

R.R. KRALL

[observer]

Daily gage height, in feet, and discharge, in second-feet, of Lou-

Drainage area.

square miles.

ER charge.	JANUARY		FEBRUARY		MARCH		Day	APRIL		MAY		JUNE		Gage height
	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge		Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	
	2.6	0.29					1	1.65	34	8.9		3.5		
0.13	2.6						2		34	0.75	82	0.40	3.3	0.32
	2.8						3		34		76		3.0	
10	2.9						4	1.65	34	.68	70		2.7	
	2.7	.21					5		31	.68	70		2.4	
	2.5						6		27		70		2.1	
10	2.3						7	1.4	24	6.9	.24	1.8		
	2.3						8		26		6.8	.26	2.0	
	2.4						9		28	.66	6.7	.18	1.4	
11	2.4						10		30		6.5		1.4	
	2.5	.28					11	1.6	32		6.3		1.4	
	2.6						12		30	.62	6.1		1.5	
14	2.7						13		28	.18	4.3	.20	1.5	.06
09	2.2						14	1.25	26		4.6	.24	1.8	.09
	2.2	.64					15		24		4.9		1.4	
	2.2						16		23	.55	5.2	.14	1.1	
	2.2						17		22	.52	4.8		1.3	
09	2.2	.68					18	1.24	20		4.9		1.6	.04
	2.2						19		18	.54	5.0		1.8	.02
	2.2						20		16		4.7	.26	2.0	
09	2.2						21	1.05	14		4.5		2.0	-.06
	3.2	.79					22		14		4.3	.26	2.0	-.02
	4.2						23		13	.47	4.1	.24	1.8	.00
	5.2	.77					24		12		4.3		1.7	-.06
42	6.1						25	9.6	12		4.6		1.5	
	5.5						26	9.5	12	.53	4.9	.19	1.4	-.06
	4.9						27		12		4.7	.19	1.4	
28	4.3	.75					28	9.1	11		4.4		1.3	-.08
	4.3	.69					29		10		4.2		1.3	
	4.4						30		9.6		3.9	.16	1.2	
	4.4						31				3.7			
	97.4								660.6		171.0		54.6	-.10
	3.11								22.0		5.52		1.82	.06
	193													
	6.1								1310		5.39		10.8	
	8.2								34		8.9		3.5	
	D								9.6		3.7		6.1	
									C		C		C	

RESOURCES BRANCH]

CREEK [Bear LENOX, IDAHO for 1916
A.R. KRALL, observer.]

the year ending September 30,

UNITED STATES GEOLOGICAL SURVEY. [WATER]

Daily gage height, in feet, and discharge, in second-feet, of LONG GULCH.

JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY				
Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Day	Gage height	Discharge								
0.13	2.6	0.29				1	1.65	314	8.9	3.5			1.8			
	2.6					2		314	0.75	8.2	0.40	3.3	0.32	2.5		
	2.8					3		314		7.6		3.0				
1.0	2.9					4	1.65	314	.68	7.0		2.7				
	2.7	.21				5		31	.68	7.0		2.4				
	2.5					6		29		7.0		2.1		1.5		
.10	2.3					7	1.4	24	6.9	.24	1.8					
	2.3			0.95		8		26		6.8	.26	2.0				
	2.4					9		28	.66	6.7	.18	1.4				
1.1	2.4					10		30		6.5		1.4				
	2.5	.28	1.7			11	1.6	32	6.3		1.4					
	2.6					12		30	.62	6.1		1.5				
1.4	2.7					13		28	.48	4.3	.20	1.5	.06	0.6		
.09	2.2					14	1.65	26	4.6	.24	1.8	.09	.8	-0		
	2.2	.64				15		24		4.9		1.4		.8		
	2.2					16		23	.55	5.2	.14	1.1		.8		
	2.2					17		22	.52	4.8		1.3	.10	.8		
.09	2.2	.68				18	1.24	20	4.9		1.6	.04	.6	.0		
	2.2					19		18	.54	5.0		1.8	.02	.5		
	2.2					20		16		4.7	.26	2.0		.4		
.09	2.2					21	1.05	14	4.5		2.0	-.06	.2	-.0		
	3.2	.79				22		14		4.3	.26	2.0	-.02	.3		
	4.2					23		13	.47	4.1	.24	1.8	0.0	.4	-.0	
	5.2	.77				24		12		4.3		1.7	-.06	.2		
.42	6.1					25	9.6	12	4.6		1.5		.2	-.03		
	5.5					26	9.5	12	.53	4.9	.19	1.4	-.06	.2		
	4.9					27		12		4.7	.19	1.4		.2		
.28	4.3	.75				28	9.1	11	4.4		1.3	-.08	.2	-.0		
	4.3	.69				29		10		4.2		1.3		.2		
	4.4					30		9.6		3.9	.16	1.2		.1	-.07	
	4.4					31				3.7			-.10	.1		
	97.4							660.6	171.0	54.6		26.9				
	3.14							220	5.52	1.82		.868				
	193							1310	339	108		52.4				
	6.1							34	8.9	3.5		2.5				
	2.2							9.6	3.7	1.1		.1				
	D							C	C	C		D				

Daily gage height, in feet, and discharge, in second-feet, of LONG GULCH CREEK near LENOX, IDAHO for 1916.

Drainage area

square miles.

A.R. KROLL

observer

Day	APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		Day
	Gage height	Discharge											
1	165	344	8.9		3.5		1.8		0.1		.2		1
2		344	0.75	82	0.40	3.3	0.32	2.5	-0.10	.1	2		2
3		34		7.6		3.0				.1	.2		3
4	165	344	.68	7.0		2.7			-0.10	.1	.2		4
5		31		7.0		2.4				.1	.2		5
6		27		7.0		2.1		1.5		.2	.2		6
7	14	24		6.9	.24	1.8				.2	-0.06		7
8		26		6.8	.26	2.0			-0.06	.2	-0.03		8
9		28	.66	6.7	1.8	1.4			-0.09	.1	-0.04	.3	9
10		30		6.5		1.4				.1	.1	.4	10
11	16	32		6.3		1.4			-0.10	.1	-0.01	.4	11
12		30	.62	6.1		1.5				.1	.4		12
13		28	.48	4.3	.20	1.5	.06	0.6		.1	.00	.4	13
14	145	26		4.6	.24	1.8	.09	.8	-0.09	.1	.4		14
15		24		4.9		1.4		.8		.1	-0.02	.3	15
16		23	.55	5.2	.14	1.1		.8	-0.08	.2	-0.05	.2	16
17		22	.52	4.8		1.3	.10	.8		.4		.2	17
18	124	20		4.9		1.6	.04	.6	.02	.5	-0.06	.2	18
19		18	.54	5.0		1.8	.02	.5		.4		.2	19
20		16		4.7	.26	2.0		.4		.4	-0.05	.2	20
21	105	14		4.5		2.0	.06	.2	-0.03	.3		.2	21
22		14		4.3	.26	2.0	.02	.3		.4		.2	22
23		13	.47	4.1	.24	1.8	.00	.4	-0.01	.4	-0.05	.2	23
24		12		4.3		1.7	.06	.2		.4		.2	24
25		12		4.6		1.5		.2	-0.03	.3	-0.04	.3	25
26	95	12	.53	4.9	.19	1.4	.06	.2		.3		.3	26
27		12		4.7	.19	1.4		.2		.2	-0.04	.3	27
28	91	11		4.4		1.3	.08	.2	-0.06	.2		.3	28
29		10		4.2		1.3		.2		.2	-0.03	.3	29
30	96	39	.16	1.2		.1		.07	.2		.3		30
		3.7				-10		.1		.2			
	660.6	171.0		54.6		26.9			6.8		7.9		
	220		552		1.82		.868		.219		.263		
	1310		939		10.9		53.4		13.5		15.6		
	94		8.9		3.5		2.5		.5		.4		
	96		3.7		1.1		.1		.1		.2		
	C		0		C		D		D		D		

Gage height checked from old check

Compared by

Crossed out

checked

checked

Bkt. Eng.

Quart

Eltif

check

out

in

check

check

2,030

the year ending September 30,

discharge, in second-inet, of LONG GULCH CREEK near LENOX, IDAHO for 1916.

square miles.

A.R.KRALL, observer.

T 30 N
R 10 E

MAY	JUNB		JULY		AUGUST		SEPTEMBER		Day.
	Discharge.	Gage height.	Discharge.	Gage height.	Discharge.	Gage height.	Discharge.	Day.	
8.9		3.5		1.8		0.1		2	1
8.2	0.40	3.3	0.32	2.5	-0.10	.1	2	2	
7.6		3.0				.1	2	3	
7.0		2.7			-0.10	.1	2	4	
7.0		2.4				.1	2	5	
7.0		2.1		1.5		.2	2	6	
6.9	.24	1.8				.2	2	7	
6.8	.26	2.0			-0.06	.2	2	8	
6.7	.18	1.4			-0.09	.1	2	9	
6.5		1.4				.1	2	10	
6.3		1.4			-0.10	.1	2	11	
6.1		1.5				.1	2	12	
4.3	.20	1.5	.06	0.6		.1	2	13	
4.6	.24	1.8	.09	.8	-0.09	.1	2	14	
4.9		1.4		.8		.1	2	15	
5.2	.14	1.1		.8	-0.08	.2	2	16	
5.2	4.8	1.3	.10	.8		.4	2	17	
4.9		1.6	.04	.6	.02	.5	2	18	
5.4	5.0	1.8	.02	.5		.4	2	19	
4.7	.24	2.0		.4		.4	2	20	
4.5		2.0	-0.06	.2	-0.03	.3	2	21	
4.3	.26	2.0	-0.02	.3		.4	2	22	
4.7	4.1	1.8	.00	.4	-0.01	.4	2	23	
4.3		1.7	-0.06	.2		.4	2	24	
4.6		1.5		.2	-0.03	.3	2	25	
5.3	4.9	1.4	-0.06	.2		.3	2	26	
4.7	.19	1.4		.2		.2	2	27	
4.4		1.3	-0.08	.2	-0.06	.2	2	28	
4.2		1.3		.2		.2	2	29	
3.9	.16	1.2		.1	-0.07	.2	2	30	
3.7				-0.10	.1	.2	2	31	
171.0		54.6		26.9		6.8		7.9	
5.52		1.82		.868		.219		.263	
3.39		10.8		53.4		13.5		15.6	
8.9		3.5		2.5		.5		.4	
3.7		1.1		.1		.1		.2	
C		C		D		D		D	

Gage hts. checked from obs. check by AuntDischarge verified by AuntDischarge adjusted by AuntDischarge adjusted by AuntDischarge checked by AuntDischarge checked by AuntDischarge checked by Aunt

Dist. Eng.

Gage hts. copied by AuntGage hts. checked by AuntGage hts. copied by AuntGage hts. checked by AuntGage hts. copied by AuntGage hts. checked by Aunt

checked by

checked by

checked by

checked by

checked by

checked by

2,030

UNITED STATES GEOLOGICAL SURVEY. [WATER RESOURCES BRANCH.]
Daily gage height, in feet, and discharge, in second-feet, of
the
WILL SNAKE CREEK near LENOX

Drainage area

16

square miles.

A.R.KROLL & SAM F. KESL

Day	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge
1		8.2		11		18		160	20	115
2	0.84	8.2	0.90	11	19	115	20		26	
3	0.83	7.7	.93	13	1.06	20		20		28
4		7.7	.91	12		27	1.25	26		29
5	.83	7.7		13	1.25	34		24		33
6	.85	8.6	.95	14		26				37
7		8.4		14	104	19	116	20		41
8	.84	8.2	.95	14		22				45
9		8.6	.91	12		25		18		49
10	.86	9.1		12		28	105	14		53
11	.85	8.6	.89	11	1.22	32		15		53
12		8.8	.85	8.6		24		15		21
13	.86	9.1	.83	7.7		16	1.09	16		53
14		8.8		12	.85	8.6	1.08	15		52
15	.85	8.6	1.00	16	.98	15	1.04	13	1.45	52
16		8.8		16		17		14	1.50	56
17	.86	9.1	0.98	15		20		15		60
18	.87	9.6	.98	15		22	1.09	16	1.60	65
19		9.6		15		25		16		65
20	.87	9.6		16	1.16	27		15		65
21		9.8	1.00	16			1.08	15		65
22	.88	10		16			24	1.60	65	29
23		10	1.01	17			1.35	34		62
24	.89	11		17			1.40	38	1.55	60
25	.88	10		17		20	1.75	70		60
26		10	1.01	17	1.20			64		60
27	.90	11	1.02	18				58		60
28	.88	10		17				52		60
29		11	1.00	16				45		60
30	.91	12		17	1.68			39		
31		12						32		
	TOTAL	289.8	426.3		664.6		824	1514		
	Mean	9.35	14.2		21.4		26.6	52.4		
	Sec. - ft. per square mile	203	.309		.465		.578	1.14		
	Run-off depth in inches	.23	.34		.54		.67	1.25		
	Run-off in acre-feet	575	845		1320		1640	3010		
	Maximum	12	18		34		70	65		
	Minimum	7.7	7.7		8.6		13	26		
	Accuracy	B	B	D	D		D	D		

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCE BRANCH.)

, and discharge, in second feet, of BATTLE SNAKE CREEK near LENOX, IDAHO, for 1916.

the year ending September 30,

square miles.

A.R.KRALL & SAM F. KESL, observers

Daily gage height, in

Drainage area

OCTOBER	NOVEMBER		DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL	
Date	Discharge	Gage height	Discharge	Date	Gage height	Discharge						
82		11		18	1.60	20	1.15	26		1	24	137
4	82	.90	11	19	1.15	20		28		2	24	137
3	7.7	.93	13	1.06	20		23	1.18		3		137
7.7	.91	12		27	1.25	26		33		4	24	137
3	7.7	12	1.25	34		24		37		5		137
15	8.6	.95	14		26		22	41		6		137
8.4		14	1.04	19	1.16	20		45	1.55	7	24	137
8.2	.95	14		22		18		49	1.60	8		132
8.6	.91	12		25		16	1.47	53	98	9	23	128
86	.91	12		28	1.05	14		53	131	10		137
85	8.6	.89	11	1.22	32		15		53	11	25	146
8.8	.85	8.6		24		15		53	28	12		140
86	9.1	.83	7.7		16	1.09	16		52		13	134
8.8		12	.85	8.6	1.08	15		52	175	14	23	128
85	8.6	1.00	16	.98	15	1.04	13	1.95	52	15	23	128
88		16			17		14	1.50	56	16		122
86	9.1	0.98	15		20		15		60	17		116
87	9.6	.98	15		22	1.09	16	1.60	65	18	2.10	110
96		15			25		16		65	19		114
87	9.6	16	1.16	27			15		65	20	22	119
9.8	1.00	16			108	15		65	29	21	190	92
88	10	16			24	1.60		65		22		99
10	1.01	17			135	34		62		23		106
89	11	17			140	38	1.55	60		24		112
88	10	17		20	1.75	70		60		25		119
10	1.01	17	1.20			64		60	22	26		119
88	10	17				58		60		27		119
90	11	1.02	18			52		60		28	22	119
88	10	17				45		60		29		117
11	1.00	16				39			60	30		114
91	12	17	1.68			32			60	31		115
12								1514				3729
289.8		426.3		664.6		824			4015			
9.35		14.2		21.4		26.6		52.4				124
203		309		465		.578		1.14				270
.23		34				.67		1.23				301
575		845		1320		1640		3010				7380
12		18		.74		70		65				146
22		77		8.6		13		26				92
				D		D		D				5

WAKE CREEK

LENOX RADIO for 1916

LENOX, IDAHO for 1916

A.R.KRALL & SAMIL F.KESL

Daily gage height, in feet, and discharge, in second-feet, on *RATTLE SNAKE RIVER*

ing September 30,
1916.

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCES BRANCH.)

the year ending

Daily gage height, in feet, and discharge, in second-feet, of RATTLESNAKE CREEK near LENOX, IDAHO.

A.R. KRALL & SAM'L F. KESL, observers

Drainage area .46 square miles.

MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		
Gage height.	Discharge.	Day	Gage height.	Discharge.	Day	Gage height.	Discharge.	Day	Gage height.	Discharge.	Day	Gage height.	Discharge.	Day
60	1	24	137		112		60		56		20		13	1
60	4	24	137	210	110	155	60	168	59	134	19	13	2	
60	5		137		113		64	172	67		20		13	3
60	4	24	137		116		67		60	135	20	124	13	4
60	5		137	22	119		70	165	54	134	19	12	5	
60	6		137		117	170	74		53	134	19	122	12	6
155	60	7	24	137		114	180	83		53		19	121	12
160	65	8		132		112	180	83	164	52	133	19	122	12
98	9	23	128	210	110	175	78	161	46	131	18	127	15	10
131	10		137		98		70		48		18		14	10
27	164	11	25	146		86	170	74	163	50	130	17	123	13
28	173	12		140	170	74	170	74		45		17		13
174		13		134	150	56	160	65		41		17	124	13
175		14	23	128		59	160	65	153	36	130	17	121	12
176		15	23	128		62	170	74		35		16	122	12
177		16		122	160	65	170	74		35	127	15	122	12
178		17		116	155	60		75	152	34		18		12
179		18	210	110	160	65		76		32	136	21	122	12
180		19		114	160	65		77	149	31		19	122	12
181		20	22	119	170	74	175	78		29		18	121	12
29	182	21	190	92		71		72	146	28	128	16		12
5	170	22		99		68	160	65		28	126	15		11
2	157	23		106	160	65	160	65	145	28	126	15	120	11
0	144	24		112		62	175	78	142	25		14	120	11
0	132	25	22	119		59		69		24	124	13	119	10
0	22	26		150		56	155	60	141	24		13		10
0	119	27	22	109		58	155	60		24		14	119	10
0	122	28		119				60	142	25	125	14		10
0	125	29	22	155		60		60		25			120	11
0	128	30		117		60	169	61	138	28		13	120	11
0	131	31		114		60	164	52		22	122	12		11
0	134	32		155		60		136	21	124	13			31
19	4015		3729		2466		2089		1187		518		359	180
2.4	130			124		795		696		383		167		120
1.14	283		270		173		151			833		363		261
1.23	3.26		301		199		168			96		42		29
10	7990		7380		4890		4140			2360		1030		714
65	182		146		119		83			67		21		15
26	60		92		56		52			8		12		10
20			8		8		8			8		8		8

UNITED STATES GEOLOGICAL SURVEY. (WATER RESOURCES BRANCH.)

the year ending September 30.

height, in feet, and discharge, in second-feet, of Rattlesnake Creek near LENOX, IDAHO for 1916.

A.R.KRALL & SAMI F.KESL - GÖTTSCHE

No.	MAY		JUNE		JULY		AUGUST		SEPTEMBER		Day
	Discharge	Cage height	Discharge	Cage height	Discharge	Cage weight	Discharge	Cage height	Discharge	Cage height	
137		112		60		56		20		13	1
137	210	110	155	60	168	59	134	19	13	2	
137		113		64	172	67		20	13	3	
137		116		67		60	135	20	124	13	
137	22	119		70	165	59	134	19	12	5	
137		117	170	74		53	134	19	122	12	
137		114	180	83		53		19	121	12	
132		112	180	83	164	52	133	19	122	12	
128	210	110	175	78	161	46	131	18	127	15	
137		98		76		48		18		14	10
146		86	170	74	163	50	130	17	123	13	
140	170	74	170	74		45		17		13	12
134	150	56	160	65		41		17	124	13	13
128		59	160	65	153	36	130	17	121	12	14
128		62	170	74		35		16	122	12	15
122	160	65	170	74		35	127	15	122	12	16
116	158	60		75	152	34		18		12	17
110	160	65		76		32	136	21	122	12	18
114	160	65		77	149	31		19	122	12	19
119	170	74	175	78		29		18	121	12	20
98		71		72	146	28	128	16		12	21
99		68	160	65		28	126	15		11	22
106	160	65	160	65	145	28	126	15	120	11	23
112		62	175	78	142	25		14	120	11	24
99		59		69		24	124	13	119	10	25
119	150	56	135	60	141	24		13		10	26
119		58	155	60		24		14	119	10	27
119	155	60		60	142	25	125	14		10	28
47		60	169	61	138	28		13	120	11	29
44		60	164	52		22	122	12		11	30
	155	60			136	21	124	13		10	31
3129		2466		2089		1187		518		359	18086.7
124		79.5		69.6		38.3		16.7		12.0	49.4
290		173		151		833		363		.261	1.07
301		199		163		96		42		.29	16.62
1380		4890		4140		2360		1030		714	35,900.0
144		119		83		67		21		15	182
92		56		52		21		12		10	7.7
5		0		8		B		8		B	

DAILY GAGE HEIGHT, IN FEET, AND DISCHARGE, IN SECOND FEET, OF *WILLOW CREEK*

Drainage area

-square miles.

S.F. KESI

The eye

10

S.F. KESI

UNITED STATES GEOLOGICAL SURVEY. [WATER RESOURCES BRANCH]
 Area, in second-feet, of WILLOW CREEK [near LENOX, IDAHO for 1916
 square miles.

the year ending September 30,
 S.F. KESL [observer.]

Daily gage height, in feet, and discharge

NOVEMBER		DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		MAY	
Gage height	Discharge												
	0.80									194		45	
			1.85							2.40	194	41	
										1.85		37	
										1.76	0.88	33	
										1.67		31	
										2.10	1.58	.85	29
										1.50		29	
										1.43	.90	29	
										1.90	1.35	26	
										1.34	.85	24	
										1.32		23	
										1.31	.82	22	
										1.85	1.30	.80	20
										1.28		20	
										1.26		20	
	1.00		1.80		1.90					1.80	1.24	.89	19
										1.13		20	
										1.02	.92	21	
0.65										1.50	91	22	
										88		23	
										85	.96	24	
										81		25	
	1.15		1.75							1.38	.78		
										70	100	27	
										62		26	
										1.17	.55	.96	24
										53		23	
										51	.93	22	
										50		22	
	1.90		1.80							1.10	.48	.92	
										34.34		18	
										114		792	
												25.5	
										6,780		1,570	
										194		45	
										48		18	
										C		C	

DURGES BRANCH 1

the year ending September 30,

K near LENOK, IDAHO for 1916
S.F. KESL (observer.)

UNITED STATES GEOLOGICAL SURVEY. WATER RESOURCE

Daily gage height, in feet, and discharge, in second-feet, of WILLOW CREEK

JANUARY	FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST	
	Discharge, Gage height.	Discharge, Gage height.	Gage height.	Discharge.										
					194		45	0.81	13		11			
5			240	194		41	.81	15		11				
			185			37		18		10	0.33			
	1.60		176	0.88	33	.90	20	0.70	10	10				
			167		31		18		10	10				
5	3.5		210	158	.85	29		17		9				
			150		29	.81	15		8	.26				
			143	.90	29		14	.65	8					
5			190	135	26	.75	12	.50	4.5					
	2.5		134	.85	24		11		5	.29				
		2.95	132		23		11		6					
			131	.82	22	.69	10	.58	6	.30				
5	2.05		185	130	.80	20	.61	7	4.6					
			128		20		9	.42	3.1	.32				
			126		20		11		3.9					
0	1.90		180	124	.89	19		13	.51	4.7				
			113		20		15		4.4	.35				
		3.00	102	.92	21	.82	16		4.1					
5	1.85		150	91		22		15		3.8				
			88		23		15		3.5	.44	3.5			
			85	.96	24	.79	14		29					
5			81		25		13	.35	23	.38	2.6			
			138	78		26		12	.35	23				
			70	100	27		12		24					
5		2.50	62		26	.72	11	.38	26					
			55	.96	24	.70	10		26	.35	2.3			
5	1.95		53		23		11		27					
			51	.93	22		11	.39	27					
0			50		22	.74	12	.34	22	.33	2.1			
0		2.30	110	.48	.92	21		12	.31	19	.31	1.9		
			34.34		792		395		151.1					
			114		25.5		132		50.7					
			6,760		1,570		786		312					
			194		45		20		11					
			48		18		7		1.9					
			C		C		C		0					

UNITED STATES GEOLOGICAL SURVEY, (WATER RESOURCES BRANCH.)

Daily gage height, in feet, and discharge, in second-feet, of WILLOW CREEK

the year ending September 30, 1916

near LENORE, IDAHO

Drainage area

square miles.

S.F. KESL

, observer,

APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER	
Gage height	Discharge	Day	Month										
1	194	45	.81	15		11		20		19		1	APR
2	240	194	41	.81	15	11		21		20		2	
3	185	37		18		10	0.33	21	0.32	20		3	
4	176	0.88	33	.90	20	0.70	10	20		20		4	
5	167	31		18		10		1.8		20		5	
6	210	158	.85	29		17	9	1.6	.32	20		6	
7	150	29	.81	15		8	.26	1.5	.34	22		7	
8	143	.90	29	14	.65	8		1.6		22		8	
9	190	135	26	.75	12	.50	4.5	1.6	.33	2.1		9	
10	134	.85	24		11	5	.29	1.7		22		10	
11	132	23		11		6		1.8		22		11	
12	131	.82	22	.69	10	.58	6	.30	1.8	.35	2.3		
13	185	130	.80	20	.61	7	4.6	1.9		2.4		13	
14	128		20		9	.42	3.1	.32	2.0	.36	2.4		
15	126		20		11	3.9		2.1		2.4		15	
16	180	124	.89	19		13	.51	4.7		2.2		16	
17	113		20		15	4.4	.35	2.3	.37	2.5		17	
18	102	.92	21	.82	16	4.1		2.7		2.5		18	
19	150	91	22		15	3.8		3.1		2.6		19	
20	88		23		15	.44	3.5	.44	3.5	.38	2.6		
21	85	96	24	.79	14		2.9		3.0		2.6		
22	81		25		13	.35	2.3	.38	2.6	.38	2.6		
23	138	78	26		12	.35	2.3		2.5		2.7		
24	70	100	27		12		2.4		2.5	.40	2.8		
25	62		26	.72	11	.38	2.6		2.4		2.9		
26	117	55	.96	24	.70	10	2.6	.55	2.3		3.0		
27		53	23		11		2.7		2.2	.42	3.1		
28		51	.93	22		11	.39	2.7		2.2		3.2	
29		50	22		11	3.4	2.2	.33	2.1	.43	3.2		
30	110	48	.92	21		12	.31	1.9		2.0		3.3	
31			18				1.9	.31	1.9			3.1	
	34.34		792		395		157.1		67.1		74.5		
	114		25.5		132		5.07		2.16		2.48		
	6,780		1,570		786		312		133		148		
	194		45		20		11		3.5		3.3		
	48		18		7		1.9		1.5		1.9		
	C		C		C		0		C		C		

Gage height checked by ...

... and

Date ...

Dist. Engs.

... and

Date ...

Discharge checked by ...

... and

Date ...

Discharge checked by ...

... and

Date ...

Discharge checked by ...

... and

Date ...

Daily gage height, in feet, and discharge, in second-feet, of

MOPE CREEK

New Mexico

A.P.N. 1938

Date	OCTOBER		NOVEMBER		DECEMBER		JANUARY		FEBRUARY	
	Gage height	Discharge								
Oct. 1	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 2	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 3	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 4	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 5	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 6	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 7	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 8	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 9	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 10	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 11	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 12	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 13	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 14	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 15	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 16	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 17	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 18	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 19	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 20	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 21	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 22	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 23	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 24	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 25	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 26	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 27	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 28	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 29	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 30	1.5	1,160	3.5	1,160	75	145	69	140	75	140
Oct. 31	1.5	1,160	3.5	1,160	75	145	69	140	75	140
TOTAL					3169	3229	3326	3390		
Mean					108	144	187	287		
Sec., ft. per					289	244	674	674		
square mile										
Runoff, depth										
in inches										
Runoff to acre										
foot										
Maximum										
Minimum										

Table of use. Half month

ESTIMATED LEVELS DURING NOVEMBER 10-23/66
 (AVERAGE OF 500 FEET GAGE HEIGHTS)
 DIRECT DISCHARGE DEC. 8-3 BY COMPARISON OF OBSERVATIONS ON RIVER AND
 ESTIMATED DISCHARGE SEPT. 28-30 ACCOUNT OF CONSTANT RISE IN GAGE RECORDS DURING

1966

Mean
 Sec., ft. per
 square mile
 Runoff, depth
 in inches
 Runoff to acre
 foot
 Maximum
 Minimum

SURVEY. (WATER RESOURCES BRANCH.)

the year ending September 30,

UNITED STATES GEOLOGICAL SURVEY

MOORE CREEK

Dear ARROWROCK, IDAHO. for 1916.

R.P. Neese

Daily gage height, in feet, and discharge, in second-feet, of 1700

DECEMBER		JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		
g. in.	Discharge	Gage height	Discharge	Gage height	Discharge	Gage height	Discharge	Date	Gage height	Discharge	Gage height	Discharge	Gage height	
75	145	69			140	295	351		48	1510	4.6	1400	680	3.30
			90	195	140		316		53	2060		1400	680	
75	175	112			131	280			53	2060	4.6	1400	3.6	680 3.45
			124	104	134	250	244		51	1860		1460	739	
75	140	65	95	190	132		278		53	2060		1520	3.8	798 3.10
			135	97	158	280	313		6	1910	4.8	1580	798	
75	140	99	220	184		296			5.0	1760		1490	3.8	798 290
			136	101	268	265	278		5.3	2060	4.6	1400	3.9	862 280
80	172		104	295	351		455		5.3	2060		1280	862	
			120	175	108		633		5.5	2280	4.3	1150	3.9	862 275
62	107	87			378	4.0	811		6.2	3140		1050	862	
			112	145	66	310	392	4.3	1020		6.0	2810	938	3.9
75	116	64			352	4.5	1180			2700	3.9	862	830	
			121	62	280	313	1140			2600		771	3.8	798
75	84	140	60		301	4.4	1110		15	2490	2.6	680	798	225
			57	270	289		1120		16	2380		680	3.8	798
20	47		54		297		1130		17	2170	3.6	680	3.9	862 210
			146	135	67		305	4.4	1140		5.2	1960	804	1050
20	46		80		280	313	1270		19	1860	4.0	929	4.4	1230 205
			64	155	80		313	4.7	1190		20	1770	3.7	737
75	82		80										1050	205
			100	80	280	313	5.3	1960		21	1670		737	3.9
75	118	155	80		326	5.0	1680		22	1580	3.7	737	801	1.90
			115	123	290	338	1470		23	1670		737	740	
75	111	210	166		338		1290		24	1760	3.7	737	3.6	680 1.80
			108	175		4.8	1160		25	1910		718	642	1.75
75	115	220	184	290	338		1070		26	2060		679	3.45	604 1.70
					351	4.2	1080		27	2060	3.6	680	604	1.60
75	122		172				1250		28	2060		680	3.45	604 1.60
			118	160	3.00	364			29	1960	3.6	680	560	
75	113	200	149		358	4.7	1460		30	1500		680	3.25	516 1.60
			78	184			1540		31	1680		680	516	
75	84	195	180						32	6.1970		29,976	23,512	
			3229		8925		30,145							83
5169														
			104		287		972			2,070		968	784	
102			2144		674		2,28			1,486		2,27	1,84	
289			28		73		263			542		262	205	
28			6400		16,500		59,800			123,000		59,500	46,700	
6270			184		392		1960			3,140		1,580	1,230	
143			576		132		244			1,610		680	516	
116			C		C		C			B		B	B	

UNITED STATES GEOLOGICAL SURVEY, WATER RESOURCES BRANCH

the year ending September 3

Daily gage height, in feet, and discharge, in second-feet, of MOORE CREEK

near ARROWROCK, IDAHO, for 1916

Drainage area... 4.26 square miles.

A.P. WEBB

, observer.

Date	APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		Day	
	Gage height	Discharge												
51	4.8	1570	4.6	1400		680	3.30	536	1.60	116	118	58	1	
16	5.3	2060		1400		680		570	1.48	98	112	51	2	
80	5.3	2060	4.6	1400	3.6	680	3.45	601	1.45	94	112	51	3	
44	5.1	1860		1460		739		531	1.40	87	112	51	4	
78	5.3	2060		1520	3.8	798	3.10	458	1.35	80	114	53	5	
13	6	1910	4.8	1580		798		425	1.30	73	110	49	6	
296	7	5.0	1760		1490	3.8	798	290	392	1.32	76	110	49	
78	8	5.3	2060	4.6	1400	3.9	862	280	364	1.30	73	110	49	
455	9	5.3	2060		1280		862		358	1.30	73	110	49	
633	10	5.5	2280	4.3	1150	3.9	862	275	351	1.30	73	125	66	
811	11	6.3	3140		1050		862		338	1.28	70	125	66	
1020	12	6.0	2810		958	3.9	862	265	326	1.28	70	125	66	
1180	13		2700	3.9	862		830		295	1.25	66	120	60	
1140	14		2600		771	3.8	798		264	1.24	65	118	58	
1110	15		24490	3.6	680		798	225	234	1.22	63	115	54	
1120	16	5.6	2380		680	3.8	798		218	1.22	63	110	58	
1130	17		2170	3.6	680	3.9	862	210	203	1.22	63	115	54	
1140	18	5.2	1960		804		1050		198	1.10	132	110	53	
1270	19	5.1	1860	4.0	929	4.4	1230	205	194	1.55	108	110	53	
1160	20		1770	3.7	737		1050	205	194	1.45	94	110	53	
1960	21		1670		737	3.9	862		180	1.40	87	110	53	
1680	22	4.8	1580	3.7	737		801	190	166	1.38	84	110	53	
1490	23		1670		737		740		158	1.35	80	110	53	
1290	24	5.0	1760	3.7	737	3.6	680	180	149	1.28	70	110	53	
1100	25		1910		718		642	175	140	1.24	65	110	53	
1070	26	5.3	2060		699	3.45	604	170	132	1.20	60	110	53	
1040	27		2060	3.6	680		604	160	116	1.15	54	110	53	
1250	28	5.3	2060		680	3.45	604	160	116	1.16	56	110	53	
1460	29	5.2	1960	3.6	680		560	160	116	1.12	51	110	53	
1500	30		1680		680	3.25	516	160	116	1.16	56	110	53	
1540	31			3.6	680		160	116	120	1.20	60		51	
10,1445			61,970		29,796		23,512		85,58		23,60		16,31	
972			2,070		968		784		276		76.1		544	
2,28			4,86		2,27		1,84		643		.179		.128	
2,63			542		262		205		.75		.21		.14	
99,800			123,000		57,500		46,700		17,000		4,680		3240	
1960			3,140		1,580		1,230		604		132		66	
2044			1,570		680		516		116		51		49	
C			B		B		B		B		B		B	

Gage heights checked from ext. level observations at Moore Creek, Idaho, Dist. Engg.

Compiled by A. P. Webb, Discharge computed by E. H. Clark, checked by E. H. Clark.

Period 1916.

Gage heights copied by A. P. Webb.

Date

Discharge checked by E. H. Clark.

Clark's check by E. H. Clark.

UNITED STATES GEOLOGICAL SURVEY, WATER RESOURCES BRANCH

the year ending September 30,

g height, in feet, and discharge, in second-feet, of MOORE CREEK near ARROWROCK, IDAHO for 1916.

Drainage area... 426 square miles.

A.P. WEBB

observer:

APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		Day.	
Discharge	Gage height												
1570	4.6	1400		680	3.30	536	1.60	116	118	58	1		
2060		1400		680		570	1.48	98	112	51	2		
2060	4.6	1400	3.6	680	3.45	604	1.45	94	112	51	3		
1860		1460		739		631	1.40	87	112	51	4		
2060		1520	3.8	798	3.10	458	1.35	80	114	53	5		
1910	4.8	1580		798		425	1.30	73	110	49	6		
1760		1490	3.8	798	290	392	1.32	76	110	49	7		
2060	4.6	1400	3.9	862	280	364	1.30	73	110	49	8		
2060		1280		862		358	1.30	73	110	49	9		
2280	4.3	1150	3.9	862	275	351	1.30	73	125	66	10		
3140		1050		862		338	1.28	70	125	66	11		
2810		958	3.9	862	265	326	1.28	70	125	66	12		
2700	3.9	862		830		295	1.25	66	120	60	13		
2600		771	3.8	798		264	1.24	65	118	58	14		
2490	3.6	680		798	225	234	1.22	63	115	54	15		
2380		680	3.8	798		218	1.22	63	118	58	16		
2170	3.6	680	3.9	862	210	203	1.22	63	115	54	17		
52	1960		804		1050		198	1.10	132	110	53	18	
51	1860	4.0	929	4.4	1230	205	194	1.55	108	110	53	19	
1770	3.7	737		1050	205	194	1.45	94	110	53	20		
1670		737	3.9	862		180	1.40	87	110	53	21		
1580	3.7	737		801	190	166	1.38	84	110	53	22		
1670		737		740		158	1.35	80	110	53	23		
50	1760	3.7	737	3.6	680	180	149	1.28	70	110	53	24	
1910		718		642	175	140	1.24	65	110	53	25		
53	2060		699	3.45	604	170	132	1.20	60	110	53	26	
2060	3.6	680		604	160	116	1.15	54	110	53	27		
53	2060		680	3.45	604	160	116	1.16	56	110	53	28	
52	1960	3.6	680		560	160	116	1.12	51	110	53	29	
1680		680		325	516	160	116	116	56	110	53	30	
	3.6	680			516	160	116	120	60	110	53	31	
61,970		29,976		23,512		85,58		2360		16,31			
2,070		968		784		276		761		544			
4,86		2,27		1,84		643		179		128			
5,42		262		205		75		21		14			
123,000		59,500		46,700		17,000		14,680		9,240			
3,140		1580		1,230		604		132		66			
4,570		680		516		116		51		49			
B		B		B		B		B		B			

Gage height checked from obs. book, corrected to 1 ft. long.

Compared by A.P. Webb, Discharge adjusted by A.P. Webb.

Checked by A.P. Webb.

T.D.

Gage height checked by A.P. Webb.

Discharge checked by A.P. Webb.

